Preferred by Professionals

Tools, Safety, Drill Bits & more...

102024

www.brightonBESE.com 🗢 1-800-275-0050



TASK SPECIFIC HAND PROTECTION

HironCL





Preferred by Professionals

- 4 SOCKET SETS MASTER
- 5 SOCKET SETS
- 6 SOCKETS INDIVIDUAL & ACCESSORIES
- 8 RIVET TOOLS
- 8 AVIATION SNIPS
- 8 ADJUSTABLE WRENCHES
- 10 PIPE WRENCHES
- 10 PLIERS
- 13 SCREWDRIVERS
- 15 HEX KEYS
- 16 STAPLERS & STAPLES
- 16 COMBINATION WRENCHES
- 18 HAMMERS
- 18 DRIVE BITS & ACCESSORIES
- 22 TAPE MEASURES
- 22 UTILITY KNIFE & BLADES
- 22 HACK SAW & BLADES
- 24 GLOVES
- 27 KNEE PADS
- 27 CABLE TIES
- 28 FLASH LIGHTS
- 29 KNEEING PAD
- 30 SAFETY GLASSES
- 34 EAR PLUGS
- 34 SAFETY VESTS
- 34 DUST MASKS & RESPIRATORS
- 35 TAPES & DISPENSERS
- 37 VIBRA-TITE® THREADLOCKER
- 37 CONTRACTOR WASTE BAGS
- 37 CARPENTER PENCILS
- 37 BOLT GAUGES
- 38 HAND & TOOL WIPES / SHOP TOWELS

HAND TOOLS

PAGE 3

PERSONAL PROTECTIVE EQUIPMENT

PAGE 23

www.brightonBEST.com • 1-800-275-0050 BBI products and services offered exclusively through distribution • Brighton-Best International, Inc.

Preferred by Professionals

- 40 M2 HIGH SPEED STEEL TWIST DRILL BIT
- 43 M2 HIGH SPEED STEEL BLACK & GOLD DRILL BIT
- 45 M35 COBALT TWIST DRILL BIT
- 47DRILL BIT SETS
- 48 M42 SUPER COBALT DOUBLE END DRILL BIT
- 48 M42 SUPER COBALT SPOT WELD DRILL BIT
- 48 M2 HIGH SPEED STEEL STEP DRILL BIT (INCH)
- 48 HIGH SPEED STEEL TAP
- 49 CARBON PIPE TAP
- 50 HIGH SPEED STEEL PIPE TAP
- 50 HIGH SPEED STEEL COMBO DRILL TAP
- 50 HIGH SPEED STEEL SPIRAL POINT GUN TAP
- 50 TAP & DRILL SET
- 50 TAP WRENCH
- 51 M2 HIGH SPEED STEEL REAMER (INCH)
- 51 TUNGSTEN CARBIDE TIPPED CUTTER (INCH)
- 52 TUNGSTEN CARBIDE TIPPED ACCESSORIES (INCH)
- 52 M2 HIGH SPEED STEEL ANNULAR CUTTER FOR MAGNETIC DRILL BIT (INCH)
- 53 M2 HIGH SPEED STEEL ANNULAR CUTTER PILOT PIN (INCH)
- 53 WIRE BRUSH
- 54 SPADE BIT
- 54 SPADE BIT SET
- 54 SELF FEED DRILL
- 54 DRILL EXTENSION
- 55 SHIP AUGER
- 55 ROUND SHANK DRILLTEC™ DRILL BIT
- 56 SDS PLUS DRILLTEC™ DRILL BIT
- 56 SDS MAX CARBIDE DRILL BIT
- 57 SDS PLUS DRILL BIT WITH STOP
- 57 CONCRETE SCREW DRILL BIT PLAIN
- 57 SDS HEX CONCRETE SCREW DRILL BIT
- 57 BI-METAL RECIPROCATING BLADE
- 58 SCREW EXTRACTOR SET
- 58 SCREW EXTRACTOR
- 58 ABRASIVE CUT-OFF WHEELS AND CHOP SAW WHEEL
- 59 GRINDING DISC TYPE 27
- 59 FLAP DISC TYPE 27
- 59 HAND PAD

CUTTING TOOLS & ABRASIVES

PAGE 39

Preferred by Professionals

40



HAND TOOLS

Lifetime warranty is for hand tools. All other products are warrantied against manufacture defects.

Preferred by Professionals



1/4" DRIVE STANDARD SOCKET MASTER SET-48 PIECE



Part No.	Description	
S01001	PROFERRED 1/4" DRIVE STANDARD SAE-MT - 6 POINT SOCKET MASTER SET 48 PIECE	
1/4" Drive SAE 6 Poi	nt Standard Socket 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	Bits Set 1: T10, T15, T20, T25, T27, T30, T40, PH1, PH2, PH3
1/4" Drive Metric 6 Point Standard Socket 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm		Bits Set 2: 3/16, 7/32, 1/4, S1, S2, H3, H4, H5, H6
1/4" Drive Pear Ratchet Handle 72 Teeth 4.5"		Hex Adapter
1/4" Drive Extension Bar 2", 6"		Ratcheting Screwdriver
1/4" Drive Universal Joint		

3/8" DRIVE STANDARD SOCKET MASTER SET-37 PIECE



Part No.	Description	
S01002	02 PROFERRED 3/8" DRIVE STANDARD SAE-MT - 6 SOCKET MASTER SET 37 PIECE	
3/8" Drive SAE 6 Point Standard Socket 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"		3/8" Drive Flex Handle (Breaker Bar) 10"
3/8" Drive Metric 6 Po 17mm, 18mm, 19mm	oint Standard Socket 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm,	Spark plug Sockets 5/8", 13/16"
3/8" Drive Pear Ratchet Handle 72 Teeth 8"		3/8" F - 1/4" M Adapter
3/8" Drive Extension Bar 3", 6", 10"		1/2" F - 3/8" M 3 way Adapter
3/8" Drive Universal Joint		

1/2" DRIVE STANDARD SOCKET MASTER SET-21 PIECE



Part No.	Description	
S01003	PROFERRED 1/2" DRIVE STANDARD SAE - 12 POINT SOCKET MASTER SET 21 PIECE	
1/2" Drive SAE 12 Poi 1-3/16", 1-1/4"	nt Standard Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8",	1/2" Drive Universal Joint
1/2" Drive Pear Ratch	et Handle 60 Teeth 10"	1/2" Drive Flex Handle (Breaker Bar) 15"
1/2" Drive Extension E	ar 5", 10"	3/8" F - 1/2" M 3 way Adapter

3/4" DRIVE STANDARD SOCKET MASTER SET-15 PIECE



Part No.	Description	
S01004	PROFERRED 3/4" DRIVE STANDARD SAE - 12 POINT SOCKET MASTER SET 15 PIECE	
3/4" Drive SAE 12 Pc	int Standard Socket 7/8", 15/16", 1", 1-1/8", 1-1/4", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"	3/4" Drive Universal Joint
3/4" Drive Pear Ratch	net Handle 24 Teeth 20"	3/4" Drive Flex Handle (Breaker Bar) 20"
3/4" Drive Extension Bar 4", 8"		



1/4" DRIVE 6 POINT SOCKET SETS **SAE-METRIC STANDARD & DEEP-11 PIECE**

SOCKET RAIL INCLUDED

Part No.	Description
S04001	PROFERRED 1/4" DRIVE SAE 6 POINT STANDARD SOCKET SET 11 PIECE
4" Drive SAE 6 P	oint Standard Socket 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Part No.	Description
S04101	PROFERRED 1/4" DRIVE SAE 6 POINT DEEP SOCKET SET 11 PIECE
	oint Deep Socket 5/32" 3/16" 7/32" 1//" 0/32" 5/16" 11/32" 3/8" 7/16" 1/2" 0/16"

00000088888

Part No.	Description
S05001	PROFERRED 1/4" DRIVE METRIC 6 POINT STANDARD SOCKET SET 11 PIECE
1/4" Drive Metric 6	Point Standard Socket 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm
Part No.	Description
S05101	PROFERRED 1/4" DRIVE METRIC 6 POINT DEEP SOCKET SET 11 PIECE
1/4" Drivo Motrio 6	Point Deep Socket 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

3/8" DRIVE SOCKET SETS 6 POINT & 12 POINT SAE-METRIC STANDARD & DEEP

SOCKET RAIL INCLUDED

Part No.	Description
S06001	PROFERRED 3/8" DRIVE SAE 6 POINT STANDARD SOCKET SET 15 PIECE
3/8" Drive SAE 6 Po 15/16", 1"	bint Standard Socket 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",
Part No.	Description
S06301	PROFERRED 3/8" DRIVE SAE12 POINT DEEP SOCKET SET 12 PIECE
3/8" Drive SAE12 P	oint Deep Socket 1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

1/2" DRIVE 12 POINT SAE-METRIC SOCKET SETS **STANDARD & DEEP**

SOCKET RAIL INCLUDED

Part No.	Description
S08201	PROFERRED 1/2" DRIVE SAE 12 POINT STANDARD SOCKET SET 15 PIECE
1/2" Drive SAE 12 I	Point Standard Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8",
1-3/16", 1-1/4"	onin Standard Socket 3/0 , //10 , 1/2 , 3/10 , 3/0 , 11/10 , 3/4 , 13/10 , //6 , 13/10 , 1 , 1-1/10 , 1-1/0 ,
	Description
1-3/16", 1-1/4"	

1/2" DRIVE 6 POINT IMPACT SOCKET SETS

Part No.	Description
S11001	PROFERRED 1/2" DRIVE SAE 6 POINT STANDARD IMPACT SOCKET SET 15 PIECE
1/2" Drive SAE 6 Po 1-1/8", 1-3/16", 1-1/	oint Standard Impact Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 4"
Part No.	Description
S11101	PROFERRED 1/2" DRIVE SAE 6 POINT DEEP IMPACT SOCKET SET 15 PIECE
1/2" Drive SAE 6 Dr	pint Deep Impact Socket 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16",



007004	
S07001	PROFERRED 3/8" DRIVE METRIC 6 POINT STANDARD SOCKET SET 17 PIECE
	Point Standard Socket 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, m, 21mm, 22mm, 24mm
Part No.	Description
S07301	PROFERRED 3/8" DRIVE METRIC 12 POINT DEEP SOCKET SET 12 PIECE



Part No.	Description
S09201	PROFERRED 1/2" DRIVE METRIC 12 POINT STANDARD SOCKET SET 15 PIECE
1/2" Drive 12 Point 22mm, 24mm, 27m	Metric Standard Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, m, 30mm, 32mm
Part No.	Description
S09301	PROFERRED 1/2" DRIVE METRIC 12 POINT DEEP SOCKET SET 12 PIECE
1/2" Drive Metric 12	Point Deep Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, 22mm,



Part No.	Description
S12001	PROFERRED 1/2" DRIVE METRIC 6 POINT STANDARD IMPACT SOCKET SET 16 PIECE
	Point Standard Impact Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, m, 24mm, 27mm, 30mm, 32mm
Part No.	Description
S12101	PROFERRED 1/2" DRIVE METRIC 6 POINT DEEP IMPACT SOCKET SET 15 PIECE
	Point Deep Impact Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, m. 24mm, 27mm

24mm

roierred R

Preferred by Professionals

LIFETIME WARRANTY

CHROME & IMPACT SOCKETS

- Features Stress reduced hex drive Forged for maximum strength Packed on a rail



Part No.	Description
	SAE 6 POINT STANDARD CHROME OME SOCKETS
S15005	Standard Chrome Socket 5/32"
S15006	Standard Chrome Socket 3/16"
S15007	Standard Chrome Socket 7/32"
S15008	Standard Chrome Socket 1/4"
S15009	Standard Chrome Socket 9/32"
S15010	Standard Chrome Socket 5/16"
S15011	Standard Chrome Socket 11/32"
S15012	Standard Chrome Socket 3/8"
S15014	Standard Chrome Socket 7/16"
S15016	Standard Chrome Socket 1/2"
S15018	Standard Chrome Socket 9/16"
S15105	Deep Chrome Socket 5/32"
S15106	Deep Chrome Socket 3/16"
S15107	Deep Chrome Socket 7/32"
S15108	Deep Chrome Socket 1/4"
S15109	Deep Chrome Socket 9/32"
S15110	Deep Chrome Socket 5/16"
S15111	Deep Chrome Socket 11/32"
S15112	Deep Chrome Socket 3/8"
S15114	Deep Chrome Socket 7/16"
S15116	Deep Chrome Socket 1/2"
S15118	Deep Chrome Socket 9/16"
1/4" DRIVE	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS
1/4" DRIVE	METRIC 6 POINT STANDARD
1/4" DRIVE CHROME / I	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS
1/4" DRIVE CHROME / I S16002	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm
1/4" DRIVE CHROME / I S16002 S16003	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm
1/4" DRIVE CHROME / I S16002 S16003 S16004	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm
1/4" DRIVE CHROME / 1 S16002 S16003 S16004 S16005	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm Standard Chrome Socket 5.5mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm Standard Chrome Socket 6mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 8mm
1/4" DRIVE CHROME / I S16002 S16004 S16005 S16005 S16007 S16008 S16009	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 7mm Standard Chrome Socket 8mm Standard Chrome Socket 9mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16009 S16010	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm Standard Chrome Socket 6mm Standard Chrome Socket 6mm Standard Chrome Socket 8mm Standard Chrome Socket 9mm Standard Chrome Socket 9mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16010 S16011	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 8mm Standard Chrome Socket 9mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16010 S16011 S16012	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 7mm Standard Chrome Socket 9mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16009 S16010 S16011 S16012 S16013	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 8mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16009 S16010 S16011 S16012 S16013 S16014	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 8mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Standard Chrome Socket 12mm Standard Chrome Socket 12mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16010 S16010 S16011 S16012 S16013 S16014 S16102	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 8mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16010 S16010 S16011 S16012 S16014 S16102 S16104	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 7mm Standard Chrome Socket 7mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16010 S16010 S16011 S16012 S16013 S16014 S16102 S16104 S16106	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Deep Chrome Socket 14mm Deep Chrome Socket 5mm Deep Chrome Socket 6mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16007 S16008 S16009 S16010 S16011 S16011 S16012 S16013 S16014 S16102 S16104 S16106 S16107	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Deep Chrome Socket 14mm Deep Chrome Socket 5mm Deep Chrome Socket 6mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16007 S16008 S16009 S16010 S16011 S16012 S16013 S16014 S16102 S16104 S16106 S16107 S16108	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Deep Chrome Socket 14mm Deep Chrome Socket 5mm Deep Chrome Socket 6mm Deep Chrome Socket 7mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16007 S16008 S16009 S16010 S16010 S16011 S16012 S16013 S16014 S16102 S16104 S16106 S16107 S16108 S16109	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 6mm Standard Chrome Socket 7mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Deep Chrome Socket 14mm Deep Chrome Socket 5mm Deep Chrome Socket 6mm Deep Chrome Socket 7mm Deep Chrome Socket 7mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16007 S16008 S16009 S16010 S16010 S16012 S16013 S16014 S16102 S16104 S16106 S16106 S16109 S16109 S16110	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 7mm Standard Chrome Socket 9mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Deep Chrome Socket 13mm Deep Chrome Socket 5mm Deep Chrome Socket 6mm Deep Chrome Socket 7mm Deep Chrome Socket 8mm Deep Chrome Socket 8mm
1/4" DRIVE CHROME / I S16002 S16003 S16004 S16005 S16006 S16007 S16008 S16009 S16010 S16011 S16012 S16013 S16014 S16102 S16104 S16106 S16107 S16108 S16109 S16110	METRIC 6 POINT STANDARD DEEP CHROME SOCKETS Standard Chrome Socket 4mm Standard Chrome Socket 4.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 5.5mm Standard Chrome Socket 7mm Standard Chrome Socket 9mm Standard Chrome Socket 9mm Standard Chrome Socket 10mm Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Standard Chrome Socket 11mm Deep Chrome Socket 14mm Deep Chrome Socket 14mm Deep Chrome Socket 6mm Deep Chrome Socket 7mm Deep Chrome Socket 7mm Deep Chrome Socket 8mm Deep Chrome Socket 9mm Deep Chrome Socket 10mm

Part No.	Description
3/8" DRIVE S CHROME SC	SAE 6 POINT STANDARD OCKETS
S19008	Standard Chrome Socket 1/4"
S19010	Standard Chrome Socket 5/16"
S19012	Standard Chrome Socket 3/8"
S19014	Standard Chrome Socket 7/16"
S19016	Standard Chrome Socket 1/2"
S19018	Standard Chrome Socket 9/16"
S19020	Standard Chrome Socket 5/8"
S19022	Standard Chrome Socket 11/16"
S19024	Standard Chrome Socket 3/4"
S19026	Standard Chrome Socket 13/16"
S19028	Standard Chrome Socket 7/8"
S19030	Standard Chrome Socket 15/16"
S19032	Standard Chrome Socket 1"
	SAE 12 POINT ME SOCKETS
S19308	Deep Chrome Socket 1/4"
S19310	Deep Chrome Socket 5/16"
S19312	Deep Chrome Socket 3/8"
S19314	Deep Chrome Socket 7/16"
S19316	Deep Chrome Socket 1/2"
S19318	Deep Chrome Socket 9/16"
S19320	Deep Chrome Socket 5/8"
S19322	Deep Chrome Socket 11/16"
S19324	Deep Chrome Socket 3/4"
S19326	Deep Chrome Socket 13/16"
S19328	Deep Chrome Socket 7/8"
S19330	Deep Chrome Socket 15/16"
S19332	Deep Chrome Socket 1"
	METRIC 6 POINT CHROME SOCKETS
S20006	Standard Chrome Socket 6mm
S20007	Standard Chrome Socket 7mm
S20008	Standard Chrome Socket 8mm
S20009	Standard Chrome Socket 9mm
S20010	Standard Chrome Socket 10mm
S20011	Standard Chrome Socket 11mm
S20012	Standard Chrome Socket 12mm
S20013	Standard Chrome Socket 13mm
S20014	Standard Chrome Socket 14mm
S20015	Standard Chrome Socket 15mm
S20016	Standard Chrome Socket 16mm
S20017	Standard Chrome Socket 17mm
S20018	Standard Chrome Socket 18mm
S20019	Standard Chrome Socket 19mm
S20021	Standard Chrome Socket 21mm
S20022	Standard Chrome Socket 22mm
S20024	Standard Chrome Socket 24mm

3/8" DRIVE METRIC 12 POINT DEEP CHROME SOCKETS

Part No.	Description
S20308	Deep Chrome Socket 8mm
S20309	Deep Chrome Socket 9mm
S20310	Deep Chrome Socket 10mm
S20311	Deep Chrome Socket 11mm
S20312	Deep Chrome Socket 12mm
S20313	Deep Chrome Socket 13mm
S20314	Deep Chrome Socket 14mm
S20315	Deep Chrome Socket 15mm
S20316	Deep Chrome Socket 16mm
S20317	Deep Chrome Socket 17mm
S20318	Deep Chrome Socket 18mm
S20319	Deep Chrome Socket 19mm
	AE 12 POINT STANDARD
S23212	Standard Chrome Socket 3/8"
S23212	Standard Chrome Socket 7/16"
S23214	Standard Chrome Socket 1/10 Standard Chrome Socket 1/2"
S23210	Standard Chrome Socket 9/16"
S23218	Standard Chrome Socket 5/8"
S23220	Standard Chrome Socket 11/16"
S23222	Standard Chrome Socket 3/4"
S23224	Standard Chrome Socket 13/16"
S23228	Standard Chrome Socket 7/8"
S23230	
	Standard Chrome Socket 15/16" Standard Chrome Socket 1"
S23232 S23234	
	Standard Chrome Socket 1-1/16"
S23236	Standard Chrome Socket 1-1/8"
S23238	Standard Chrome Socket 1-3/16"
S23240	Standard Chrome Socket 1-1/4"
S23310	Deep Chrome Socket 5/16"
S23312	Deep Chrome Socket 3/8"
S23314	Deep Chrome Socket 7/16"
S23316	Deep Chrome Socket 1/2"
S23318	Deep Chrome Socket 9/16"
S23320	Deep Chrome Socket 5/8"
S23322	Deep Chrome Socket 11/16"
S23324	Deep Chrome Socket 3/4"
S23326	Deep Chrome Socket 13/16"
S23328	Deep Chrome Socket 7/8"
S23330	Deep Chrome Socket 15/16"
S23332	Deep Chrome Socket 1"
S23332	
S23332	Deep Chrome Socket 1" ETRIC 12 POINT STANDARD
S23332 /2" DRIVE M HROME / DE	Deep Chrome Socket 1" ETRIC 12 POINT STANDARD EP CHROME SOCKETS
S23332 / 2" DRIVE M HROME / DE S24210	Deep Chrome Socket 1" ETRIC 12 POINT STANDARD EP CHROME SOCKETS Standard Chrome Socket 10mm
S23332 /2" DRIVE M HROME / DE S24210 S24211	Deep Chrome Socket 1" ETRIC 12 POINT STANDARD EP CHROME SOCKETS Standard Chrome Socket 10mm Standard Chrome Socket 11mm
S23332 2" DRIVE M HROME / DE S24210 S24211 S24212	Deep Chrome Socket 1" ETRIC 12 POINT STANDARD EP CHROME SOCKETS Standard Chrome Socket 10mm Standard Chrome Socket 11mm Standard Chrome Socket 12mm

Part No.	Description
S24217	Standard Chrome Socket 17mm
S24218	Standard Chrome Socket 18mm
S24219	Standard Chrome Socket 19mm
S24221	Standard Chrome Socket 21mm
S24222	Standard Chrome Socket 22mm
S24223	Standard Chrome Socket 23mm
S24224	Standard Chrome Socket 24mm
S24226	Standard Chrome Socket 26mm
S24227	Standard Chrome Socket 27mm
S24230	Standard Chrome Socket 30mm
S24232	Standard Chrome Socket 32mm
S24310	Deep Chrome Socket 10mm
S24311	Deep Chrome Socket 11mm
S24312	Deep Chrome Socket 12mm
S24313	Deep Chrome Socket 13mm
S24314	Deep Chrome Socket 14mm
S24315	Deep Chrome Socket 15mm
S24317	Deep Chrome Socket 17mm
S24318	Deep Chrome Socket 18mm
S24319	Deep Chrome Socket 19mm
S24321	Deep Chrome Socket 21mm
S24322	Deep Chrome Socket 22mm
S24324	Deep Chrome Socket 24mm
3/8" DRIVE	SAE 6 POINT IMPACT SOCKETS
S30010	Impact Socket 5/16"
S30012	Impact Socket 3/8"
S30014	Impact Socket 7/16"
S30016	Impact Socket 1/2"
S30018	Impact Socket 9/16"
S30020	Impact Socket 5/8"
S30020 S30022	Impact Socket 5/8" Impact Socket 11/16"
S30022 S30024	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT
S30022 S30024 3/8" DRIVE	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT
S30022 S30024 3/8" DRIVE IMPACT SO	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS
S30022 S30024 3/8" DRIVE IMPACT SO S31006	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm
S30022 S30024 3/8" DRIVE IMPACT SO S31006 S31008	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 8mm
S30022 S30024 3/8" DRIVE IMPACT SO S31006 S31008 S31010	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 8mm Impact Socket 10mm
S30022 S30024 3/8" DRIVE IMPACT SO S31000 S31000 S31010 S31011	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 8mm Impact Socket 10mm Impact Socket 11mm
S30022 S30024 3/8" DRIVE IMPACT SO S31006 S31008 S31010 S31011 S31012	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 8mm Impact Socket 10mm Impact Socket 11mm Impact Socket 12mm
S30022 S30024 3/8" DRIVE IMPACT SO S31006 S31008 S31010 S31011 S31012 S31013	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 6mm Impact Socket 10mm Impact Socket 10mm Impact Socket 11mm Impact Socket 12mm Impact Socket 13mm
S30022 S30024 3/8" DRIVE IMPACT SO S31006 S31008 S31010 S31011 S31012 S31013 S31013	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 8mm Impact Socket 10mm Impact Socket 10mm Impact Socket 11mm Impact Socket 12mm Impact Socket 13mm Impact Socket 14mm
S30022 S30024 3/8" DRIVE IMPACT S0 S31006 S31008 S31010 S31011 S31012 S31013 S31014 S31014	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 8mm Impact Socket 10mm Impact Socket 10mm Impact Socket 11mm Impact Socket 12mm Impact Socket 13mm Impact Socket 14mm Impact Socket 15mm
S30022 S30024 3/8" DRIVE IMPACT SO S31006 S31007 S31011 S31012 S31013 S31014 S31015 S31015	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 8mm Impact Socket 10mm Impact Socket 10mm Impact Socket 11mm Impact Socket 13mm Impact Socket 13mm Impact Socket 14mm Impact Socket 15mm
S30022 S30024 3/8" DRIVE IMPACT SO S31006 S31007 S31011 S31012 S31013 S31014 S31015 S31016 S31016	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 6mm Impact Socket 10mm Impact Socket 10mm Impact Socket 11mm Impact Socket 12mm Impact Socket 13mm Impact Socket 13mm Impact Socket 15mm Impact Socket 15mm Impact Socket 16mm Impact Socket 17mm
\$30024 3/8" DRIVE IMPACT SO \$31006 \$31008 \$31010 \$31011 \$31012 \$31013 \$31014 \$31015 \$31016 \$31016 \$31017 \$31018 \$31018 \$31019 1/2" DRIVE	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 6mm Impact Socket 10mm Impact Socket 10mm Impact Socket 11mm Impact Socket 13mm Impact Socket 13mm Impact Socket 14mm Impact Socket 15mm Impact Socket 16mm Impact Socket 17mm Impact Socket 17mm
\$30024 3/8" DRIVE IMPACT SO \$31006 \$31008 \$31010 \$31011 \$31012 \$31013 \$31014 \$31015 \$31016 \$31016 \$31017 \$31018 \$31018 \$31019 1/2" DRIVE	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 8mm Impact Socket 10mm Impact Socket 10mm Impact Socket 12mm Impact Socket 12mm Impact Socket 13mm Impact Socket 13mm Impact Socket 15mm Impact Socket 16mm Impact Socket 17mm Impact Socket 17mm Impact Socket 17mm Impact Socket 18mm Impact Socket 19mm SAE 6 POINT STANDARD /
S30024 3/8" DRIVE IMPACT SO S31000 S31010 S31011 S31012 S31013 S31014 S31015 S31016 S31016 S31017 S31018 S31017 S31018 S31019 1/2" DRIVE DEEP IMPA	Impact Socket 11/16" Impact Socket 3/4" METRIC 6 POINT CKETS Impact Socket 6mm Impact Socket 6mm Impact Socket 10mm Impact Socket 10mm Impact Socket 12mm Impact Socket 13mm Impact Socket 13mm Impact Socket 15mm Impact Socket 16mm Impact Socket 16mm Impact Socket 17mm Impact Socket 19mm SAE 6 POINT STANDARD / CT SOCKETS

S24216

Standard Chrome Socket 16mm

Preferred by Professionals




Part No.	Description	Part No.	Description
S32016	Impact Socket 1/2"	S32130	Deep Impact S
S32018	Impact Socket 9/16"	S32132	Deep Impact S
S32020	Impact Socket 5/8"	S32134	Deep Impact \$
S32022	Impact Socket 11/16"	S32136	Deep Impact S
S32024	Impact Socket 3/4"	S32138	Deep Impact S
S32026	Impact Socket 13/16"	S32140	Deep Impact S
S32028	Impact Socket 7/8"	S32142	Deep Impact S
S32030	Impact Socket 15/16"	S32144	Deep Impact S
S32032	Impact Socket 1"	S32146	Deep Impact S
S32034	Impact Socket 1-1/16"	S32148	Deep Impact S
S32036	Impact Socket 1-1/8"		E METRIC 6 POI
S32038	Impact Socket 1-3/16"	DEEP IMP	ACT SOCKETS
S32040	Impact Socket 1-1/4"	\$33010	Impact Socket
S32112	Deep Impact Socket 3/8"	S33011	Impact Socket
S32114	Deep Impact Socket 7/16"	S33012	Impact Socket
S32116	Deep Impact Socket 1/2"	\$33013	Impact Socket
S32118	Deep Impact Socket 9/16"	S33014	Impact Socket
S32120	Deep Impact Socket 5/8"	\$33015	Impact Socket
S32122	Deep Impact Socket 11/16"	\$33017	Impact Socket
S32122	Deep Impact Socket 3/4"	\$33018	Impact Socket
S32124	Deep Impact Socket 13/16"	S33019	Impact Socket
S32120	Deep Impact Socket 7/8"	S33020	Impact Socket
332120	Deep impact Source 1/0	S33021	Impact Socket

Fart NO.	Description
S32130	Deep Impact Socket 15/16"
S32132	Deep Impact Socket 1"
S32134	Deep Impact Socket 1-1/16"
S32136	Deep Impact Socket 1-1/8"
S32138	Deep Impact Socket 1-3/16"
S32140	Deep Impact Socket 1-1/4"
S32142	Deep Impact Socket 1-5/16"
S32144	Deep Impact Socket 1-3/8"
S32146	Deep Impact Socket 1-7/16"
S32148	Deep Impact Socket 1-1/2"
1/2" DRIVE N DEEP IMPAC	METRIC 6 POINT STANDARD / T SOCKETS
S33010	Impact Socket 10mm
-	Impact Socket 10mm Impact Socket 11mm
S33010	
S33010 S33011	Impact Socket 11mm
S33010 S33011 S33012	Impact Socket 11mm Impact Socket 12mm
S33010 S33011 S33012 S33013	Impact Socket 11mm Impact Socket 12mm Impact Socket 13mm
S33010 S33011 S33012 S33013 S33014	Impact Socket 11mm Impact Socket 12mm Impact Socket 13mm Impact Socket 14mm
S33010 S33011 S33012 S33013 S33014 S33015	Impact Socket 11mm Impact Socket 12mm Impact Socket 13mm Impact Socket 14mm Impact Socket 15mm
S33010 S33011 S33012 S33013 S33014 S33015 S33017	Impact Socket 11mm Impact Socket 12mm Impact Socket 13mm Impact Socket 14mm Impact Socket 15mm Impact Socket 17mm
S33010 S33011 S33012 S33013 S33014 S33015 S33017 S33018	Impact Socket 11mm Impact Socket 12mm Impact Socket 12mm Impact Socket 13mm Impact Socket 15mm Impact Socket 17mm Impact Socket 18mm
S33010 S33011 S33012 S33013 S33014 S33015 S33017 S33018 S33019	Impact Socket 11mm Impact Socket 12mm Impact Socket 12mm Impact Socket 13mm Impact Socket 14mm Impact Socket 15mm Impact Socket 18mm Impact Socket 19mm

Part No.	Description	Part No.	Description
33022	Impact Socket 22mm	S33134	Deep Impact Socket 34mm
33024	Impact Socket 24mm	S33136	Deep Impact Socket 36mm
33027	Impact Socket 27mm		SAE 6 POINT CT SOCKETS
33030	Impact Socket 30mm		
33032	Impact Socket 32mm	S34132	Deep Impact Socket 1"
33110	Deep Impact Socket 10mm	S34134	Deep Impact Socket 1-1/16"
33111	Deep Impact Socket 11mm	S34136	Deep Impact Socket 1-1/8"
S33112	Deep Impact Socket 12mm		Deep Impact Socket 1-1/4"
S33113	Deep Impact Socket 13mm	S34142	Deep Impact Socket 1-5/16"
S33114	Deep Impact Socket 14mm	\$34144	Deep Impact Socket 1-3/8"
S33115	Deep Impact Socket 15mm	\$34146	Deep Impact Socket 1-7/16"
		S34148	Deep Impact Socket 1-1/2"
533116	Deep Impact Socket 16mm	3/4" DRIVE	METRIC 6 POINT
33117	Deep Impact Socket 17mm	DEEP IMPA	CT SOCKETS
S33118	Deep Impact Socket 18mm	S35126	Deep Impact Socket 26mm
\$33119	Deep Impact Socket 19mm	S35127	Deep Impact Socket 27mm
33120	Deep Impact Socket 20mm	S35130	Deep Impact Socket 30mm
S33121	Deep Impact Socket 21mm	S35132	Deep Impact Socket 32mm
S33122	Deep Impact Socket 22mm		Deep Impact Socket 33mm
S33124	Deep Impact Socket 24mm		Deep Impact Socket 35mm
S33127	Deep Impact Socket 27mm		Deep Impact Socket 36mm
S33130	Deep Impact Socket 30mm		Deep Impact Socket 38mm
S33132	Deep Impact Socket 32mm		

1/4" DRIVE TINY BONE 5 IN 1 RATCHET HANDLE



Proferred 1/4" Drive Tiny Bone 5 in 1 Ratchet Handle



SOCKET ACCESSORIES & RATCHETS

S39001

•	S40101	S42	101		
	S49001		S43201	S45101	S47101
Part No.	Description	Part No.	Description		
S40001	1/4" Drive Pear Ratchet Handle 72 Teeth 4.5"	S43101	3/8" Drive Extension Bar 3"		
S40101	3/8" Drive Pear Ratchet Handle 72 Teeth 8"	S43102	3/8" Drive Extension Bar 6"		
S40201	1/2" Drive Pear Ratchet Handle 60 Teeth 10"	S43103	3/8" Drive Extension Bar 10"		
S41101	3/8" Drive Flex Handle (Breaker Bar) 10"	S43201	1/2" Drive Extension Bar 5"		
S41201	1/2" Drive Flex Handle (Breaker Bar) 15"	S43202	1/2" Drive Extension Bar 10"		
S42101	3/8" Drive Cobra Flex Handle (Breaker Bar) 8"	S43203	1/2" Drive Extension Bar 20"		
S42201	1/2" Drive Cobra Flex Handle (Breaker Bar) 10"	S44101	3/8" Drive Impact Extension Bar 3"		
S43001	1/4" Drive Extension Bar 2"	S44102	3/8" Drive Impact Extension Bar 6"		
S43002	1/4" Drive Extension Bar 4"	S44201	1/2" Drive Impact Extension Bar 5"		
S43003	1/4" Drive Extension Bar 6"	S44202	1/2" Drive Impact Extension Bar 10"		

roierred

Preferred by Professionals



Part No.	Description	Part No.	Description
S45001	1/4" Drive Universal Joint	S47102	3/8" F - 1/2" M Adapter
S45101	3/8" Drive Universal Joint	S47201	1/2" F - 3/8" M Adapter
S45201	1/2" Drive Universal Joint	S47202	1/2" F - 3/4" M Adapter
S46101	3/8" Impact Universal Joint	S49001	1/4" Drive Magnetic Aluminum Socket Rail 12" Length with 15 Clips
S46201	1/2" Impact Universal Joint	S49101	3/8" Drive Magnetic Aluminum Socket Rail 17" Length with 15 Clips
S47101	3/8" F - 1/4" M Adapter	S49201	1/2" Drive Magnetic Aluminum Socket Rail 19" Length with 15 Clips

HAND-OPERATED RIVET TOOL

NOSEPIECE: 3/32", 1/8", 5/32", 3/16"

Features

- Chrome steel and heat treated jaw & jaw case. High grade aluminum die cast housing. Carbon steel forged & heat treated handle.

	-
Part No.	Description
T01002	HR-705 Proferred Hand Operated Rivet Tool 2 Jaw Nosepiece 3/32", 1/8", 5/32", 3/16"

HAND-OPERATED LEVER TOOL

NOSEPIECE: 1/8", 5/32", 3/16", 7/32", 1/4"

Features

Lever design reduces physical strength for all rivet sizes.

Chip design		
Part No.	Description	
T01003	HR-730 Proferred Hand Operated Lever Tool 3 Jaw Nosepiece 1/8", 5/32",3/16", 7/32", 1/4"	

AVIATION SNIP

STRAIGHT CUT, LEFT CUT, RIGHT CUT, NOTCH CUT, LONG CUT

Features

- Cuts up 1.2mm cold rolled steel or 0.7mm AISI-304 stainless steel.
- Meets or exceeds industry specification ANSI/ASME B107.16-1998.
- Quick and simple spring-free automatic latch design (one hand release) offers additional safety. Serrated blades, induction hardened.
- Drop forged Chrome-Molybdenum Alloy steel blades.

Part No.	Description
T02001	Proferred Aviation Snips Straight Cut
T02002	Proferred Aviation Snips Left Cut
T02003	Proferred Aviation Snips Right Cut

HEAVY DUTY ADJUSTABLE WRENCH INDUSTRIAL BLACK PHOSPHATE

LENGTH: 6", 8", 10", 12", 15", 18", 24"

- Raised head design prevents unintended change to the opening width of jaw while wrench is laid flat. Available in 6"-15"
- 15 degree offset allows for ease of use in tight working areas.
- Thin jaw improves access in tight spaces.
- Wider grip opening design allows for wider range of fastener sizes.

Part No.	Description
T05042	Proferred 6" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05043	Proferred 8" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05044	Proferred 10" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05045	Proferred 12" Heavy Duty Adjustable Wrench Industrial Black Phosphate







Part No.	Description
T02004	Proferred Aviation Snips Notch Cut
T02005	Proferred Aviation Snips Long Cut



Part No.	Description
T05046	Proferred 15" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05007	Proferred 18" Heavy Duty Adjustable Wrench Industrial Black Phosphate
T05009	Proferred 24" Heavy Duty Adjustable Wrench Industrial Black Phosphate

Preferred by Professionals



HEAVY DUTY ADJUSTABLE WRENCH CHROME FINISH

LENGTH: 4", 6", 8", 10", 12", 15", 18", 24"

Features

- Raised head design prevents unintended change to the opening width of jaw while wrench is laid flat. Available in 6"-15".
- 15 degree offset allows for ease of use in tight working areas.
- Thin jaw improves access in tight spaces.
 Wider grip opening design allows for wider range of featoper.
- Wider grip opening design allows for wider range of fastener sizes.



Part No.	Description
T05011	Proferred 4" Heavy Duty Adjustable Wrench Chrome Finish
T05052	Proferred 6" Heavy Duty Adjustable Wrench Chrome Finish
T05053	Proferred 8" Heavy Duty Adjustable Wrench Chrome Finish
T05054	Proferred 10" Heavy Duty Adjustable Wrench Chrome Finish

Part No.	Description
T05055	Proferred 12" Heavy Duty Adjustable Wrench Chrome Finish
T05056	Proferred 15" Heavy Duty Adjustable Wrench Chrome Finish
T05017	Proferred 18" Heavy Duty Adjustable Wrench Chrome Finish
T05019	Proferred 24" Heavy Duty Adjustable Wrench Chrome Finish

TIGER'S PAW™ ADJUSTABLE WRENCH WITH PADDED HANDLE

LENGTH: 6", 8", 10", 12"

Features

- Head triangle increased hardness HRC 3 degrees.
- The hole design reduces overall weight by 10%, eliminating physical stress.
 Jaw teeth protects the corners of the nuts, while reducing slippage at the same time.
- Jaw teeth protects the corners of the nuts, while red
 Anti-slip TPR material ensures a comfortable grip.

Part No.	Description
T06002	Proferred 6" Tiger's Paw™ Adjustable Wrench w/ Padded Handle
T06003	Proferred 8" Tiger's Paw™ Adjustable Wrench w/ Padded Handle

QUICK SNAP ADJUSTABLE WRENCH


LENGTH: 8"

Features

- Greater jaw capacity
 Quick release jaw allows for fast setting with one easy pull.
- Dual teeth fits SAE and Metric fastener specifications.
- Micro-adjusting the movable pad allows the knurl to adjust the jaw opening. Convenient and 5-times faster operation.

Part No.	Description
T07001	Proferred 8" Quick Snap Adjustable Wrench

PLUMBING ADJUSTABLE WRENCH



Features

- Ideal for plumbing, automotive and gas industries.
- Super thin head allows for use in limited and narrow spaces.
- Greater jaw capacity allows 55% wider opening than traditional wrench low doubt is 20% bisheat the account opening that the second secon
- Jaw depth is 30% higher than general wrench.

Part No.	Description
T08001	Proferred 6" Plumbing Adjustable Wrench, Maximum Jaw Opening: 1.34"
T08002	Proferred 8" Plumbing Adjustable Wrench, Maximum Jaw Opening: 1.5"



Part No.	Description
T06004	Proferred 10" Tiger's Paw™ Adjustable Wrench w/ Padded Handle
T06005	Proferred 12" Tiger's Paw™ Adjustable Wrench w/ Padded Handle



Part No.	Description
T08003	Proferred 10" Plumbing Adjustable Wrench, Maximum Jaw Opening: 2.0"
T08004	Proferred 12" Plumbing Adjustable Wrench, Maximum Jaw Opening: 2.44"

www.brightonBEST.com • 1-800-275-0050

PTIA 2018 OOL INNOVATION AWARDS WINNE

> PTIA 2011 TOOL INNOVATION AWARDS FINALIS

Preferred by Professionals



RATCHETING ADJUSTABLE WRENCH

LENGTH: 8"

Features

- Combination function ratcheting and adjusting.
- Efficient ratcheting function offers greater efficiency compared to conventional wrenches. Anti-slip comfort grip design TPR material handle with ridged design ensures a strong grip and prevents slippage.

Part No.	Description
T09002	Proferred 8" Ratcheting Adjustable Wrench

MINING ADJUSTABLE WRENCH WITH HAMMER

LENGTH: 12"

Features

- 5 tools in 1: adjustable wrench, pipe wrench, hammer, 7/8" ratcheting box end, 1/2" drive ratcheting wrench
- Rust resistant SAE 6140 Steel.
- Fully heat treated, hot forged handle.
- Ergonomically designed for a comfortable hand grip.
- Wrench comes with a dual hide holster belt clip with chain for additional tool attachments.

Part No.	Description
T10001	Proferred 12" Mining Adjustable Wrench w/ Hammer

PIPE WRENCH

Features

Part No.

T11014

Forged steel

Description

Proferred Pipe Wrench 14"

- Long weighted handle for stability and leverage
- 14" can take a 2" diameter pipe. 18" can take a 2-1/2" diameter pipe.

Ci.	

 Part No.	Description
 T11018	Proferred Pipe Wrench 18"

HIGH LEVERAGE HEAVY DUTY LINEMAN'S PLIERS. TPR GRIP

LENGTH: 8.5", 9.5"

Features

- Superior diamond teeth design for greater gripping ability. Special high leverage design for increased cutting power. Hardened cutting edge cuts various types of wires.

•	Ergonomic: Anti-tatigue comfort grip.

Part No.	Description
T15001	Proferred 8.5" High Leverage Heavy Duty Lineman's Pliers, TPR Grip

STRAIGHT JAW GROOVE JOINT PLIERS, COATED GRIP

LENGTH: 8", 10", 12", 16", 20"

Features

Wide range of jaw adjustments and machined jaw grooves. Lay-on slip-joint. Non-slip cushion grips.

Part No.	Description
T16001	Proferred 8" Straight Jaw Groove Joint Pliers, Coated Grip
T16002	Proferred 10" Straight Jaw Groove Joint Pliers, Coated Grip
T16003	Proferred 12" Straight Jaw Groove Joint Pliers, Coated Grip



Part No.	Description
T15002	Proferred 9.5" High Leverage Heavy Duty Lineman's Pliers, TPR Grip



Part No.	Description
T16004	Proferred 16" Straight Jaw Groove Joint Pliers, Coated Grip
T16005	Proferred 20" Straight Jaw Groove Joint Pliers, Coated Grip

www.brightonBEST.com (1-800-275-0050

BBI products and services offered exclusively through distribution © Brighton-Best International, Inc.

roierred

Preferred by Professionals



DIAGONAL CUTTING PLIERS. TPR GRIP

LENGTH: 6"

Features

Hardened cutting edge cuts various types of wires and extends cutting edge life cycle. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
 T17001	Proferred 6" Diagonal Cutting Pliers, TPR Grip (Non-Heavy Duty)

HIGH LEVERAGE HEAVY DUTY DIAGONAL PLIERS. **TPR GRIP**

LENGTH: 7", 8"

Features

- Special high leverage design for increased cutting power. Hardened cutting edge cuts various types of wires and extends cutting edge life cycle. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description	Pa
T18002	Proferred 7" High Leverage Heavy Duty Diagonal Pliers, TPR Grip	T

SIDE CUTTING LONG NOSE PLIERS. TPR GRIP

LENGTH: 6", 7"

Features

- Superior diamond teeth design allows for greater gripping ability. Hardened cutting edge cuts various types of wires. Ergonomic: Anti-fatigue comfort grip.
- - Part No. Description T19001 Proferred 6" Side Cutting Long Nose Pliers, TPR Grip

LONE NOSE PLIERS WITHOUT CUTTER, TPR GRIP

LENGTH: 6"

Features

- Special design improves access in tight and narrow spaces. Superior diamond teeth design allows for greater gripping ability. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description	
T20001	Proferred 6" Long Nose Pliers without Cutter, TPR Grip (Non-Heavy Duty)	

ALL PURPOSE 7 IN 1 ANGLE NOSE PLIERS

LENGTH: 8"

- Crimps & strips crimps 10-22 AWG terminals and connectors. Strips 10-14 AWG solid and 12-16 AWG wire.
- Bolt cutter #6, #8,
- Boit cutter #0, #3. Diamond tooth design allows for greater gripping ability. Induction-hardened cutting edges for hard & soft wire cutting. Angled head design allows for overall greater flexibility. Thumb lock: Locking mechanism on grip handles. Ergonomic: Anti-fatigue comfort grip.

Part No.	Description
T20101	Proferred All Purpose 7 in 1 Angle Nose Pliers





Part No.	Description
T18003	Proferred 8" High Leverage Heavy Duty Diagonal Pliers, TPR Grip



Part No.	Description
T19002	Proferred 7" Side Cutting Long Nose Pliers, TPR Grip





roierred R

Preferred by Professionals



Proferred

SLIP JOINT PLIERS, TPR GRIP

LENGTH: 6.5", 8"

Features

- Two functioning positions adjustment lay-on and single rivet joint.
- Serrated jaws. Ergonomic: Anti-fatigue comfort grip.

Part No.		Description	
	T21001	Proferred 6.5" Slip Joint Pliers, TPR Grip	



Part No.	Description
T21002	Proferred 8" Slip Joint Pliers, TPR Grip

STRIPPER/CRIMPER SPECIALTY PLIERS

Features

- Multi-purpose crimp tool for non-insulated lugs and terminals 10-22 AWG and pre-insulated 10-22 AWG, including a wire cutter, bolt cutter and wire stripper 10-22 AWG.
- Hardened carbon steel with black oxide finish.
- Precise CNC ground fabricated blades for consistent stripping and cutting.
- Crimping ignition terminals 7-8mm.
- Soften anti-slip cushioned grips.

Part No.	Description
T22011	Proferred Stripper/Crimper Specialty Pliers

CURVED JAW LOCKING PLIERS

Features

- Cr-Mo steel jaw, Cr-Mo steel handle.
- Body heat treated.
- Welding, nickel-plated. Easy release grip.
- Knurled torque adjustment screw.

Part No. Description

T23007 Proferred Curved Jaw Locking Plier	s 7"
---	------



Part No.	Description
T23010	Proferred Curved Jaw Locking Pliers 10"

LOCKING C-CLAMP

Features

Part No.

T23100

- Constructed from high grade, chrome vanadium steel, providing superior strength and durability
- Hardened teeth for griping power and longevity. Curved jaw design allows for a variety of material applications and shapes.

Proferred Locking C-Clamp 6"

- Quick adjust and release.
- Nickle plated for maximum corrosion resistance.

 Part No.	Description	
T23211	Proferred Locking C-Clamp with swivel pads 11"	

LONG NOSE JAW LOCKING PLIERS

Description

- Cr-Mo steel jaw, Cr-Mo steel handle.
- Body heat treated. Welding, nickel-plated.
- Easy release grip. Knurled torque adjustment screw.
- With wire cutter.

Part No.	Description
T23409	Proferred Long Nose Jaw Locking Pliers 9"



roierred R

Preferred by Professionals



ACETATE CUSHION GRIP SCREWDRIVER

SLOTTED: 3/16"x4", 3/16"x6", 1/4"x4", 1/4"x6", 1/4"x8" PHILLIPS: #1x4", #2x4", #2x6", #2x8", #3x6", #3x8"

Features

- Treated tip ensures perfect fit. Cellulose acetate material provides highest performance. Color coded handle for visual identification of Slotted and Phillips. TPV cushion grip provides slip resistance to chemical, oil and most solvents.

Part No.	Description
T25007	Proferred 3/16"x4"Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25008	Proferred 3/16"x6" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25011	Proferred 1/4"x4" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25012	Proferred 1/4"x6" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25013	Proferred 1/4"x8" Acetate Cushion Grip Screwdriver Slotted (Red Acetate)
T25036	Proferred No.1x4" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)



Part No.	Description
T25040	Proferred No.2x4" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
T25041	Proferred No.2x6" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
T25042	Proferred No.2x8" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
T25044	Proferred No.3x6" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)
T25045	Proferred No.3x8" Acetate Cushion Grip Screwdriver Phillips (Blue Acetate)

GO-THRU SCREWDRIVER

SLOTTED: 1/4"x4", 1/4"x6", 5/16"x6", 5/16"x8" PHILLIPS: #2x4", #2x6", #3x6", #3x8"

Features

- Go-thru designed screwdriver can absorb vibration produced during impact. Hexagonal shape Shank can withstand higher impact force. Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents. Color coded handle for visual identification of Slotted and Phillips.

-	Part No.	Description
-	T26002	Proferred 1/4"x4" Go-Thru Screwdriver Slotted (Red Handle)
	T26003	Proferred 1/4"x6" Go-Thru Screwdriver Slotted (Red Handle)
	T26004	Proferred 5/16"x6" Go-Thru Screwdriver Slotted (Red Handle)
	T26005	Proferred 5/16"x8" Go-Thru Screwdriver Slotted (Red Handle)



Part No.	Description
T26012	Proferred No.2x4" Go-Thru Screwdriver Phillips (Blue Handle)
T26013	Proferred No.2x6" Go-Thru Screwdriver Phillips (Blue Handle)
T26014	Proferred No.3x6" Go-Thru Screwdriver Phillips (Blue Handle)
T26015	Proferred No.3x8" Go-Thru Screwdriver Phillips (Blue Handle)

INSULATED (1000V) SCREWDRIVER





SLOTTED: 3/32"x3", 1/8"x4", 7/32"x5", 1/4"x6", 5/16"x7" PHILLIPS: #0x2-3/8", #1x3-3/16", #2x4", #3x6"

Features

Patented dual layer design provides greater protection against electric shock. Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents.

Part No.	Description
T27004	Proferred 7/32"x5" Insulated (1000V) Screwdriver Slotted
T27005	Proferred 1/4"x6" Insulated (1000V) Screwdriver Slotted
T27006	Proferred 5/16"x7" Insulated (1000V) Screwdriver Slotted

Part No.	Description
T27022	Proferred No.1x3-3/16" Insulated (1000V) Screwdriver Phillips
T27023	Proferred No.2x4" Insulated (1000V) Screwdriver Phillips
T27024	Proferred No.3x6" Insulated (1000V) Screwdriver Phillips

6 PIECE ACETATE CUSHION GRIP SCREWDRIVER SET

- Treated tip ensures perfect fit. Cellulose acetate material provides highest performance. Color coded handle for visual identification of Stotted and Phillips. TPV cushion grip provides slip resistance to chemical, oil and most solvents.

_		
	Part No.	Description
	T28001	PROFERRED 6 PIECE SCREWDRIVER SET Slotted: 3/16"x3", 3/16"x6", 1/4"x4", 5/16"x6", Phillips: No.1x3", No.2x4"

roierrec R

Preferred by Professionals



Preferred



7 PIECE HOLLOW Shank NUT DRIVER SET

- Features
 Treated tip ensures perfect fit.
 Cellulose acetate material provides highest performance.
 TPV cushion grip provides slip resistance to chemical, oil and most solvents.

 Part No.	Description
T28003	PROFERRED 7 PIECE HOLLOW SHANK NUT DRIVER SET 3/16"x3", 1/4"x3", 5/16"x3", 11/32"x3", 3/8"x3", 7/16"x3", 1/2"x3"

1000V

IEC 60900:2004

TESTED AND CERTIFIED TO INSULATED TOOL STANDARDS

4 PIECE INSULATED (1000V) SCREWDRIVER SET 👜 🚱 🏠

Features

Part No.

T28004


Patented dual layer design provides greater protection against electric shock. Dual material PP & TPV cushion grip provides slip resistance to chemical, oil and most solvents

Description
PROFERRED 4 PIECE INSULATED 1000V SCREWDRIVER SET Slotted: 1/4"x6", 5/16"X7", Phillips: No. 1x3-3/16", No. 2X4"

5 IN 1 STUBBY BIT DRIVE SET

Features

High torque coefficient will prevent the screwdriver from breaking when the tool is overstressed. Cellulose acetate material provides highest performance. TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No. Description

T29001 PROFERRED 5 IN 1 STUBBY BIT DRIVE SET Stubby Bit Holder Driver, Phillips Bits: #1, #2, Slotted Bits: 3/16", 1/4", Nut Driver: 1/4"

9 IN 1 REGULAR BIT DRIVE SET

Features

- High torque coefficient will prevent the screwdriver from breaking when the tool is overstressed. Cellulose acetate material provides highest performance. TPV cushion grip provides slip resistance to chemical, oil and most solvents.



Part No.	Description
T29002	PROFERRED 9 IN1 REGULAR BIT DRIVE SET Regular Bit Holder Driver, Phillips Bits: #1, #2, Slotted Bits: 3/16", 1/4", TORX® Bits: T15, T20, Nut Drivers: 1/4", 5/16", 3/8"

14 IN 1 PRECISION BIT DRIVE SET

 Part No.	Description	
Bit holder d Phillips Slotted TORX [®] Hex	river's locking system holds the blade at desired length during use.	



T29003	PROFERRED 14 IN 1 PRECISION BIT DRIVE SET Phillips Bits: #000, #00, #00, Slotted Bits: 1/16", 5/64", 1/8", TORX® Bits: T5, T6, T7, T8, Hex Bits: 5/64", 3/32" 1/8", 5/32"
123003	

roienrec

Preferred by Professionals



19 IN 1 RATCHETING SCREWDRIVER DRIVE SET

Features

- Torque the torque is above 390lbs-in. Ratchet: The ratchet permits high-speed action with grip adjustments and can be combined with
- Dopular driver ends. The perfect handle design allows the handle to disperse the pressure evenly when applying force.



Part No. Description

PROFERRED 19 IN 1 RATCHETING SCREWDRIVER DRIVE SET Ratcheting Handle with Storage, Phillips Bits: #1, #2, #3, Slotted Bits: 3/16", 1/4", 5/16", TORX® Bits: T15, T20, T25, T30, Square Bits: #1, #2, Hex Bits: 1/8", 5/32", 3/16", 1/4", Nut Drivers: 1/4", 5/16", 7/16"

8 PIECE T-HANDLE HEX KEY SET SAE 5/64"-3/8"

Features

T29004

- Ergonomic smooth shape.
- Size identification molded handle. Handles proportioned to size.
- Molded black soft t-grip handle for lasting comfort.
- Through hardened durability.
- Chrome vanadium steel (CR-V)
- SAE open stock.



Part No.	Description		
T34001	PROFERRED 8 PIECE T-HANDLE HEX KEY SET (SAE 5/64"-3/8")		
Part No.	Description Part No. Description		Description
T37001	Proferred T-Handle Hex Key 5/64"	T37005	Proferred T-Handle Hex Key 3/16"
T37002	Proferred T-Handle Hex Key 3/32"	T37007	Proferred T-Handle Hex Key 1/4"
T37003	Proferred T-Handle Hex Key 1/8"	T37008	Proferred T-Handle Hex Key 5/16"
T37004	Proferred T-Handle Hex Key 5/32"	T37009	Proferred T-Handle Hex Key 3/8"

8 PIECE T-HANDLE HEX KEY SET METRIC 2MM-10MM

Features

- Ergonomic smooth shape.
- Size identification molded handle.
- Handles proportioned to size. Molded black soft t-grip handle for lasting comfort.
- Through hardened durability.
- Chrome vanadium steel (CR-V).
- Metric open stock.



Part No.	Description		
T34101	PROFERRED 8 PIECE T-HANDLE HEX KEY SET (METRIC 2MM-10MM)		
Part No.	Description	Part No.	Description
T37101	Proferred T-Handle Hex Key 2.0mm	T37105	Proferred T-Handle Hex Key 5.0mm
T37102	Proferred T-Handle Hex Key 2.5mm	T37106	Proferred T-Handle Hex Key 6.0mm
T37103	Proferred T-Handle Hex Key 3.0mm	T37107	Proferred T-Handle Hex Key 8.0mm
T37104	Proferred T-Handle Hex Key 4.0mm	T37108	Proferred T-Handle Hex Key 10.0mm

LONG ARM BALL POINT HEX KEY SET

SAE: 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 INCH

METRIC: 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 MM

Description

Features

Part No.

T35002

Integration of ergonomic double-layer holder: Holder marked for easy identification of the dimensions. Unique rotating function. Up to 25° angle entry.

Proferred 13 Pieces Long Arm Ball



	Part No.	escription	
I Point Hex Key Set (SAE)	T35005	Proferred 12 Pieces Long Arm Ball Point Hex Key Set (Metric)	

www.brighton**BEST**.com (1-800-275-0050

roierred R Г



20 PIECE SHORT ARM HEX KEY SET

SAE: 1/16, 5/64, 3/32, 1/8, 5/32,3/16, 7/32, 1/4, 5/16, 3/8 INCH METRIC: 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 MM

Features

- ABS storage case. Clear long lasting marking. Dual case: SAE and METRIC hex key in one box.

Part No. Description	
T36001	Proferred 20 Piece Short Arm Hex Key Set

STEEL STAPLE GUN TACKER / HAMMER TACKER

Features

- Bottom loading magazine.
- Durable all-steel construction.
- Ergonomic handle grip.







Part No.	Description	Part No.	Description
T40001	Proferred Steel Staple Gun Tacker	T42003	Proferred Staples 3/8" (10mm) Height, 1.2mm Thick, 10.6mm Wide
T41001	Proferred Hammer Tacker	T42004	Proferred Staples 1/2" (12mm) Height, 1.2mm Thick, 10.6mm Wide
T42001	Proferred Staples 1/4" (6mm) Height, 1.2mm Thick, 10.6mm Wide	T42005	Proferred Staples 9/16" (14mm) Height, 1.2mm Thick, 10.6mm Wide
T42002	Proferred Staples 5/16" (8mm) Height, 1.2mm Thick, 10.6mm Wide		

FLEX RATCHETING WRENCH

SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 INCH METRIC: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 MM

- Torque capability is 30% greater than ANSI industrial standard. 72 teeth ratcheting box end needs only 5 degrees swing arc versus 30 degrees for standard box end wrenches.
- Durability quality chrome vanadium steel. Precision heat treated for maximum strength
- Flex head tilts up to 180 degrees.

	Part No.	Description
	T44008	Proferred 1/4" Flex Ratcheting Wrench
	T44010	Proferred 5/16" Flex Ratcheting Wrench
	T44012	Proferred 3/8" Flex Ratcheting Wrench
-	T44014	Proferred 7/16" Flex Ratcheting Wrench
-	T44016	Proferred 1/2" Flex Ratcheting Wrench
-	T44018	Proferred 9/16" Flex Ratcheting Wrench
	T44020	Proferred 5/8" Flex Ratcheting Wrench
-	T44022	Proferred 11/16" Flex Ratcheting Wrench
	T44024	Proferred 3/4" Flex Ratcheting Wrench
-	T44100	Proferred 8mm Flex Ratcheting Wrench
	T44101	Proferred 9mm Flex Ratcheting Wrench

3/4 Biolonyak anormal 3/4

Part No.	Description
T44102	Proferred 10mm Flex Ratcheting Wrench
T44103	Proferred 11mm Flex Ratcheting Wrench
T44104	Proferred 12mm Flex Ratcheting Wrench
T44105	Proferred 13mm Flex Ratcheting Wrench
T44106	Proferred 14mm Flex Ratcheting Wrench
T44107	Proferred 15mm Flex Ratcheting Wrench
T44108	Proferred 16mm Flex Ratcheting Wrench
T44109	Proferred 17mm Flex Ratcheting Wrench
T44110	Proferred 18mm Flex Ratcheting Wrench
T44111	Proferred 19mm Flex Ratcheting Wrench



COMBINATION WRENCHES

Features

- Precision: manufactured to ANSI & DIN industrial standards.
 Durability: quality chrome vanadium steel. Precision heat treated and drop forged for
- maximum strength.Visibility: larger marking for easy size identification.









T45002

T45003

Part No.	Description
T45001	Proferred 9 Pieces Combination Wrenches Set (1/4" - 3/4")
T45002	Proferred 14 Pieces Combination Wrenches Set (3/8" - 1 1/4")
T45003	Proferred 4 Pieces Combination Wrenches Set (1 5/16", 1 3/8", 1 7/16", 1 1/2")
T46005	Proferred 1/4" Combination Wrench, 12 Pt.
T46007	Proferred 5/16" Combination Wrench, 12 Pt.
T46009	Proferred 3/8" Combination Wrench, 12 Pt.
T46010	Proferred 7/16" Combination Wrench, 12 Pt.
T46011	Proferred 1/2" Combination Wrench, 12 Pt.
T46012	Proferred 9/16" Combination Wrench, 12 Pt.
T46013	Proferred 5/8" Combination Wrench, 12 Pt.
T46014	Proferred 11/16" Combination Wrench, 12 Pt.
T46015	Proferred 3/4" Combination Wrench, 12 Pt.

Part No.	Description
T46016	Proferred 13/16" Combination Wrench, 12 Pt.
T46017	Proferred 7/8" Combination Wrench, 12 Pt.
T46018	Proferred 15/16" Combination Wrench, 12 Pt.
T46019	Proferred 1" Combination Wrench, 12 Pt.
T46020	Proferred 1-1/16" Combination Wrench, 12 Pt.
T46021	Proferred 1-1/8" Combination Wrench, 12 Pt.
T46023	Proferred 1-1/4" Combination Wrench, 12 Pt.
T46024	Proferred 1-5/16" Combination Wrench, 12 Pt.
T46025	Proferred 1-3/8" Combination Wrench, 12 Pt.
T46026	Proferred 1-7/16" Combination Wrench, 12 Pt.
T46027	Proferred 1-1/2" Combination Wrench, 12 Pt.

14 PIECE 12 POINT COMBINATION WRENCH SET METRIC 8MM-22MM

Features

- Drop Forged and precision heat treated for maximum strength.
- Manufactured to ANSI & DIN industrial standards.
- High visibiliy with larger marking for easy size identification.

Open stock wrenches.



Part No.	Description		
T45102	5102 PROFERRED 14 PIECE 12 POINTS PROFERRED COMBINATION WRENCH SET METRIC		
Part No.	Description	Part No.	Description
T46108	Proferred 8mm 12 Points Combination Wrench, Chrome Finish	T46116	Proferred 16mm 12 Points Combination Wrench, Chrome Finish
T46110	Proferred 10mm 12 Points Combination Wrench, Chrome Finish	T46117	Proferred 17mm 12 Points Combination Wrench, Chrome Finish
T46111	Proferred 11mm 12 Points Combination Wrench, Chrome Finish	T46118	Proferred 18mm 12 Points Combination Wrench, Chrome Finish
T46112	Proferred 12mm 12 Points Combination Wrench, Chrome Finish	T46119	Proferred 19mm 12 Points Combination Wrench, Chrome Finish
T46113	Proferred 13mm 12 Points Combination Wrench, Chrome Finish	T46120	Proferred 20mm 12 Points Combination Wrench, Chrome Finish
T46114	Proferred 14mm 12 Points Combination Wrench, Chrome Finish	T46121	Proferred 21mm 12 Points Combination Wrench, Chrome Finish
T46115	Proferred 15mm 12 Points Combination Wrench, Chrome Finish	T46122	Proferred 22mm 12 Points Combination Wrench, Chrome Finish

roierrec R Г

Preferred by Professionals



CALIFORNIA FRAMING/RIPPING CLAW CURVED CLAW/DRYWALL/BALL PEEN HAMMERS

Features

- Head material 1055 medium carbon steel.
- Forged ball peen hammer head (T49073/T49074). Natural hickory handle.



Proferred 12 oz Drywall Hammer

Proferred Hickory Ball Peen Hammer (12oz)

Proferred Hickory Ball Peen Hammer (16oz)

Description

Part No.

T49051

T49073

T49074

Part No.	Description
T49001	Proferred 21 oz California Framing Hammer
T49013	Proferred 20 oz Ripping Claw Hammer
T49024	Proferred 16 oz Curved Claw Hammer

3 LB ONE PIECE FORGED CLUB HAMMER

Features

- Head material 1055 medium carbon steel. Head finish metallic finish, polished striking face.
- Designed to reduce vibration. Solid steel Head design creates less vibration. Double injection grip provides great comfort.

Part No.	Description
T49032	Proferred 3 LB One Piece Forged Club Hammer

16 oz RUBBER MALLET

Features

Head material black natural rubber. Natural hickory handle.

Part No.	Description
T49063	Proferred 16 oz Rubber Mallet

20 PIECE SLOTTED DRIVE BITS

SLOTTED SIZE: 4F-5Rx1" TO 20F-22Rx1-1/4"


Features S2 steel

- Durable plastic storage case.

Part No.	Description
T52004	Proferred 20 Piece Slotted Drive Bits 4F-5R x 1", 1/4" Hex Shank Blade Thickness: 0.033", Blade Width: 0.182"
T52005	Proferred 20 Piece Slotted Drive Bits 5F-6R x 1", 1/4" Hex Shank Blade Thickness: 0.036", Blade Width: 0.232"
T52006	Proferred 20 Piece Slotted Drive Bits 6F-7R x 1", 1/4" Hex Shank Blade Thickness: 0.039", Blade Width: 0.245"
T52007	Proferred 20 Piece Slotted Drive Bits 8F-10R x 1", 1/4" Hex Shank Blade Thickness: 0.042", Blade Width: 0.279"
T52008	Proferred 20 Piece Slotted Drive Bits 10F-12R x 1", 1/4" Hex Shank Blade Thickness: 0.041", Blade Width: 0.281"

PHR-2 PHILLIPS DRIVE BIT

- Lures Designed specifically for installing drywall screws. Phillips tip is slightly reduced in size, allowing the bit to fully engage and sit tighter within the drywall screw drive recess. Less wobble and faster install times.







Part No.	Description
T52009	Proferred 20 Piece Slotted Drive Bits 12F-14R x 1", 1/4" Hex Shank Blade Thickness: 0.047", Blade Width: 0.327"
T52010	Proferred 20 Piece Slotted Drive Bits 14F-16R x 1", 1/4" Hex Shank Blade Thickness: 0.053", Blade Width: 0.374"
T52011	Proferred 20 Piece Slotted Drive Bits 16F-20R x 1-1/4", 5/16" Hex Bull Nose Shank Blade Thickness: 0.079", Blade Width: 0.500"
T52012	Proferred 20 Piece Slotted Drive Bits 20F-22R x 1-1/4", 5/16" Hex Bull Nose Shank Blade Thickness: 0.098", Blade Width: 0.551"



Preferred by Professionals



BIT HOLDER SCREWDRIVER BITS

Features Stainless steel.

- Magnetic.
- For all 1/4" Hex Insert Bits.

Part No. Description		Description
	T14100	3" Bit Holder (1PC Construction) with Ring
	T14101	4" Bit Holder (1PC Construction) with Ring

Part No.	Description
T14102	6" Bit Holder (1PC Construction) with Ring

MAGNETIC NUTSETTERS

Features

- 1pc. construction.
- Industrial grade magnet.
- 1/4" hex power shank.

Part No.	Description
T51001	3/16" Drive,1 3/4",1/4" Hex Shank
T51003	1/4" Drive,1 3/4",1/4" Hex Shank
T51005	5/16" Drive,1 3/4",1/4" Hex Shank
T51006	3/8" Drive,1 3/4",1/4" Hex Shank
T51008	1/2" Drive,1 3/4",1/4" Hex Shank
T51009	9/16" Drive,1 3/4",1/4" Hex Shank
T51100	1/4" x 2-9/16" Magnetic Nutsetter

LAG DRIVER / CEILING TILE HANGER DRIVER

Features

For all 1/4" hex insert bits.

Part No.	Description	_
T51107	7/16" Lag Driver with Sleeve	

IMPACT MAGNETIC NUTSETTERS

Features

- Made for powerful impact drivers / wrenches.
- 1pc construction.
- Industrial grade magnet.
- 1/4" hex power shank.

Part No.	Description
T51200	1/4" x 1-3/4" Impact Magnetic Nutsetter
T51201	1/4" x 2-9/16" Impact Magnetic Nutsetter
T51202	1/4" x 4" Impact Magnetic Nutsetter
T51203	1/4" x 6" Impact Magnetic Nutsetter
T51204	5/16" x 1-3/4" Impact Magnetic Nutsetter
T51205	5/16" x 2-9/16" Impact Magnetic Nutsetter
T51206	5/16" x 4" Impact Magnetic Nutsetter
T51207	5/16" x 6" Impact Magnetic Nutsetter
T51208	3/8" x 1-3/4" Impact Magnetic Nutsetter



Part No.	Description
T51101	5/16" x 2-9/16" Magnetic Nutsetter
T51102	3/8" x 2-1/8" Magnetic Nutsetter
T51103	3/8" x 2-9/16" Magnetic Nutsetter
T51104	7/16" x 1-3/4" Magnetic Nutsetter
T51105	7/16" x 2-9/16" Magnetic Nutsetter
T51106	1/2" x 2-9/16" Magnetic Nutsetter



Part No.	Description
T51209	3/8" x 2-9/16" Impact Magnetic Nutsetter
T51210	3/8" x 4" Impact Magnetic Nutsetter
T51211	3/8" x 6" Impact Magnetic Nutsetter
T51303	1/4" Drive, 4", 1/4" Hex Shank
T51305	5/16" Drive, 4", 1/4" Hex Shank
T51306	3/8" Drive, 4", 1/4" Hex Shank
T51308	1/2" Drive, 4", 1/4" Hex Shank
T51309	9/16" Drive, 4", 1/4" Hex Shank

19

Preferred by Professionals



PHILLIPS DRIVE BITS

Features

- S2 modified steel. Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T50002	PH1, 1", 1/4" Hex Shank
T50003	PH2, 1", 1/4" Hex Shank
T50004	PH3, 1", 1/4" Hex Shank
T50006	PH4, 1", 1/4" Hex-Bull Nose Shank
T50009	PH1, 2", 1/4" Hex Shank
T50010	PH2, 2", 1/4" Hex Shank

STAR DRIVE SCREWDRIVER BITS

Features

- S2 modified steel. Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description
T58100	T6 x 1" Star (Torx) Bit
T58101	T7 x 1" Star (Torx) Bit
T58102	T8 x 1" Star (Torx) Bit
T58103	T9 x 1" Star (Torx) Bit
T58104	T10 x 1" Star (Torx) Bit
T58105	T15 x 1" Star (Torx) Bit
T58106	T20 x 1" Star (Torx) Bit
T58107	T25 x 1" Star (Torx) Bit
T58108	T27 x 1" Star (Torx) Bit

SQUARE DRIVE SCREWDRIVER BITS

Features

- S2 modified steel.
- Rc. 58-62 heat treated. German grade steel.

Part No.	Description
T59100	#1 x 1" Robertso Bit
T59101	#1 x 2" Robertso Bit
T59102	#1 x 6" Robertso Bit
T59103	#2 x 1" Robertso Bit
T59104	#2 x 2" Robertso Bit

HEX DRIVE SCREWDRIVER BITS

Features

- S2 modified steel Rc. 58-62 heat treated.
- German grade steel.

Part No. Description	Part No.	Description
T12100 5/64" x 1" Hex Bit	T12103	1/8" x 1" Hex Bit
T12101 3/32" x 1" Hex Bit	T12104	5/32" x 1" Hex Bit
T12102 7/64" x 1" Hex Bit	T12105	3/16" x 1" Hex Bit




Part No.	Description
T50011	PH3,2",1/4" Hex Shank
T50100	#1 x 6" Phillips Bit
T50101	#2 x 6" Phillips Bit
T50102	#3 x 6" Phillips Bit
T50103	#2 x 1" Phillips Bit / Stopper Collar



Part No.	Description
T58109	T30 x 1" Star (Torx) Bit
T58110	T40 x 1" Star (Torx) Bit
T58111	T10 x 2" Star (Torx) Bit
T58112	T15 x 2" Star (Torx) Bit
T58113	T20 x 2" Star (Torx) Bit
T58114	T25 x 2" Star (Torx) Bit
T58115	T27 x 2" Star (Torx) Bit
T58116	T30 x 2" Star (Torx) Bit
T58117	T40 x 2" Star (Torx) Bit



Part No.	Description
T59105	#2 x 6" Robertso Bit
T59106	#3 x 1" Robertso Bit
T59107	#3 x 2" Robertso Bit
T59108	#3 x 6" Robertso Bit



BBI products and services offered exclusively through distribution © Brighton-Best International, Inc.

Preferred by Professionals




TAMPER RESISTANT Torx® Screws

SPANNE BIT

Features

- S2 modified steel.
 Rc. 58-62 heat treated.
- German grade steel.





Part No.

T13205

T13206

T13207

T13208

Description

T25 x 1" Torx Tamper Bit

T27 x 1" Torx Tamper Bit

T30 x 1" Torx Tamper Bit

T40 x 1" Torx Tamper Bit

TORX TAMPER PROOF BIT

HEX TAMPER PROOF BIT

Features

S2 modified steel.

Rc. 58-62 heat treated.
 German grade steel

•	German	graue	steet.

Part No.	Description
T13200	T8 x 1" Torx Tamper Bit
T13201	T9 x 1" Torx Tamper Bit
T13202	T10 x 1" Torx Tamper Bit
T13203	T15 x 1" Torx Tamper Bit
T13204	T20 x 1" Torx Tamper Bit



Part No.	Description
T13304	3/16" x 1" Hex Tamper Bit
T13305	7/32" x 1" Hex Tamper Bit
T13306	1/4" x 1" Hex Tamper Bit
T13307	5/16" x 1" Hex Tamper Bit

TRI-WING TAMPER PROOF BIT

Description

3/32" x 1" Hex Tamper Bit

1/8" x 1" Hex Tamper Bit

9/64" x 1" Hex Tamper Bit

5/32" x 1" Hex Tamper Bit

Features

Features

Part No.

T13300

T13301

T13302

T13303

S2 modified steel. Rc. 58-62 heat treated. German grade steel.

- S2 modified steel.
- Rc. 58-62 heat treated.
- German grade steel.

Part No.	Description	Part No.	Description
T13400	#1 x 1" Tri-Wing Bit	T13402	#3 x 1" Tri-Wing Bit
T13401	#2 x 1" Tri-Wing Bit		

PHILLIPS TAMPER PROOF BIT

#2 x 1" Phillips Tamper Bit

Features

S2 modified steel.
Rc. 58-62 heat treated.

T13500

German grade steel.

Part No.	Description	



Part No.	Description
T13501	#3 x 1" Phillips Tamper Bit

www.brightonBEST.com • 1-800-275-0050

roierrec R

Preferred by Professionals



Proferred

T55001

25'/8M TAPE MEASURES

Features

- Tape Hook (end tip) made of stainless steel-more durable.
- Inch on top-1/8" increments on bottom. 16" marks in bold & blocked for framing studs.
- Black diamond placed for drywall installers to locate stud centers.
- Hi-impact ABS housing withnon slip TPR grip.
- Nylon coated blade with magnetic tip.
- Duel side printed.
- Metric on top and bottom.

Pro	
25	

Proferred 8m Tape Measure 27mm Blade

Part No. Description T53002 Proferred 25' Tape Measure 1 1/16" Blade

RETRACTABLE UTILITY KNIFE / 12 PIECES UTILITY BLADES

Features

- Blade change: quick release for easy exchange of blades.
- Pop up blade dispenser release button allows instant blade change. No tools required.
- SK2 blades: 5 additional high carbon SK2 blades inside the pop up blade dispenser
- Thermoplastic rubber (TPR) soft grip offers thumb rest and comfortable use with less slippage.

Part No.	Part No. Description		Description
T54001	Proferred Retractable Utility Knife	T55001	Proferred 12 Pieces Utility Blades

Part No.

T53102

Description

FOLDING UTILITY KNIFE

Features

- Quick release button allows for easy blade change.
- Folding lock button allows for safe and smooth blade closure.
- Ergonomic rubber grip design assures a strong and comfortable grip. Belt clip for quick on the job access.
- Protective blade cover, reducing risk of injury

Part No.	Description
T54005	Proferred Folding Utility Knife

HACKSAW FRAME

Features

- Professional hacksaw frame
- Fully adjustable tension mechanism.
- Holds blde up to 37,500 PSI.
- Single thumb-dial adjustable tension mechanism for easy ajustment.
- Pro-quick release lever allows forfast blade change
- Ergonomic handle designed with front thumb soft grip to give better control. 45 and 90 degree cutig angles.

Part No. Description

T56002	Proferred Hacksaw	Frame	12"

HACKSAW BLADE

- 24T bi-metal steel blade
- Cuts material 3.2mm-6.4mm, 1/8"-1/4"
- Suitable for conduit, heavy sheet metal.

Part No.	Description
T57004	Proferred 24T HSS Bi-Metal Hacksaw Blade







Preferred by Professionals



roierrec R

Preferred by Professionals

DISPOSABLE POWDER FREE NITRILE GLOVE

Features

- Protection from unwanted and dangerous substances.
- Beaded cuff ensures easy on and off and prevent roll down. Superior stength with better puncture resistance 5 Mil and 13 Mil.
- Textured surface enhances wet and dry gripping.
- Provides an alternative solution for individuals who are allergic to natural rubber latex.
- Applicable to automotive, safety, sanitary, medical, tattoo, lab, manufacturing industries and more.

Part No.	Description
M01001	Proferred Disposable Powder Free Nitrile Glove S (Blue 5 Mil)
M01004	Proferred Disposable Powder Free Nitrile Glove XL (Blue 5 Mil)
M01005	Proferred Disposable Powder Free Nitrile Glove XXL (Blue 5 Mil)
M01006	Proferred Disposable Powder Free Nitrile Glove S (Black 5 Mil)



Part No.	Description
M01007	Proferred Disposable Powder Free Nitrile Glove M (Black 5 Mil)
M01031	Proferred Disposable Powder Free Nitrile Glove 12" Cuff M (Blue 13 Mil)
M01032	Proferred Disposable Powder Free Nitrile Glove 12" Cuff L (Blue 13 Mil)
M01033	Proferred Disposable Powder Free Nitrile Glove 12" Cuff XL (Blue 13 Mil)

INDUSTRIAL GLOVE KIT-DISPLAY (36 PAIRS)

Features

- Pre-assembled floor glove display
- Includes: M05103, M05104, M05113, M05114, M05118, M05119, M05123, M05124, M05128.

Part No.	Description
M04001	Proferred Industrial Glove Kit-Display (36 Pairs)

POLY/COTTON INDUSTRIAL GLOVES

Features

- Standard weight & Durable.
- Comfortable & Breathable.
- For general purpose work.

 Part No.	Description
M05001	Proferred Poly/Cotton Knitted Industrial Gloves, Natural Color (S)

NATURAL CANVAS INDUSTRIAL GLOVES

Features

- Combines comfort, breathability, dexterity, and economy.
- For general purpose work.

	1 As
1	1
14	

_	Part No.	Description
	M05005	Proferred Natural Canvas Industrial Gloves (S)

INSPECTION INDUSTRIAL GLOVES

Features

- Comfortable & Breathable.
- Keep hands cool and dry.



Part No.	Description	Part No.	Description
M05010	Proferred Inspection Industrial Gloves (S)	M05011	Proferred Inspection Indus





BBI products and services offered exclusively through distribution © Brighton-Best International, Inc.

24



Part No. Description

M05002 Proferred Poly/Cotton Knitted Industrial Gloves, Natural Color (L)

roierred

A/B COWHIDE INDUSTRIAL GLOVES

Features

Excellent abrasion resistance. Breathability and thermal protection.

-	Part No.	Description	Part
	M05015	Proferred A/B Cowhide Industrial Gloves, Double Palm (M)	M05

GRAY PU COATING/GRAY NYLON INDUSTRIAL GLOVES

Features


- Light weight.
- Excellent abrasion
- Providing grip and tactile sensitivity.

Part No.	Description
M05020	Proferred Gray PU Coating / Gray Nylon Industrial Gloves (S)
M05021	Proferred Gray PU Coating / Gray Nylon Industrial Gloves (M)
M05022	Proferred Gray PU Coating / Gray Nylon Industrial Gloves (L)

BLUE LATEX/GRAY POLYESTER INDUSTRIAL GLOVES

Features

A natural material with elasticity that provides resistance to cuts, punctures,





Part No.	Description
M05016	Proferred A/B Cowhide Industrial Gloves, Double Palm (L)
	00



Part No.	Description
M05023	Proferred Gray PU Coating / Gray Nylon Industrial Gloves (XL)
M05024	Proferred Gray PU Coating / Gray Nylon Industrial Gloves (XXL)



Part No.	Description
M05028	Proferred Blue Latex / Gray Polyester Industrial Gloves (XL)
M05029	Proferred Blue Latex / Gray Polyester Industrial Gloves (XXL)

Part No.	Description
M05025	Proferred Blue Latex / Gray Polyester Industrial Gloves (S)
M05026	Proferred Blue Latex / Gray Polyester Industrial Gloves (M)
M05027	Proferred Blue Latex / Gray Polyester Industrial Gloves (L)

BLACK NITRILE/GRAY LINER INDUSTRIAL GLOVES

Features

- Light weight with good abrasion. Nitrile foam absorbs oils better than standard nitrile coating.
- Provide grip in oily or greasy applications.

 Part No.	Description
M05030	Proferred Black Nitrile / Gray Liner Industrial Gloves (S)
M05031	Proferred Black Nitrile / Gray Liner Industrial Gloves (M)
M05032	Proferred Black Nitrile / Gray Liner Industrial Gloves (L)

BLACK NITRILE/GRAY LINER INDUSTRIAL GLOVES WITH PALM DOTS

Features

The bipolymer coating provides durability, abrasion resistance, softness, and dexterity.

Part No.	Description	
M05035	Proferred Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (S)	
M05036	Proferred Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (M)	
M05037	Proferred Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (L)	



Part No.	Description
M05033	Proferred Black Nitrile / Gray Liner Industrial Gloves (XL)
M05034	Proferred Black Nitrile / Gray Liner Industrial Gloves (XXL)



Part No.	Description
M05038	Proferred Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (XL)
M05039	Proferred Black Nitrile / Gray Liner Industrial Gloves, Palm Dots (XXL)

www.brighton**BEST**.com (1-800-275-0050

BBI products and services offered exclusively through distribution © Brighton-Best International, Inc.

roierrec R

POLYURETHANE COATED INDUSTRIAL GLOVES

Features

- Black 15 gauge nylon knit, dipped with black polyurethane.
- Touch screen technology gives the user excellent control over any touch screen device.
- Superior dry, wet, and oily grip. Superior dexterity and touch sensitivity
- Abrasion Level 3 ANSI 105:2011.

Part No.	Description	
M05101	Proferred Polyurethane Coated Industrial Gloves (S)	
M05102	Proferred Polyurethane Coated Industrial Gloves (M)	
M05103	Proferred Polyurethane Coated Industrial Gloves (L)	



Part No.	Part No. Description	
M05104	Proferred Polyurethane Coated Industrial Gloves (XL)	
M05105	Proferred Polyurethane Coated Industrial Gloves (XXL)	

COWHIDE LEATHER INDUSTRIAL GLOVES

Features

- Suede cowhide palm. Fiber dense suede cowhide is strong and comfortable.
- Cotton denim back. Denim is comfortable and durable improving with age and wear.
- Rubberized safety cuff. Puncture resistant cuff falls past the wrist for optimum protection.
- Rubberized safety cuff. Cowhide leather nalm
- Cotton denim back.

	Part No.	Description	Part No.	Description
	M05122	Proferred Cowhide Leather Industrial Gloves (M)	M05124	Proferred Cowhide Leather Industrial Gloves (XL)
	M05123	Proferred Cowhide Leather Industrial Gloves (L)		

KNITTED INDUSTRIAL GLOVES WITH PVC DOTS

Features

- Two sided PVC dotted, cotton string knit working gloves. These white String Knit Cotton Poly Gloves, with Dotted Black Rubber on both sides, are very popular and widely used. These gloves help protect the hands from sharp edges of metal, ceramics, glass and other materials. The dots on both sides provide firm sure grip, and don't let what you're working on slip out of your hands.
- The gloves are a little stretchy for comfortable, easy on and off. Full Finger Knitted Ribbing Protects the fingers; palm, hand back, and wrist from possible hurts in some working situations. Used in Automotive, Warehouse, Sanitation, Movers, construction, plumbing, masonry, material handling, lawn/garden, Farming, and Painting.

Part No.	Description
M05127	Proferred Knitted Industrial Gloves with PVC Dots (S)

LEVEL 2 CUT RESISTANT GLOVES

- Level 2 cut resistant. Light weight gloves with smooth finish.
- Provide excellent dexterity and abrasion resistance

Part No.	Description
M06010	Proferred Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (S)
M06011	Proferred Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (M)
M06012	Proferred Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (L)



Part No.	Description
M05128	Proferred Knitted Industrial Gloves with PVC Dots (L)



Part No.	Description
M06013	Proferred Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (XL)
M06014	Proferred Gray PU / Gray HPPE Liner Level 2 Cut Resistant Gloves (XXL)

roierred R

LEVEL 3 CUT RESISTANT GLOVES

Features

Level 3 cut resistant.

Light weight gloves with smooth finish. Provide excellent dexterity and abrasion resistance.

Part No.	Description
M06015	Proferred Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (S)
M06016	Proferred Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (M)
M06017	Proferred Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (L)



Part No.	Description
M06018	Proferred Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (XL)
M06019	Proferred Black PU / Gray HPPE Liner Level 3 Cut Resistant Gloves (XXL)

KNEE PADS

Features

- Air-injected GEL foam for increased comfort and extended longevity.
- Ideal use on wood, laminate, tile, vinyl, concrete, and carpet floors. Industrial strength cap for non-skid, non-scuffing protection.
- Gel comfort knee pads provide superior comfort and protection, conforming to a variety of knee shapes and sizes.
- The outer casing adapts to a wide variety of floor materials, providing comfort and support on uneven surfaces.

 Part No.	Description
M09010	Proferred Curved Gel Knee Pads

NYLON 6.6 WHITE CABLE TIES

Features

- Self locking ties.
- Avaiable in 5 lengths all 50lb rated. Made from high strength & light weight nylon.
- Working temperature -40 to 185 F.

Part No.	Description
M10006	Proferred Nylon 6.6 Natural White Cable Ties 4" (18lb)
M10015	Proferred Nylon 6.6 Natural White Cable Ties 6" (40lb)
M10017	Proferred Nylon 6.6 Natural White Cable Ties 6.25" (50lb)
M10026	Proferred Nylon 6.6 Natural White Cable Ties 8" (50lb)

NYLON 6.6 UV RATED BLACK CABLE TIES

Features

- Self locking ties.
- Avaiable in 5 lengths all 50lb rated. UL listed 6.6 nylon-Approved for outdoor use.
- Working temperature -40 to 185 F.

Part No.	Description
M11106	Proferred Nylon 6.6 Black UV Rated Cable Ties 4" (18lb)
M11115	Proferred Nylon 6.6 Black UV Rated Cable Ties 6" (40lb)
M11117	Proferred Nylon 6.6 Black UV Rated Cable Ties 6.25" (50lb)
M11126	Proferred Nylon 6.6 Black UV Rated Cable Ties 8" (50lb)



Part No. Description

M09020 Proferred Block-Stationary Gel Knee Pads



Part No.	Description
M10034	Proferred Nylon 6.6 Natural White Cable Ties 10" (50lb)
M10044	Proferred Nylon 6.6 Natural White Cable Ties 11" (50lb)
M10050	Proferred Nylon 6.6 Natural White Cable Ties 14.5" (50lb)



roierred

304 STAINLESS STEEL CABLE TIES

Features

- Self locking ties.
- Stainless steel cable tie with a unique ball locking mechanism allows the tie to be quickly & easily installed, snapped or cut to specific length.
- Working temperature -76 to 572 F.

Part No.	Description	Part No.
M08001	Proferred Bead 304 Stainless Steel Cable Ties 0.18"x5"	M08004
M08002	Proferred Bead 304 Stainless Steel Cable Ties 0.18"x7.9"	M08005
M08003	Proferred Bead 304 Stainless Steel Cable Ties 0.18"x10.5"	M08006
	M08001 M08002	M08001 Proferred Bead 304 Stainless Steel Cable Ties 0.18"x5" M08002 Proferred Bead 304 Stainless Steel Cable Ties 0.18"x7.9"



Part No.	Description
M08004	Proferred Bead 304 Stainless Steel Cable Ties 0.18"x11.8"
M08005	Proferred Bead 304 Stainless Steel Cable Ties 0.18"x14.3"
M08006	Proferred Bead 304 Stainless Steel Cable Ties 0.18"x20.5"

HI-POWER LED FLASHLIGHT

Features

- Ultra-bright CREE XB-D LED for high illumination indoors and out.
- Shock resistant with high efficiency circuit, providing maximum light output throughout entire
- battery life. Product is CE standard with a life expectancy of 100,000 hours.

Part No.	Description
M12010	Proferred Hi-Power LED Flashlight

RECHARGEABLE LED FLASHLIGHT

Features

- Easy to hold with secure comfortable grip.
- Easily connects to USB charger. Water resistant for harsh weather environments.
- 700 lumens for extreme brightness. Includes end hook for secure carry within your tool bag or belt.

Part No.	Description
M12030	Proferred Rechargeable LED Flashlight

1000 LUMENS RECHARGEABLE FLASHLIGHT & LANTERN

- LED source: 30W LED + 4xCOB LED
- Brightness: 1000Lms
- Mode & Run time: LED on The Head:
- High Stage (2hrs) Low Stage (4hrs) Strobe (8hrs)
- LED on The Sides:
- Low Stage (10hrs) Mid Stage (8hrs) High stage (6hrs) Red lighting Strobe (8hrs)
- Charging Time: 2-4hrs
- Battery: 2800mAh rechargeable battery AC/DC: 5V-2A

 Part No.	Description
 M12031	Proferred 1000 Lumens Rechargeable Flashlight with Focus Beam & Lantern







roierrec R

Preferred by Professionals

2400 LUMENS PORTABLE SHOP LIGHT WITH TRIPOD **STAND AND ADJUSTABLE HANDLES**

Features

- Bulb: COB LED CCT: 6000-7000K, CRI > 70
- Brightness: 2400LMS
- Mode: High Mid Flash
- Run Time: 2hrs
- Charging Time: 3.5 4hrs
- Beam Angle: 130° 135° Battery: 4400mAh total
- Folding tripod stand with adjustable top handle and lower hand held handle
- Waterproof: IP65

Part No.	Description
 M12060	Proferred 2400 lumens Portable Shop Light with Tripod Stand and Adjustable Handles





Features

- 3 lighting modes: 100%, 50%, & SOS/Flash Ultra bright COB LED with 100,000+ Hours lifetime
- USB Power bank for recharging devices
- Rechargeable via USB cable
- Battery level indicator High efficiency circuitry provides maximum light output throughout battery life
- Rugged, shock resistant construction (M12041)
- Designed for indoor & outdoor use (M12041) Multi-position folding stand (M12041)
- 1/4-20 thread tripod mount (M12041)
- CE ROHS Approved (M12041)
- Designed for indoor & outdoor use (M12051) Foldable body for different lighting angles & flat storage (M12051)





M12051

Part No.	Description	Part No	Description
M12041	Proferred Portable Rechargeable Worklight	M12051	Proferred Foldable Rechargeable Worklight

KNEELING PAD

Features

- 1" of Ultra Comfortable & Durable Foam Padding.
- Waterproof Construction for Easy Cleanup. Oil Resistant.
- Non-Conductive
- Beveled Edge with Printed Safety Stripes to Prevent Tripping.
- Integrated Handle for Easy Carrying & Hanging Storage.
- Size: 21"(L) x 14"(W) x 1"(D)

Part No.	Description
M09030	Ironclad Kneeling Pad



www.brighton**BEST**.com (1-800-275-0050

roierrec

Preferred by Professionals

PROFERRED 100 CLEAR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C. UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description	
M15100	Proferred 100 Clear Lens HC Safety Glasses	

PROFERRED 100 SMOKE LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection. Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C. UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No. Description

M15102 Proferred 100 Smoke Lens HC Safety Glasses

PROFERRED 100 YELLOW/AMBER LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

 Part No.	Description
M15104	Proferred 100 Yellow/Amber Lens

Proferred 100 Yellow/Amber Lens HC Safety Glasses

PROFERRED 100 I/O MIRROR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description

M15106 Proferred 100 I/O Mirror Lens Safety Glasses

PROFERRED 100 CLEAR BIFOCAL LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

Economical lightweight glass offers superior protection.

- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description
M15110	Proferred 100 Clear Bifocal+1.0D Lens HC Safety Glasses
M15111	Proferred 100 Clear Bifocal+1.5D Lens HC Safety Glasses
M15112	Proferred 100 Clear Bifocal+2.0D Lens HC Safety Glasses



Part No.	Description
M15101	Proferred 100 Clear Lens AS&AF Safety Glasses



Part No.	Description	
M15103	Proferred 100 Smoke Lens AS&AF Safety Glasses	

MISIUS Proteired 100 Smoke Lens AS&AF Salety Glass	M15103 Proferred 100 Smoke Lens AS&AF Safety	Glasse
--	--	--------







Part No.	Description
M15113	Proferred 100 Clear Bifocal+2.5D Lens HC Safety Glasses
M15114	Proferred 100 Clear Bifocal+3.0D Lens HC Safety Glasses

roierrec

PROFERRED 100 MINI CLEAR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Designed for smaller facial sizes ideal for women.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offers highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

_	Part No.	Description
_	M15120	Proferred 100 Mini Clear Lens HC Safety Glasses



Part No.	Description

M15121 Proferred 100 Mini Clear Lens AS&AF Safety Glasses

PROFERRED 100 MINI SMOKE LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Designed for smaller facial sizes ideal for women
- Economical lightweight glass offers superior protection. Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays. Offers highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description	

M15122 Proferred 100 Mini Smoke Lens HC Safety Glasses



_	Part No.	Description
-	M15123	Proferred 100 Mini Smoke Lens AS&AF Safety Glasses

PROFERRED 200 CLEAR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Economical lightweight glass offers superior protection.
- Soft flexible fingers on the nose piece adjust and conform to almost any nasal profile to
- reduce slippage.
- Soft rubber tipped temples provide non-slip comfort.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C. UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offers highest available impact protection, which meets or exceeds ballistic fragmentation impact

standar	us per will PRF	32432, Clause	3.0.3.	

Part No.	Description
M15200	Proferred 200 Clear Lens HC Safety Glasses

PROFERRED 200 SMOKE LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

- Economical lightweight glass offers superior protection.
- Soft flexible fingers on the nose piece adjust and conform to almost any nasal profile to
- reduce slippage.
- Soft rubber tipped temples provide non-slip comfort.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offers highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description
M15202	Proferred 200 Smoke Lens HC Safety Glasses



PROFERRED 210 CLEAR LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

- Soft elastomer browguard diffuses and deflects impact while providing comfort at all contact points.
- Soft flexible nose pieces adjust and conform to almost any nasal profile to reduce slippage.
- Adjustable temple length and lens inclination provide a customizable fit.
- Economical lightweight glass offers superior protection.
 Optically correct and distortion free lenses.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
 UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays
- OV 400 reises provide maximum protection normal and 00-A and 00-B rays
 Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No. Description

Proferred 210 Clear Lens HC Safety Glasses

PROFERRED 210 SMOKE LENS SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

M15210

- Soft elastomer browguard diffuses and deflects impact while providing comfort at all contact points.
- Soft flexible nose pieces adjust and conform to almost any nasal profile to reduce slippage
- Adjustable temple length and lens inclination provide a customizable fit.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
 UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays
- OV 400 lenses provide maximum protection norm narmut ov-a and ov-a rays
 Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No. Description

M15212 Proferred 210 Smoke Lens HC Safety Glasses

PROFERRED 210 YELLOW/AMBER LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

- Soft elastomer browguard diffuses and deflects impact while providing comfort at all
- contact points.
- Soft flexible nose pieces adjust and conform to almost any nasal profile to reduce slippage.
- Adjustable temple length and lens inclination provide a customizable fit.
 Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description
M15214	Proferred 210 Yellow/Amber Lens HC Safety Glasses

PROFERRED 210 I/O MIRROR LENS HC SAFETY Glasses, Ansi Z87.1 Compliant

Features

- Soft elastomer browguard diffuses and deflects impact while providing comfort at all contact points
- Soft flexible nose pieces adjust and conform to almost any nasal profile to reduce slippage.
- Adjustable temple length and lens inclination provide a customizable fit.
- Economical lightweight glass offers superior protection.
- Optically correct and distortion free lenses.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description
 M15216	Proferred 210 I/O Mirror Lens HC Safety Glasses



Part No. Description

M15211 Proferred 210 Clear Lens AS&AF Safety Glasses



Part No.	Description
M15213	Proferred 210 Smoke Lens AS&AF Safety Glasses





PROFERRED 220 SILVER MIRROR LENS HC SAFETY GLASSES, ANSI Z87.1 COMPLIANT

Features

- Soft rubber nosepiece and tipped temples provide non-slip comfort.
- Optically correct and distortion free lenses.
 Offering protection against high speed particles at extremes of temperature. -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

Part No.	Description

M15220 Proferred 220 Silver Mirror Lens HC Safety Glasses

PROFERRED 230 CLEAR LENS HC SAFETY GLASSES ANSI Z87.1 COMPLIANT

Features

Features

Part No.

M15240

- Economical classic glasses offers superior protection.
- · Adjustable temple length and lens inclination provide a customizable fit
- Optically correct and distortion free lens offers panoramic vision.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.
- Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact standards per MIL PRF-32432, Clause 3.6.3.

PROFERRED 240 CLEAR LENS NON SAFETY GLASSES

Economical lightweight glass offers superior protection. No metal parts non-conductive dielectric design help to protect eyes from electric arcs.

Offering protection against high speed particles at extremes of temperature, $-5^{\circ}C-55^{\circ}C$. UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Offering highest available impact protection, which meets or exceeds ballistic fragmentation impact

Part No. Description

standards per MIL PRF-32432, Clause 3.6.3.

Description

ANSI Z87.1 COMPLIANT

M15230 Proferred 230 Clear Lens HC Safety Glasses

100% polycarbonate eyewear fits over prescription frames.

Optically correct and distortion free lens offers panoramic vision.



PROFERRED G100 CLEAR LENS NON SAFETY GOGGLE ANSI 287.1 COMPLIANT

Proferred 240 Clear Lens NON Safety Glasses

- Chemical splash goggle.
- Indirect venting structure to keep liquids out.
- Elastic headband for adjustability & fit.
- Secure comfortable seal around the face.
- Versatile; Can be worn over glasses.
- Soft, flexible seal provide a comfortable choice.
- Optically correct and distortion free lens offers panoramic vision.
- Offering protection against high speed particles at extremes of temperature, -5°C~55°C.
- UV 400 lenses provide maximum protection from harmful UV-A and UV-B rays.

Part No.	Description
M15300	Proferred G100 Clear Lens NON Safety Goggle





roierred

Preferred by Professionals

PU FOAM BULLET EARPLUGS

Features

- Soft and comfortable. Fully attach ear canal.
- Good noise canceling.



M17010

Part No.	Description	Part No.	Description
M17010	Proferred PU Foam Bullet Earplugs	M17020	Proferred PU Foam Bullet Earplugs w/ Cord

YELLOW ANSI CLASS 2 BREAKAWAY REFLECTIVE VEST

Features

Part No.

M18010

M18011

- ANSI Class 2 reflective vest yellow.
- 5 point breakaway vest 2 pockets 4 sizes



Description	Part No.	Description
Proferred Yellow ANSI Class 2 Breakaway Reflective Vest (M)	M18012	Proferred Yellow ANSI Class 2 Breakaway Reflective Vest (XL)
Proferred Yellow ANSI Class 2 Breakaway Reflective Vest (L)	M18013	Proferred Yellow ANSI Class 2 Breakaway Reflective Vest (XXL)

ORANGE ANSI CLASS 2 BREAKAWAY REFLECTIVE VEST

Features

Part No.

M18020

M18021

- ANSI Class 2 reflective vest orange. 5 point breakaway vest - 2 pockets - 4 sizes

Description



Part No.	Description
M18022	Proferred Orange ANSI Class 2 Breakaway Reflective Vest (XL)
M18023	Proferred Orange ANSI Class 2 Breakaway Reflective Vest (XXL)

N95 RESPIRATOR

Features

- Used for protection against solids
- Durable with a soft and comfortable inner surface.
- Adjustable nosepiece and secured headstraps to provide proprer fit.

Part No.	Description
M19020	Proferred N95 Respirator (20 PCS/Box)

Proferred Orange ANSI Class 2 Breakaway Reflective Vest (M)

Proferred Orange ANSI Class 2 Breakaway Reflective Vest (L)

N95 RESPIRATOR WITH VALVE

Features

- Used for protection against solids.
- Durable with a soft and comfortable inner surface.
- Adjustable nosepiece and secured headstraps to provide proprer fit. An exhalation valve make it easier to breathe through in hot or humid work conditions.

Part No.	Description
M19021	Proferred N95 Respirator with Valve (10 PCS/Box)





GENERAL PURPOSE PACKAGING TAPE

Features

- Production grade pressure sensitive Carton Sealing Tape. Generally is used for box sealing applications.
- Construction provides a good closure for lightweight boxes.



M20010 Proferred General Purpose Packaging Tape Clear 2" x 110yd x 1.8mil M20011 Proferred General Purpose Packaging Tape Clear 3" x 110yd x 1.8mil	Part No	Description		Part No.	Description
	M20010	Proferred General Purpose Packaging Tape Clear 2" x 110yd x 1.8mil	1	M20011	Proferred General Purpose Packaging Tape Clear 3" x 110yd x 1.8mil

2" **TAPE GUN**

Features

- Top notch quality 2" work horse tape gun. Sharp colors make it easier to find and locate in the packing area.
- Handles are designed with sturdy grip.

Proferred 2" Tape Gun

Part No. Description

3" TAPE (GUN
-----------	-----

M20110

Features

- Top notch quality 3" deluxe tape gun.
- Sharp colors make it easier to find and locate in the packing area. Handles are designed with sturdy grip.

Part No.	Description	
M20111	Proferred 3" Tape Gun	

GENERAL PURPOSE DUCT TAPE

Features

- High tensile strength and tears cleanly across.
- Industrial strength for bundling, sealing, and protecting.

			M21010 M21011	
Part No.	Description	Part No.	Description	
M21010	Proferred General Purpose Duct Tape Silver 1.88" x 60yd x 7mil	M21011	Proferred General Purpose Duct Tape Black 1.88" x 60yd x 7mil	


HEAVY DUTY DUCT TAPE

Features

- Silver polyethylene bonds to most surfaces, resists wear, abrasion, and water. Industrial-grade duct tape for splicing, masking, patching, sealing and seaming,

Part No.	Description
M21020	Proferred Heavy Duty Duct Tape Silver 1.88" x 60yd x 8.8mil





BBI products and services offered exclusively through distribution © Brighton-Best International, Inc.

Preferred by Professionals

PAINTER'S TAPE

Features

- Delivers sharp paint lines and can be used on a verity of surfaces.
- Removes cleanly for up to 7 days.

Part No.	Description
M22020	Proferred Painter's Tape Blue 1/41" x 60yd

VINYL ELECTRICAL TAPE

Features

- Flexible with strong retract ability.
- Excellent for residential, commercial construction, automotive, HVAC, and marine. Suitable for use up to 600V / 80°C.
- High voltage resistance and flame retardant.

Part No.	Description
M23010	Proferred Vinyl Electrical Tape Black 3/4" x 66' x 7mil

THREAD SEALING TAPE

Features

- Provides a clean, positive seal on threaded connections. Withstands harsh temperatures ranging from -170 ~ 370°C (-275~700°F). Used for wrapping pipe threads, creating air and water tight connections.


Part No.	Description
M24010	Proferred Thread Sealing Tape White 3/4" x 66' x 7mil

CAUTION/DANGER TAPE

Features

- Made of PE film without adhesive coating. Used for projects and applications that require warning and high visibility.
- Part No. Description

	2000.101.011
M25010	Proferred Caution Tape Yellow/Black 2.8" x 1000'









Part No.	Description
----------	-------------

M25020 Proferred Danger Tape Red/Black 2.8" x 1000'

Preferred by Professionals

VIBRA-TITE[®] THREADLOCKER

Features

- Lock and seal threaded fasteners
- Stop fasteners from loosening from shock and vibration.
- Performs better than lock washers, bevel washers and other forms of mechanical locking devices.
- Alleviates rust-lock. Prevent leakage.



Part No.	Part No. Description		Description
031005	Vibra-Tite® 121 Medium Strength Threadlocker (10 ml) Blue	031015	Vibra-Tite® 140 High Strength Threadlocker (10 ml) Red
031010	Vibra-Tite® 121 Medium Strength Threadlocker (50 ml) Blue	031020	Vibra-Tite® 140 High Strength Threadlocker (50 ml) Red

CONTRACTOR BAGS

Features

- Strong bag to handle most jobs, construction, household, yard, garage, shop, production, home.
- 42 Gallon 33" x 48", 83.8cm x 122cm.
- Ties included.
- 20 Bags/Box.



Part No.	Description	
M26010	Proferred Contractor Bags, 4 Mil, Black	

CARPENTER PENCIL

Features

7" in length, #2 HB thick black graphite providing long life with less sharpening. Bright yellow in color, easy to locate when dropped.

Part No.	Description	
T98003	Proferred Carpenter Pencils	

GAUGES

Features

Part No.


T98001

Measure US and Metric thread pitch.

Description

Proferred Bolt Gauge (Inch & Metric)

- Resists water, alcohol, oil, and grease Reliable and Accurate.
- Sturdy and Lightweight Plastic.



roierred R

Preferred by Professionals

HAND & TOOL WIPES CANISTER / SINGLE PACK

Features

- Dual cleaning surfaces textured and non-scratching cleaning surface. Lint free sturdy wipes scrub without tearing.
- No VOCs safe for the environment.
- 82 9"x12" wipes in each canister. No water needed
- Cuts grease, grime, oil dirt, lube and mastic but safe on hands.







Part No.	Description	Part No.	Description
T99001	Proferred Hand & Tool Wipes Canister	T99003	Proferred Hand & Tool Wipes Single Pack

SHOP TOWELS

Features

- For Staining, cleaning tools, glass & mirror, grease & oil.
- High absorbency. Large 10"x12" towel.



Part No.	Description
T99100	Proferred Shop Towels



LENS CLEANING TOWELETTES

Features

- For plastic, glass, and polycarbonate lenses.
- Safe and effective with all lens coatings.
- Ideal for glasses, goggles, and face shields.
- Anti-fog, anti-static formula. 100 individual pack per box.
- 8"x5" towelette





Part No. Description T99101 PYRAMEX Lens Cleaning Towelettes

Preferred by Professionals



Preferred by Professionals



JOBBER M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

Ground flute.
Black oxide finish.

M2 HSS.

Part No.	Description
C21100	1/16" Jobber 135 Deg.
C21101	5/64" Jobber 135 Deg.
C21102	3/32" Jobber 135 Deg.
C21103	7/64" Jobber 135 Deg.
C21104	1/8" (0.125) Jobber 135 Deg.
C21105	9/64" Jobber 135 Deg.
C21106	5/32" Jobber 135 Deg.
C21107	11/64" Jobber 135 Deg.
C21108	3/16" Jobber 135 Deg.
C21109	13/64" Jobber 135 Deg.
C21110	7/32" Jobber 135 Deg.
C21111	15/64" Jobber 135 Deg.
C21112	1/4" Jobber 135 Deg.
C21113	17/64" Jobber 135 Deg.
C21114	9/32" Jobber 135 Deg.

Part No.	Description
C21115	19/64" Jobber 135 Deg.
C21116	5/16" Jobber 135 Deg.
C21117	21/64" Jobber 135 Deg.
C21118	11/32" Jobber 135 Deg.
C21119	23/64" Jobber 135 Deg.
C21120	3/8" Jobber 135 Deg.
C21121	25/64" Jobber 135 Deg.
C21122	13/32" Jobber 135 Deg.
C21123	27/64" Jobber 135 Deg.
C21124	7/16" Jobber 135 Deg.
C21125	29/64" Jobber 135 Deg.
C21126	15/32" Jobber 135 Deg.
C21127	31/64" Jobber 135 Deg.
C21128	1/2" Jobber 135 Deg.

WIRE GAUGE M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

Ground flute.Black oxide finish.

M2 HSS.

•	MZ H55.			
	Part No.	Description	Part No.	Description
	C21150	#1 (0.228) Wire Gauge 135 Deg.	C21172	#23 (0.154) Wire Gauge 135 Deg.
	C21151	#2 (0.221) Wire Gauge 135 Deg.	C21173	#24 (0.152) Wire Gauge 135 Deg.
	C21152	#3 (0.213) Wire Gauge 135 Deg.	C21174	#25 (0.1495) Wire Gauge 135 Deg.
	C21153	#4 (0.209) Wire Gauge 135 Deg.	C21175	#26 (0.147) Wire Gauge 135 Deg.
	C21154	#5 (0.2055) Wire Gauge 135 Deg.	C21176	#27 (0.144) Wire Gauge 135 Deg.
	C21155	#6 (0.204) Wire Gauge 135 Deg.	C21177	#28 (0.1405) Wire Gauge 135 Deg.
_	C21156	#7 (0.201) Wire Gauge 135 Deg.	C21178	#29 (0.1362) Wire Gauge 135 Deg.
_	C21157	#8 (0.199) Wire Gauge 135 Deg.	C21179	#30 (0.1285) Wire Gauge 135 Deg.
_	C21158	#9 (0.196) Wire Gauge 135 Deg.	C21180	#31 (0.12) Wire Gauge 135 Deg.
_	C21159	#10 (0.1935) Wire Gauge 135 Deg.	C21181	#32 (0.116) Wire Gauge 135 Deg.
_	C21160	#11 (0.191) Wire Gauge 135 Deg.	C21182	#33 (0.113) Wire Gauge 135 Deg.
_	C21161	#12 (0.189) Wire Gauge 135 Deg.	C21183	#34 (0.111) Wire Gauge 135 Deg.
_	C21162	#13 (0.185) Wire Gauge 135 Deg.	C21184	#35 (0.11) Wire Gauge 135 Deg.
_	C21163	#14 (0.182) Wire Gauge 135 Deg.	C21185	#36 (0.1065) Wire Gauge 135 Deg.
_	C21164	#15 (0.18) Wire Gauge 135 Deg.	C21186	#37 (0.104) Wire Gauge 135 Deg.
_	C21165	#16 (0.177) Wire Gauge 135 Deg.	C21187	#38 (0.1015) Wire Gauge 135 Deg.
_	C21166	#17 (0.173) Wire Gauge 135 Deg.	C21188	#39 (0.0995) Wire Gauge 135 Deg.
_	C21167	#18 (0.1695) Wire Gauge 135 Deg.	C21189	#40 (0.098) Wire Gauge 135 Deg.
_	C21168	#19 (0.166) Wire Gauge 135 Deg.	C21190	#41 (0.096) Wire Gauge 135 Deg.
_	C21169	#20 (0.161) Wire Gauge 135 Deg.	C21191	#42 (0.0935) Wire Gauge 135 Deg.
_	C21170	#21 (0.159) Wire Gauge 135 Deg.	C21192	#43 (0.089) Wire Gauge 135 Deg.
_	C21171	#22 (0.157) Wire Gauge 135 Deg.	C21193	#44 (0.086) Wire Gauge 135 Deg.



Preferred by Professionals



Part No.	Description	Part No.	Description
C21194	#45 (0.082) Wire Gauge 135 Deg.	C21202	#53 (0.0595) Wire Gauge 135 Deg.
C21195	#46 (0.081) Wire Gauge 135 Deg.	C21203	#54 (0.055) Wire Gauge 135 Deg.
C21196	#47 (0.0785) Wire Gauge 135 Deg.	C21204	#55 (0.052) Wire Gauge 135 Deg.
C21197	#48 (0.076) Wire Gauge 135 Deg.	C21205	#56 (0.0465) Wire Gauge 135 Deg.
C21198	#49 (0.073) Wire Gauge 135 Deg.	C21206	#57 (0.043) Wire Gauge 135 Deg.
C21199	#50 (0.07) Wire Gauge 135 Deg.	C21207	#58 (0.042) Wire Gauge 135 Deg.
C21200	#51 (0.067) Wire Gauge 135 Deg.	C21208	#59 (0.041) Wire Gauge 135 Deg.
C21201	#52 (0.0635) Wire Gauge 135 Deg.	C21209	#60 (0.04) Wire Gauge 135 Deg.

LETTER M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

Ground flute.

Black oxide finish. M2 HSS.

Part No.	Description
C21250	A (0.234) Lette Size 135 Deg.
C21251	B (0.238) Lette Size 135 Deg.
C21252	C (0.242) Lette Size 135 Deg.
C21253	D (0.246) Lette Size 135 Deg.
C21254	E (0.25) Lette Size 135 Deg.
C21255	F (0.257) Lette Size 135 Deg.
C21256	G (0.261) Lette Size 135 Deg.
C21257	H (0.266) Lette Size 135 Deg.
C21258	I (0.272) Lette Size 135 Deg.
C21259	J (0.277) Lette Size 135 Deg.
C21260	K (0.281) Lette Size 135 Deg.
C21261	L (0.29) Lette Size 135 Deg.
C21262	M (0.295) Lette Size 135 Deg.



Part No.	Description
C21263	N (0.302) Lette Size 135 Deg.
C21264	O (0.316) Lette Size 135 Deg.
C21265	P (0.323) Lette Size 135 Deg.
C21266	Q (0.332) Lette Size 135 Deg.
C21267	R (0.339) Lette Size 135 Deg.
C21268	S (0.348) Lette Size 135 Deg.
C21269	T (0.358) Lette Size 135 Deg.
C21270	U (0.368) Lette Size 135 Deg.
C21271	V (0.377) Lette Size 135 Deg.
C21272	W (0.386) Lette Size 135 Deg.
C21273	X (0.397) Lette Size 135 Deg.
C21274	Y (0.404) Lette Size 135 Deg.
C21275	Z (0.413) Lette Size 135 Deg.

SILVER & DEMING M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

Ground flute. Black oxide finish.

- M2 HSS.

Part No.	Description
C21300	33/64" (0.5156) S&D 1/2" Shank 118 Deg.
C21301	17/32" (0.5312) S&D 1/2" Shank 118 Deg.
C21302	35/64" (0.5469) S&D 1/2" Shank 118 Deg.
C21303	9/16" (0.5625) S&D 1/2" Shank 118 Deg.
C21304	37/64" (0.5781) S&D 1/2" Shank 118 Deg.
C21305	19/32" (0.5938) S&D 1/2" Shank 118 Deg.
C21306	39/64" (0.6094) S&D 1/2" Shank 118 Deg.
C21307	5/8" (0.625) S&D 1/2" Shank 118 Deg.
C21308	41/64" (0.6406) S&D 1/2" Shank 118 Deg.
C21309	21/32" (0.6562) S&D 1/2" Shank 118 Deg.
C21310	43/64" (0.6719) S&D 1/2" Shank 118 Deg.
C21311	11/16" (0.6875) S&D 1/2" Shank 118 Deg.
C21312	45/64" (0.7031) S&D 1/2" Shank 118 Deg.
C21313	23/32" (0.7188) S&D 1/2" Shank 118 Deg.



C21317	25/32" (0.7812) S&D 1/2" Shank 118 Deg.
C21318	51/64" (0.7969) S&D 1/2" Shank 118 Deg.
C21319	13/16" (0.8125) S&D 1/2" Shank 118 Deg.
C21320	53/64" (0.8281) S&D 1/2" Shank 118 Deg.
C21321	27/32" (0.8438) S&D 1/2" Shank 118 Deg.
C21322	55/64" (0.8594) S&D 1/2" Shank 118 Deg.
C21323	7/8" (0.875) S&D 1/2" Shank 118 Deg.
C21324	57/64" (0.8906) S&D 1/2" Shank 118 Deg.
C21325	29/32" (0.9062) S&D 1/2" Shank 118 Deg.
C21326	59/64" (0.9219) S&D 1/2" Shank 118 Deg.
C21327	15/16" (0.9375) S&D 1/2" Shank 118 Deg.

Preferred by Professionals



Part No.	Description	Part No.	Description
C21328	61/64" (0.9531) S&D 1/2" Shank 118 Deg.	C21334	1-3/16" (1.1875) S&D 1/2" Shank 118 Deg.
C21329	31/32" (0.9688) S&D 1/2" Shank 118 Deg.	C21335	1-1/4" (1.25) S&D 1/2" Shank 118 Deg.
C21330	63/64" (0.9844) S&D 1/2" Shank 118 Deg.	C21336	1-5/16" (1.3125) S&D 1/2" Shank 118 Deg.
C21331	1" (1) S&D 1/2" Shank 118 Deg.	C21337	1-3/8" (1.375) S&D 1/2" Shank 118 Deg.
C21332	1-1/16" (1.0625) S&D 1/2" Shank 118 Deg.	C21338	1-1/2" (1.5) S&D 1/2" Shank 118 Deg.
C21333	1-1/8" (1.125) S&D 1/2" Shank 118 Deg.		

STUB LENGTH M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Ground flute. Black oxide finish.
- M2 HSS.

• M2 HSS.	
Part No.	Description
C21350	1/16" (0.0625) Stub 135 Deg.
C21351	5/64" (0.0781) Stub 135 Deg.
C21352	3/32" (0.0938) Stub 135 Deg.
C21353	7/64" (0.1094) Stub 135 Deg.
C21354	1/8" (0.125) Stub 135 Deg.
C21355	9/64" (0.1406) Stub 135 Deg.
C21356	5/32" (0.1562) Stub 135 Deg.
C21357	11/64" (0.1719) Stub 135 Deg.
C21358	3/16" (0.1875) Stub 135 Deg.
C21359	13/64" (0.2031) Stub 135 Deg.
C21360	7/32" (0.2188) Stub 135 Deg.
C21361	15/64" (0.2344) Stub 135 Deg.
C21362	1/4" (0.25) Stub 135 Deg.
C21363	17/64" (0.2656) Stub 135 Deg.
C21364	9/32" (0.2812) Stub 135 Deg.



Part No.	Description
C21365	19/64" (0.2969) Stub 135 Deg.
C21366	5/16" (0.3125) Stub 135 Deg.
C21367	21/64" (0.3281) Stub 135 Deg.
C21368	11/32" (0.3438) Stub 135 Deg.
C21369	23/64" (0.3594) Stub 135 Deg.
C21370	3/8" (0.375) Stub 135 Deg.
C21371	25/64" (0.3906) Stub 135 Deg.
C21372	13/32" (0.4062) Stub 135 Deg.
C21373	27/64" (0.4219) Stub 135 Deg.
C21374	7/16" (0.4375) Stub 135 Deg.
C21375	29/64" (0.4531) Stub 135 Deg.
C21376	15/32" (0.4688) Stub 135 Deg.
C21377	31/64" (0.4844) Stub 135 Deg.
C21378	1/2" (0.5) Stub 135 Deg.

AIRCRAFT M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Ground flute
- Black oxide finish. M2 HSS.

Part No.	Description
C21400	1/16" (0.0625) x 6" Aircraft 135 Deg.
C21401	1/8" (0.125) x 6" Aircraft 135 Deg.
C21402	9/64" (0.1406) x 6" Aircraft 135 Deg.
C21403	5/32" (0.1563) x 6" Aircraft 135 Deg.
C21404	11/64" (0.1719) x 6" Aircraft 135 Deg.
C21405	3/16" (0.1875) x 6" Aircraft 135 Deg.
C21406	13/64" (0.2031) x 6" Aircraft 135 Deg.
C21407	7/32" (0.2188) x 6" Aircraft 135 Deg.
C21408	15/64" (0.2344) x 6" Aircraft 135 Deg.
C21409	1/4" (0.25) x 6" Aircraft 135 Deg.
C21410	17/64" (0.2656) x 6" Aircraft 135 Deg.
C21411	9/32" (0.2813) x 6" Aircraft 135 Deg.
C21412	5/16" (0.3125) x 6" Aircraft 135 Deg.
C21413	11/32" (0.3438) x 6" Aircraft 135 Deg.

Part No.	Description
C21414	3/8" (0.375) x 6" Aircraft 135 Deg.
C21415	7/16" (0.4375) x 6" Aircraft 135 Deg.
C21416	1/2" (0.5) x 6" Aircraft 135 Deg.
C21417	1/8" (0.125) x 12" Aircraft 135 Deg.
C21418	5/32" (0.1563) x 12" Aircraft 135 Deg.
C21419	3/16" (0.1875) x 12" Aircraft 135 Deg.
C21420	7/32" (0.2188) x 12" Aircraft 135 Deg.
C21421	1/4" (0.25) x 12" Aircraft 135 Deg.
C21422	9/32" (0.2813) x 12" Aircraft 135 Deg.
C21423	5/16" (0.3125) x 12" Aircraft 135 Deg.
C21424	11/32" (0.3438) x 12" Aircraft 135 Deg.
C21425	3/8" (0.375) x 12" Aircraft 135 Deg.
C21426	7/16" (0.4375) x 12" Aircraft 135 Deg.
C21427	1/2" (0.5) x 12" Aircraft 135 Deg.

Preferred by Professionals



DOUBLE END M2 HIGH SPEED STEEL TWIST DRILL BIT

Features

- Heavy duty. Bright and black finish.
- M2 HSS.

Part No.

Description C21450 1/8" (0.1250) Double End 135 Deg.

JOBBER M2 HSS BLACK AND GOLD DRILL BIT

Features

- Ground flute. Black & gold finish.
- M2 HSS.

Part No.	Description
C26100	1/16" (0.0625) Jobbe 135 Deg. M2 HSS Black and Gold
C26101	5/64" (0.0781) Jobbe 135 Deg. M2 HSS Black and Gold
C26102	3/32" (0.0938) Jobbe 135 Deg. M2 HSS Black and Gold
C26103	7/64" (0.1094) Jobbe 135 Deg. M2 HSS Black and Gold
C26104	1/8" (0.125) Jobbe 135 Deg. M2 HSS Black and Gold
C26105	9/64" (0.1406) Jobbe 135 Deg. M2 HSS Black and Gold
C26106	5/32" (0.1562) Jobbe 135 Deg. M2 HSS Black and Gold
C26107	11/64" (0.1719) Jobbe 135 Deg. M2 HSS Black and Gold
C26108	3/16" (0.1875) Jobbe 135 Deg. M2 HSS Black and Gold
C26109	13/64" (0.2031) Jobbe 135 Deg. M2 HSS Black and Gold
C26110	7/32" (0.2188) Jobbe 135 Deg. M2 HSS Black and Gold
C26111	15/64" (0.2344) Jobbe 135 Deg. M2 HSS Black and Gold
C26112	1/4" (0.25) Jobbe 135 Deg. M2 HSS Black and Gold
C26113	17/64" (0.2656) Jobbe 135 Deg. M2 HSS Black and Gold
C26114	9/32" (0.2812) Jobbe 135 Deg. M2 HSS Black and Gold

WIRE GAUGE M2 HSS BLACK AND GOLD DRILL BIT

Features

- Ground flute
- Black & gold finish. M2 HSS.

Part No.	Description
C26150	#1 (0.228) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26151	#2 (0.221) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26152	#3 (0.213) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26153	#4 (0.209) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26154	#5 (0.2055) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26155	#6 (0.204) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26156	#7 (0.201) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26157	#8 (0.199) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26158	#9 (0.196) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26159	#10 (0.1935) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26160	#11 (0.191) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26161	#12 (0.189) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26162	#13 (0.185) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26163	#14 (0.182) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26164	#15 (0.18) Wire Gauge 135 Deg. M2 HSS Black and Gold

Part No.	Description
C21451	#30 (0.1285) Double End 135 Deg.



Part No.	Description
C26115	19/64" (0.2969) Jobbe 135 Deg. M2 HSS Black and Gold
C26116	5/16" (0.3125) Jobbe 135 Deg. M2 HSS Black and Gold
C26117	21/64" (0.3281) Jobbe 135 Deg. M2 HSS Black and Gold
C26118	11/32" (0.3438) Jobbe 135 Deg. M2 HSS Black and Gold
C26119	23/64" (0.3594) Jobbe 135 Deg. M2 HSS Black and Gold
C26120	3/8" (0.375) Jobbe 135 Deg. M2 HSS Black and Gold
C26121	25/64" (0.3906) Jobbe 135 Deg. M2 HSS Black and Gold
C26122	13/32" (0.4062) Jobbe 135 Deg. M2 HSS Black and Gold
C26123	27/64" (0.4219) Jobbe 135 Deg. M2 HSS Black and Gold
C26124	7/16" (0.4375) Jobbe 135 Deg. M2 HSS Black and Gold
C26125	29/64" (0.4531) Jobbe 135 Deg. M2 HSS Black and Gold
C26126	15/32" (0.4688) Jobbe 135 Deg. M2 HSS Black and Gold
C26127	31/64" (0.4844) Jobbe 135 Deg. M2 HSS Black and Gold
C26128	1/2" (0.5) Jobbe 135 Deg. M2 HSS Black and Gold



Part No.	Description
C26165	#16 (0.177) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26166	#17 (0.173) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26167	#18 (0.1695) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26168	#19 (0.166) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26169	#20 (0.161) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26170	#21 (0.159) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26171	#22 (0.157) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26172	#23 (0.154) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26173	#24 (0.152) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26174	#25 (0.1495) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26175	#26 (0.147) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26176	#27 (0.144) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26177	#28 (0.1405) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26178	#29 (0.1362) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26179	#30 (0.1285) Wire Gauge 135 Deg. M2 HSS Black and Gold



Preferred by Professionals



Part No.	Description	Pa
C26180	#31 (0.12) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26181	#32 (0.116) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26182	#33 (0.113) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26183	#34 (0.111) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26184	#35 (0.11) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26185	#36 (0.1065) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26186	#37 (0.104) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26187	#38 (0.1015) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26188	#39 (0.0995) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26189	#40 (0.098) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26190	#41 (0.096) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26191	#42 (0.0935) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26192	#43 (0.089) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26193	#44 (0.086) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2
C26194	#45 (0.082) Wire Gauge 135 Deg. M2 HSS Black and Gold	C2

Part No.	Description
C26195	#46 (0.081) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26196	#47 (0.0785) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26197	#48 (0.076) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26198	#49 (0.073) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26199	#50 (0.07) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26200	#51 (0.067) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26201	#52 (0.0635) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26202	#53 (0.0595) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26203	#54 (0.055) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26204	#55 (0.052) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26205	#56 (0.0465) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26206	#57 (0.043) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26207	#58 (0.042) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26208	#59 (0.041) Wire Gauge 135 Deg. M2 HSS Black and Gold
C26209	#60 (0.04) Wire Gauge 135 Deg. M2 HSS Black and Gold

LETTER M2 HSS BLACK AND GOLD DRILL BIT

Features

Ground flute.

Black & gold finish.
 M2 HSS.

Part No.	Description
C26250	A (0.234) Letter Size 135 Deg. M2 HSS Black and Gold
C26251	B (0.238) Letter Size 135 Deg. M2 HSS Black and Gold
C26252	C (0.242) Letter Size 135 Deg. M2 HSS Black and Gold
C26253	D (0.246) Letter Size 135 Deg. M2 HSS Black and Gold
C26254	E (0.25) Letter Size 135 Deg. M2 HSS Black and Gold
C26255	F (0.257) Letter Size 135 Deg. M2 HSS Black and Gold
C26256	G (0.261) Letter Size 135 Deg. M2 HSS Black and Gold
C26257	H (0.266) Letter Size 135 Deg. M2 HSS Black and Gold
C26258	I (0.272) Letter Size 135 Deg. M2 HSS Black and Gold
C26259	J (0.277) Letter Size 135 Deg. M2 HSS Black and Gold
C26260	K (0.281) Letter Size 135 Deg. M2 HSS Black and Gold
C26261	L (0.29) Letter Size 135 Deg. M2 HSS Black and Gold
C26262	M (0.295) Letter Size 135 Deg. M2 HSS Black and Gold

SILVER & DEMING M2 HSS BLACK AND GOLD DRILL BIT

Features

Ground flute.Black & gold finish.

M2 HSS.

_		
	Part No.	Description
	C26300	33/64" (0.5156) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
	C26301	17/32" (0.5312) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
	C26302	35/64" (0.5469) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
	C26303	9/16" (0.5625) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
	C26304	37/64" (0.5781) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
	C26305	19/32" (0.5938) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
	C26306	39/64" (0.6094) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
_		



Part No.	Description
C26263	N (0.302) Letter Size 135 Deg. M2 HSS Black and Gold
C26264	O (0.316) Letter Size 135 Deg. M2 HSS Black and Gold
C26265	P (0.323) Letter Size 135 Deg. M2 HSS Black and Gold
C26266	Q (0.332) Letter Size 135 Deg. M2 HSS Black and Gold
C26267	R (0.339) Letter Size 135 Deg. M2 HSS Black and Gold
C26268	S (0.348) Letter Size 135 Deg. M2 HSS Black and Gold
C26269	T (0.358) Letter Size 135 Deg. M2 HSS Black and Gold
C26270	U (0.368) Letter Size 135 Deg. M2 HSS Black and Gold
C26271	V (0.377) Letter Size 135 Deg. M2 HSS Black and Gold
C26272	W (0.386) Letter Size 135 Deg. M2 HSS Black and Gold
C26273	X (0.397) Letter Size 135 Deg. M2 HSS Black and Gold
C26274	Y (0.404) Letter Size 135 Deg. M2 HSS Black and Gold
C26275	Z (0.413) Letter Size 135 Deg. M2 HSS Black and Gold



Part No.	Description
C26307	5/8" (0.625) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26308	41/64" (0.6406) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26309	21/32" (0.6562) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26310	43/64" (0.6719) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26311	11/16" (0.6875) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26312	45/64" (0.7031) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26313	23/32" (0.7188) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold

Preferred by Professionals



Part No.	Description
C26314	47/64" (0.7344) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26315	3/4" (0.75) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26316	49/64" (0.7656) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26317	25/32" (0.7812) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26318	51/64" (0.7969) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26319	13/16" (0.8125) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26320	53/64" (0.8281) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26321	27/32" (0.8438) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26322	55/64" (0.8594) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26323	7/8" (0.875) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26324	57/64" (0.8906) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold

MECHANICS M2 HSS BLACK AND GOLD DRILL BIT

Features

- Ground flute
- Black & gold finish.M2 HSS.

B (N	
Part No.	Description
C26350	1/16" (0.0625) Mechanics 135 Deg. M2 HSS Black and Gold
C26351	5/64" (0.0781) Mechanics 135 Deg. M2 HSS Black and Gold
C26352	3/32" (0.0938) Mechanics 135 Deg. M2 HSS Black and Gold
C26353	7/64" (0.1094) Mechanics 135 Deg. M2 HSS Black and Gold
C26354	1/8" (0.125) Mechanics 135 Deg. M2 HSS Black and Gold
C26355	9/64" (0.1406) Mechanics 135 Deg. M2 HSS Black and Gold
C26356	5/32" (0.1562) Mechanics 135 Deg. M2 HSS Black and Gold
C26357	11/64" (0.1719) Mechanics 135 Deg. M2 HSS Black and Gold
C26358	3/16" (0.1875) Mechanics 135 Deg. M2 HSS Black and Gold
C26359	13/64" (0.2031) Mechanics 135 Deg. M2 HSS Black and Gold
C26360	7/32" (0.2188) Mechanics 135 Deg. M2 HSS Black and Gold
C26361	15/64" (0.2344) Mechanics 135 Deg. M2 HSS Black and Gold
C26362	1/4" (0.25) Mechanics 135 Deg. M2 HSS Black and Gold
C26363	17/64" (0.2656) Mechanics 135 Deg. M2 HSS Black and Gold
C26364	9/32" (0.2812) Mechanics 135 Deg. M2 HSS Black and Gold

Part No.	Description
C26325	29/32" (0.9062) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26326	59/64" (0.9219) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26327	15/16" (0.9375) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26328	61/64" (0.9531) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26329	31/32" (0.9688) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26330	63/64" (0.9844) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26331	1" (1) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26332	1-1/16" (1.0625) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26333	1-1/8" (1.125) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26334	1-3/16" (1.1875) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold
C26335	1-1/4" (1.25) S&D 1/2" Shank 118 Deg. M2 HSS Black and Gold



Part No.	Description
C26365	19/64" (0.2969) Mechanics 135 Deg. M2 HSS Black and Gold
C26366	5/16" (0.3125) Mechanics 135 Deg. M2 HSS Black and Gold
C26367	21/64" (0.3281) Mechanics 135 Deg. M2 HSS Black and Gold
C26368	11/32" (0.3438) Mechanics 135 Deg. M2 HSS Black and Gold
C26369	23/64" (0.3594) Mechanics 135 Deg. M2 HSS Black and Gold
C26370	3/8" (0.375) Mechanics 135 Deg. M2 HSS Black and Gold
C26371	25/64" (0.3906) Mechanics 135 Deg. M2 HSS Black and Gold
C26372	13/32" (0.4062) Mechanics 135 Deg. M2 HSS Black and Gold
C26373	27/64" (0.4219) Mechanics 135 Deg. M2 HSS Black and Gold
C26374	7/16" (0.4375) Mechanics 135 Deg. M2 HSS Black and Gold
C26375	29/64" (0.4531) Mechanics 135 Deg. M2 HSS Black and Gold
C26376	15/32" (0.4688) Mechanics 135 Deg. M2 HSS Black and Gold
C26377	31/64" (0.4844) Mechanics 135 Deg. M2 HSS Black and Gold
C26378	1/2" (0.5) Mechanics 135 Deg. M2 HSS Black and Gold

JOBBER M35 COBALT TWIST DRILL BIT

Features

- Ground flute.
- Gold finish.
- M35 cobalt.

Part No.	Description
C22004	1/16" (0.0625) Cobalt 135 Deg. Jobber
C22005	5/64" (0.0781) Cobalt 135 Deg. Jobber
C22006	3/32" (0.0938) Cobalt 135 Deg. Jobber
C22007	7/64" (0.1094) Cobalt 135 Deg. Jobber
C22008	1/8" (0.125) Cobalt 135 Deg. Jobber
C22009	9/64" (0.1406) Cobalt 135 Deg. Jobber
C22010	5/32" (0.1562) Cobalt 135 Deg. Jobber
C22011	11/64" (0.1719) Cobalt 135 Deg. Jobber
C22012	3/16" (0.1875) Cobalt 135 Deg. Jobber



Part No.	Description
C22013	13/64" (0.2031) Cobalt 135 Deg. Jobber
C22014	7/32" (0.2188) Cobalt 135 Deg. Jobber
C22015	15/64" (0.2344) Cobalt 135 Deg. Jobber
C22016	1/4" (0.25) Cobalt 135 Deg. Jobber
C22017	17/64" (0.2656) Cobalt 135 Deg. Jobber
C22018	9/32" (0.2812) Cobalt 135 Deg. Jobber
C22019	19/64" (0.2969) Cobalt 135 Deg. Jobber
C22020	5/16" (0.3125) Cobalt 135 Deg. Jobber
C22021	21/64" (0.3281) Cobalt 135 Deg. Jobber

www.brightonBEST.com • 1-800-275-0050

BBI products and services offered exclusively through distribution © Brighton-Best International, Inc.

Preferred by Professionals



Part No.	Description	Part No.	Description
C22022	11/32" (0.3438) Cobalt 135 Deg. Jobber	C22028	7/16" (0.4375) Cobalt 135 Deg. Jobber
C22023	23/64" (0.3594) Cobalt 135 Deg. Jobber	C22029	29/64" (0.4531) Cobalt 135 Deg. Jobber
C22024	3/8" (0.375) Cobalt 135 Deg. Jobber	C22030	15/32" (0.4688) Cobalt 135 Deg. Jobber
C22025	25/64" (0.3906) Cobalt 135 Deg. Jobber	C22031	31/64" (0.4844) Cobalt 135 Deg. Jobber
C22026	13/32" (0.4062) Cobalt 135 Deg. Jobber	C22032	1/2" (0.5) Cobalt 135 Deg. Jobber
C22027	27/64" (0.4219) Cobalt 135 Deg. Jobber		

WIRE GAUGE M35 COBALT TWIST DRILL BIT

Features

Ground flute.Gold finish.

M35 cobalt.

M35 CODall.			
Part No.	Description	Part No.	Description
C22150	#1 (0.228) Cobalt 135 Deg. Wire Gauge	C22180	#31 (0.12) Cobalt 135 Deg. Wire Gauge
C22151	#2 (0.221) Cobalt 135 Deg. Wire Gauge	C22181	#32 (0.116) Cobalt 135 Deg. Wire Gauge
C22152	#3 (0.213) Cobalt 135 Deg. Wire Gauge	C22182	#33 (0.113) Cobalt 135 Deg. Wire Gauge
C22153	#4 (0.209) Cobalt 135 Deg. Wire Gauge	C22183	#34 (0.111) Cobalt 135 Deg. Wire Gauge
C22154	#5 (0.2055) Cobalt 135 Deg. Wire Gauge	C22184	#35 (0.11) Cobalt 135 Deg. Wire Gauge
C22155	#6 (0.204) Cobalt 135 Deg. Wire Gauge	C22185	#36 (0.1065) Cobalt 135 Deg. Wire Gauge
C22156	#7 (0.201) Cobalt 135 Deg. Wire Gauge	C22186	#37 (0.104) Cobalt 135 Deg. Wire Gauge
C22157	#8 (0.199) Cobalt 135 Deg. Wire Gauge	C22187	#38 (0.1015) Cobalt 135 Deg. Wire Gauge
C22158	#9 (0.196) Cobalt 135 Deg. Wire Gauge	C22188	#39 (0.0995) Cobalt 135 Deg. Wire Gauge
C22159	#10 (0.1935) Cobalt 135 Deg. Wire Gauge	C22189	#40 (0.098) Cobalt 135 Deg. Wire Gauge
C22160	#11 (0.191) Cobalt 135 Deg. Wire Gauge	C22190	#41 (0.096) Cobalt 135 Deg. Wire Gauge
C22161	#12 (0.189) Cobalt 135 Deg. Wire Gauge	C22191	#42 (0.0935) Cobalt 135 Deg. Wire Gauge
C22162	#13 (0.185) Cobalt 135 Deg. Wire Gauge	C22192	#43 (0.089) Cobalt 135 Deg. Wire Gauge
C22163	#14 (0.182) Cobalt 135 Deg. Wire Gauge	C22193	#44 (0.086) Cobalt 135 Deg. Wire Gauge
C22164	#15 (0.18) Cobalt 135 Deg. Wire Gauge	C22194	#45 (0.082) Cobalt 135 Deg. Wire Gauge
C22165	#16 (0.177) Cobalt 135 Deg. Wire Gauge	C22195	#46 (0.081) Cobalt 135 Deg. Wire Gauge
C22166	#17 (0.173) Cobalt 135 Deg. Wire Gauge	C22196	#47 (0.0785) Cobalt 135 Deg. Wire Gauge
C22167	#18 (0.1695) Cobalt 135 Deg. Wire Gauge	C22197	#48 (0.076) Cobalt 135 Deg. Wire Gauge
C22168	#19 (0.166) Cobalt 135 Deg. Wire Gauge	C22198	#49 (0.073) Cobalt 135 Deg. Wire Gauge
C22169	#20 (0.161) Cobalt 135 Deg. Wire Gauge	C22199	#50 (0.07) Cobalt 135 Deg. Wire Gauge
C22170	#21 (0.159) Cobalt 135 Deg. Wire Gauge	C22200	#51 (0.067) Cobalt 135 Deg. Wire Gauge
C22171	#22 (0.157) Cobalt 135 Deg. Wire Gauge	C22201	#52 (0.0635) Cobalt 135 Deg. Wire Gauge
C22172	#23 (0.154) Cobalt 135 Deg. Wire Gauge	C22202	#53 (0.0595) Cobalt 135 Deg. Wire Gauge
C22173	#24 (0.152) Cobalt 135 Deg. Wire Gauge	C22203	#54 (0.055) Cobalt 135 Deg. Wire Gauge
C22174	#25 (0.1495) Cobalt 135 Deg. Wire Gauge	C22204	#55 (0.052) Cobalt 135 Deg. Wire Gauge
C22175	#26 (0.147) Cobalt 135 Deg. Wire Gauge	C22205	#56 (0.0465) Cobalt 135 Deg. Wire Gauge
C22176	#27 (0.144) Cobalt 135 Deg. Wire Gauge	C22206	#57 (0.043) Cobalt 135 Deg. Wire Gauge
C22177	#28 (0.1405) Cobalt 135 Deg. Wire Gauge	C22207	#58 (0.042) Cobalt 135 Deg. Wire Gauge
C22178	#29 (0.1362) Cobalt 135 Deg. Wire Gauge	C22208	#59 (0.041) Cobalt 135 Deg. Wire Gauge
C22179	#30 (0.1285) Cobalt 135 Deg. Wire Gauge	C22209	#60 (0.04) Cobalt 135 Deg. Wire Gauge

roierrec R Г

Preferred by Professionals



SILVER & DEMING M35 COBALT TWIST DRILL BIT

Features

Ground flute Gold finish.

M35 cobalt.

Part No.	Description
C22301	17/32" (0.5312) Cobalt 118 Deg. S&D 1/2" Shank
C22303	9/16" (0.5625) Cobalt 118 Deg. S&D 1/2" Shank
C22305	19/32" (0.5938) Cobalt 118 Deg. S&D 1/2" Shank
C22307	5/8" (0.625) Cobalt 118 Deg. S&D 1/2" Shank
C22309	21/32" (0.6562) Cobalt 118 Deg. S&D 1/2" Shank
C22311	11/16" (0.6875) Cobalt 118 Deg. S&D 1/2" Shank
C22313	23/32" (0.7188) Cobalt 118 Deg. S&D 1/2" Shank
C22315	3/4" (0.75) Cobalt 118 Deg. S&D 1/2" Shank
C22317	25/32" (0.7812) Cobalt 118 Deg. S&D 1/2" Shank
C22319	13/16" (0.8125) Cobalt 118 Deg. S&D 1/2" Shank
C22321	27/32" (0.8438) Cobalt 118 Deg. S&D 1/2" Shank
C22323	7/8" (0.875) Cobalt 118 Deg. S&D 1/2" Shank
	C22301 C22303 C22305 C22307 C22309 C22311 C22313 C22315 C22315 C22317 C22319 C22321

21 PIECE M2 HIGH SPEED STEEL DRILL BIT SET

Description

Description

29 PIECE DRILL BIT SET

M2 HSS black & gold mechanics. M2 HSS black & gold jobber. Huot bullet case.

21 Piece M2 HSS Jobber Drill Bit Set (Box Case)

29 PIECE M2 HIGH SPEED STEEL DRILL BIT SET

29 Piece M2 HSS Jobber Drill Bit Set (Box Case)

Features

- 21-piece Jobber length Set
- 1/16" 3/8" in 1/64" increments

29-piece Jobber length Set 1/16" - 1/2" in 1/64" increments M2 material with a black finish

Split drill point 135° cutting angle Brinell hardness HB 200-220 Plastic storage index case

Part No.

C20002

Features

M2 HSS jobber. M35 cobalt jobber.

M2 material with a black finish Split drill point

Part No.

C20001

Features

135° cutting angle Brinell hardness HB 200-220 Plastic storage index case

Part No. Description

C22325 29/32" (0.9062)	Cobalt 118 Deg. S&D 1/2" Shank
C22327 15/16" (0.9375)	Cobalt 118 Deg. S&D 1/2" Shank
C22329 31/32" (0.9688)	Cobalt 118 Deg. S&D 1/2" Shank
C22331 1" (1) Cobalt 11	8 Deg. S&D 1/2" Shank
C22332 1-1/16" (1.0625) Cobalt 118 Deg. S&D 1/2" Shank
C22333 1-1/8" (1.125) C	Cobalt 118 Deg. S&D 1/2" Shank
C22334 1-3/16" (1.1875) Cobalt 118 Deg. S&D 1/2" Shank
C22335 1-1/4" (1.25) Co	obalt 118 Deg. S&D 1/2" Shank
C22336 1-5/16" (1.3125) Cobalt 118 Deg. S&D 1/2" Shank
C22337 1-3/8" (1.375) C	Cobalt 118 Deg. S&D 1/2" Shank
C22338 1-1/2" (1.5) Cot	palt 118 Deg. S&D 1/2" Shank











Part No. Description		Part No.	Description
C20100	29 Piece M2 HSS Jobber (Bullet Case)	C20300	29 Piece M2 HSS Black and Gold Mechanics (Bullet Case)
C20200	29 Piece M35 Cobalt Jobber Set (Bullet Case)	C20400	29 Piece M2 HSS Black and Gold Jobber Set (Bullet Case)

www.brighton**BEST**.com (1-800-275-0050

BBI products and services offered exclusively through distribution © Brighton-Best International, Inc.

roierrec

MADE II

DOUBLE END M42 COBALT TWIST DRILL BIT

Features

C42103

C42104

C42105

C42106

C42107

C42108

C42109

C42110

C42111

C42112

C42113

C42114

C42115

C42116

C42117

5-44 NF Plug Tap HSS

6-32 NC Plug Tap HSS

6-40 NF Plug Tap HSS

8-32 NC Plug Tap HSS

8-36 NF Plug Tap HSS

10-24 NC Plug Tap HSS

10-32 NF Plug Tap HSS

12-24 NC Plug Tap HSS

12-28 NF Plug Tap HSS

1/4"-20 NC Plug Tap HSS

1/4"-28 NF Plug Tap HSS

5/16"-18 NC Plug Tap HSS

5/16"-24 NF Plug Tap HSS

3/8"-16 NC Plug Tap HSS

3/8"-24 NF Plug Tap HSS

Heavy duty spur.

Preferred by Professionals



7/15 - 1 1/8 DH2 AND

M42 super cobalt П G High red hot hardness Double end Gold finish. Part No. Part No. Description Description C23450 #30 (0.1285) Double End 135 Deg. Cobalt 1/8" (0.1250) Double End 135 Deg. Cobalt C23451 M42 COBALT SPOT WELD DRILL BIT Features Heavy duty spur. MADE IN M42 super cobalt Т 9 High red hot hardness. Double end Gold finish. Part No. Description Part No Description C24100 6.5 mm (0.2362) Cobalt Spotweld D.E. C24102 10.0 mm (0.3937) Cobalt Spotweld D.E. C24101 8.0 mm (0.3150) Cobalt Spotweld D.E. M2 HSS STEP DRILL BITS (INCH) Features HSS step drills MADE IN ----Lobbed non-slip shank. ENGLAND Drill 1/8" thick. Double flute. Bright finish. Part No. Description Part No. Description 11 Step 3/4" to 1-3/8" C25100 13 Step 1/8" to 1/2" C25105 C25101 6 Step 3/16" to 1/2" C25106 3 Step 3/8" to 3/4" C25102 9 Step 1/4" to 3/4" C25107 2 Step 7/8" to 1-1/8" C25103 12 Step 3/16" to 7/8" C25108 5 Step 7/8" to 1-3/8" C25104 C25109 12 Step 7/16" to 1-1/8" 1 Step 7/8" Smooth Cone **HSS PLUG TAP** Features High speed steel hand taps. Ground thread. Part No Description C42100 4-40 NC Plug Tap HSS C42101 4-48 NF Plug Tap HSS C42102 5-40 NC Plug Tap HSS



Part No.	Description
C42118	7/16"-14 NC Plug Tap HSS
C42119	7/16"-20 NF Plug Tap HSS
C42120	1/2"-13 NC Plug Tap HSS
C42121	1/2"-20 NF Plug Tap HSS
C42122	9/16"-12 NC Plug Tap HSS
C42123	9/16"-18 NF Plug Tap HSS
C42124	5/8"-11 NC Plug Tap HSS
C42125	5/8"-18 NF Plug Tap HSS
C42126	11/16"-11 NS Plug Tap HSS
C42127	11/16"-16 NS Plug Tap HSS
C42128	3/4"-10 NC Plug Tap HSS
C42129	3/4"-16 NF Plug Tap HSS
C42130	7/8"-9 NC Plug Tap HSS
C42131	7/8"-14 NF Plug Tap HSS
C42132	1-8 NC Plug Tap HSS
C42133	1-12NF Plug Tap HSS
C42134	1-14NS Plug Tap HSS

roierred R

Preferred by Professionals



HSS TAPER TAP

Features

- High speed steel hand taps. Ground thread.



Part No. Description	
•	
C48100 4-40 NC Taper Tap HSS	
C48104 6-32 NC Taper Tap HSS	
C48106 8-32 NC Taper Tap HSS	
C48108 10-24 NC Taper Tap HSS	
C48109 10-32 NF Taper Tap HSS	
C48110 12-24 NC Taper Tap HSS	
C48112 1/4"-20 NC Taper Tap HSS	
C48113 1/4"-28 NF Taper Tap HSS	
C48114 5/16"-18 NC Taper Tap HSS	
C48115 5/16"-24 NF Taper Tap HSS	
C48116 3/8"-16 NC Taper Tap HSS	

Part No.	Description
C48117	3/8"-24 NF Taper Tap HSS
C48118	7/16"-14 NC Taper Tap HSS
C48120	1/2"-13 NC Taper Tap HSS
C48121	1/2"-20 NF Taper Tap HSS
C48122	9/16"-12 NC Taper Tap HSS
C48123	9/16"-18 NF Taper Tap HSS
C48124	5/8"-11 NC Taper Tap HSS
C48128	3/4"-10 NC Taper Tap HSS
C48130	7/8"-9 NC Taper Tap HSS
C48132	1-8 NC Taper Tap HSS

4-40 NC

UU. City: 5 Pcs

HSS BOTTOM TAP

Features

- High speed steel hand taps.
- Ground thread

Part No.	Description
C49100	4-40 NC Bottom Tap HSS
C49104	6-32 NC Bottom Tap HSS
C49106	8-32 NC Bottom Tap HSS
C49108	10-24 NC Bottom Tap HSS
C49109	10-32 NF Bottom Tap HSS
C49110	12-24 NC Bottom Tap HSS
C49112	1/4"-20 NC Bottom Tap HSS
C49113	1/4"-28 NF Bottom Tap HSS
C49114	5/16"-18 NC Bottom Tap HSS
C49115	5/16"-24 NF Bottom Tap HSS
C49116	3/8"-16 NC Bottom Tap HSS

C49117 3/8"-24 NF Bottom Tap HSS C49118 7/16"-14 NC Bottom Tap HSS C49120 1/2"-13 NC Bottom Tap HSS C49121 1/2"-20 NF Bottom Tap HSS C49122 9/16"-12 NC Bottom Tap HSS C49123 9/16"-18 NF Bottom Tap HSS C49124 5/8"-11 NC Bottom Tap HSS C49128 3/4"-10 NC Bottom Tap HSS C49130 7/8"-9 NC Bottom Tap HSS C49132 1-8 NC Bottom Tap HSS

CARBON PIPE TAP

Features

- National pipe tap.
- Carbon steel. Ground thread.
- General purpose.

Part No.	Description
C43100	1/16" NPT Pipe Tap Carbon
C43101	1/8" NPT Pipe Tap Carbon
C43102	1/4" NPT Pipe Tap Carbon
C43103	3/8" NPT Pipe Tap Carbon
C43104	1/2" NPT Pipe Tap Carbon



Part No.	Description
C43105	3/4" NPT Pipe Tap Carbon
C43106	1" NPT Pipe Tap Carbon
C43107	1-1/4" NPT Pipe Tap Carbon
C43108	1-1/2" NPT Pipe Tap Carbon
C43109	2" NPT Pipe Tap Carbon

Part No.

Description



HSS PIPE TAP

Features

- National pipe tap.
 High speed steel.
- Ground thread.
- Heavy duty.

Part No.	Description
C44100	1/16" NPT Pipe Tap HSS
C44101	1/8" NPT Pipe Tap HSS
C44102	1/4" NPT Pipe Tap HSS
C44103	3/8" NPT Pipe Tap HSS
C44104	1/2" NPT Pipe Tap HSS

HSS COMBO DRILL TAP

Features

High speed steel.

Ground thread.Heavy duty.

Description	
6-32 Drill Tap	
8-32 Drill Tap	
8-36 Drill Tap	
10-24 Drill Tap	
10-32 Drill Tap	
12-24 Drill Tap	
1/4"-20 Drill Tap	
	6-32 Drill Tap 8-32 Drill Tap 8-36 Drill Tap 10-24 Drill Tap 10-32 Drill Tap 12-24 Drill Tap



Part No.	Description
C44105	3/4" NPT Pipe Tap HSS
C44106	1" NPT Pipe Tap HSS
C44107	1-1/4" NPT Pipe Tap HSS
C44108	1-1/2" NPT Pipe Tap HSS
C44109	2" NPT Pipe Tap HSS



Part No.	Description
C45107	1/4"-28 Drill Tap
C45108	5/16"-18 Drill Tap
C45109	3/8"-16 Drill Tap
C45110	3/8"-24 Drill Tap
C45111	7/16"-14 Drill Tap
C45112	1/2"-13 Drill Tap

HSS SPIRAL POINT GUN TAP

Features

- High speed steel.
- Ground thread.Heavy duty.

Part No.	Description
C46100	6-32 Gun Tap
C46101	8-32 Gun Tap
C46102	10-24 Gun Tap
C46103	10-32 Gun Tap
C46104	12-24 Gun Tap

TAP & DRILL SET

Features

- HSS drill bit sizes: #36, #29, #25, #21, #7, F, 5/16", U, 27/64"
- Tap sizes: 6-32, 8-32, 10-24, 10-32, 1/4"-20, 5/16"-18, 3/8"-16, 7/16"-14, 1/2"-13



Part No. Description	Part No.	Description
C40100 19 PC. Tap & Drill Set Carbon	C40200	19 PC. Tap & Drill Set HSS
TAP WRENCH		
Features • T-handle tap wrench. • Industrial quality.		
Part No. Description	Part No.	Description
C47100 #0 - 1/4" T-Handle Tap Wrench	C47200	#10 - 1/2" T-Handle Tap Wrench

Part No.

C46105

C46106

C46107

C46108

C46109

Description

1/4"-20 Gun Tap

1/4"-28 Gun Tap

5/16"-18 Gun Tap

3/8"-16 Gun Tap

roierrec R Г

Preferred by Professionals



M2 HSS CAR REAMER (INCH)

Features

- High speed steel (HSS).
- Tapered point.
- Left-hand spiral
- Right-hand cut. 3-flat shank.

Р	art No.	Description
C	234100	3/8" (0.250) Car Reamer, 3/8" Shank
C	C34101	7/16" (0.281) Car Reamer, 7/16" Shank
C	34102	1/2" (0.343) Car Reamer, 1/2" Shank
C	034103	9/16" (0.343) Car Reamer, 1/2" Shank
C	C34104	5/8" (0.343) Car Reamer, 1/2" Shank
C	C34105	11/16" (0.375) Car Reamer, 1/2" Shank

M2 HSS HEX CAR REAMER (INCH) Features

- High speed steel (HSS). Tapered point.
- Left-hand spiral.
- Right-hand cut.
- Hex nut shank.

Part No.	Description	Part No.	Description
C34200	11/16" (0.375) Hex Car Reamer, 1-1/16" Hex Shank	C34202	15/16" (0.585)
C34201	13/16" (0.468) Hey Car Reamer, 1-1/4" Hey Shank	C34203	1-1/16" (0.807)

M2 HSS HEX BRIDGE REAMER (INCH)

Features


- High speed steel (HSS).
- Tapered point. Left-hand spiral.
- Right-hand cut.
- Hex nut shank

Part No.	Description
C34300	11/16" (0.375) Hex Bridge Reamer, 1-1/16" Hex Shank
C34301	13/16" (0.468) Hex Bridge Reamer, 1-1/4" Hex Shank

TUNGSTEN CARBIDE TIPPED CUTTER (INCH)

- Features
- Excellent Wear and Heat Resistance.
- Tungsten Carbide Teeth. Cuts Stainless Steel and Tough Alloys.
- Ejects the Slug Saving Time.
- Works in 3/8" & 1/2" Chucks.

 Part No.	Description
 C32100	5/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32101	11/16" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32102	3/4" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32103	13/16" T.C.T. 3/16" Cutting Depth, 3/8" Shank
 C32104	7/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32105	15/16" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32106	1" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32107	1-1/16" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32108	1-1/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32109	1-1/4" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32110	1-3/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32111	1-1/2" T.C.T. 3/16" Cutting Depth, 3/8" Shank
 C32112	1-5/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank





Part No.	Description
C34202	15/16" (0.585) Hex Car Reamer, 1-7/16" Hex Shank
C34203	1-1/16" (0.807) Hex Car Reamer, 1-5/8" Hex Shank



Part No.	Description
C34302	15/16" (0.585) Hex Bridge Reamer, 1-7/16" Hex Shank
C34303	1-1/16" (0.807) Hex Bridge Reamer, 1-5/8" Hex Shank



Part No.	Description
C32113	1-3/4" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32114	1-7/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32115	2" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32116	2-1/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32117	2-1/4" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32118	2-3/8" T.C.T. 3/16" Cutting Depth, 3/8" Shank
C32119	2-1/2" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32120	2-3/4" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32121	3" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32122	3-1/4" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32123	3-1/2" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32124	3-5/8" T.C.T. 3/16" Cutting Depth, 1/2" Shank
C32125	4" T.C.T. 3/16" Cutting Depth, 1/2" Shank

www.brighton**BEST**.com (1-800-275-0050

BBI products and services offered exclusively through distribution © Brighton-Best International, Inc.

roierrec Г



TUNGSTEN CARBIDE TIPPED CUTTER (INCH)

Features

- Excellent Wear and Heat Resistance. Tungsten Carbide Teeth.
- Cuts Stainless Steel and Tough Alloys.
- Ejects the Slug Saving Time. Works in 3/8" & 1/2" Chucks.

_	Part No.	Description
	C32200	9/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32201	5/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32202	11/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32203	3/4" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32204	13/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32205	7/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32206	15/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32207	1" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32208	1-1/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32209	1-1/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
	C32210	1-3/16" T.C.T. 1-3/8" Cutting Depth 1/2" Shank

TUNGSTEN CARBIDE TIPPED ACCESSORIES (INCH)

Features

- Excellent Wear and Heat Resistance.
- Tungsten Carbide Teeth.

•	Cuts Stainless Steel and Tough Alloys.				
	Part No.	Description			
	C33100	Center Drill φ6mm x 50L			
	C33101	Spring 1.2mm x 16L			

M2 HSS ANNULAR CUTTERS FOR MAGNETIC DRILL BIT (INCH)

Features

- M2 HSS. 3/4" Weldon Shanks. Aggressive Cutting Edges.
- No Center Punch Required.
- Cut up to 1". For All Magnetic Drills.

Description

7/16" x 1" Annular Cutter (HSS)

1/2" x 1" Annular Cutter (HSS)

9/16" x 1" Annular Cutter (HSS)

5/8" x 1" Annular Cutter (HSS)

11/16" x 1" Annular Cutter (HSS)

13/16" x 1" Annular Cutter (HSS)

15/16" x 1" Annular Cutter (HSS)

1-1/16" x 1" Annular Cutter (HSS)

1-1/8" x 1" Annular Cutter (HSS) 1-3/16" x 1" Annular Cutter (HSS)

1-1/4" x 1" Annular Cutter (HSS)

7/8" x 1" Annular Cutter (HSS)

1" x 1" Annular Cutter (HSS)

3/4" x 1" Annular Cutter (HSS)

Part No.

C30100

C30101

C30102

C30103

C30104

C30105

C30106

C30107

C30108

C30109

C30110

C30111

C30112 C30113





Part No.	Description
C32211	1-1/4" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32212	1-3/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32213	1-1/2" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32214	1-5/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32215	1-3/4" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32216	1-7/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32217	2" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32218	2-1/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32219	2-1/4" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32220	2-3/8" T.C.T. 1-3/8" Cutting Depth 1/2" Shank
C32221	2-1/2" T.C.T. 1-3/8" Cutting Depth 1/2" Shank

6/////#



Part No.	Description
C33200	Center Drill ø6mm x 50L
C33201	HM Spring



. Description
1-5/16" x 1" Annular Cutter (HSS)
1-3/8" x 1" Annular Cutter (HSS)
1-7/16" x 1" Annular Cutter (HSS)
1-1/2" x 1" Annular Cutter (HSS)
1-9/16" x 1" Annular Cutter (HSS)
1-5/8" x 1" Annular Cutter (HSS)
1-11/16" x 1" Annular Cutter (HSS)
1-3/4" x 1" Annular Cutter (HSS)
1-13/16" x 1" Annular Cutter (HSS)
1-7/8" x 1" Annular Cutter (HSS)
1-15/16" x 1" Annular Cutter (HSS)
2" x 1" Annular Cutter (HSS)
2-1/16" x 1" Annular Cutter (HSS)



Preferred by Professionals

LIFETIME WARRANTY

M2 HSS ANNULAR CUTTERS FOR MAGNETIC DRILL BIT (INCH)

Features M2 HSS.

- 3/4" Weldon Shanks.
- Aggressive Cutting Edges.
- No Center Punch Required.
 Cut up to 2".
- For All Magnetic Drills.



Part No.	Description
C30200	7/16" x 2" Annular Cutter (HSS)
C30201	1/2" x 2" Annular Cutter (HSS)
C30202	9/16" x 2" Annular Cutter (HSS)
C30203	5/8" x 2" Annular Cutter (HSS)
C30204	11/16" x 2" Annular Cutter (HSS)
C30205	3/4" x 2" Annular Cutter (HSS)
C30206	13/16" x 2" Annular Cutter (HSS)
C30207	7/8" x 2" Annular Cutter (HSS)
C30208	15/16" x 2" Annular Cutter (HSS)
C30209	1" x 2" Annular Cutter (HSS)
C30210	1-1/16" x 2" Annular Cutter (HSS)
C30211	1-1/8" x 2" Annular Cutter (HSS)
C30212	1-3/16" x 2" Annular Cutter (HSS)
C30213	1-1/4" x 2" Annular Cutter (HSS)

Part No.	Description
C30214	1-5/16" x 2" Annular Cutter (HSS)
C30215	1-3/8" x 2" Annular Cutter (HSS)
C30216	1-7/16" x 2" Annular Cutter (HSS)
C30217	1-1/2" x 2" Annular Cutter (HSS)
C30218	1-9/16" x 2" Annular Cutter (HSS)
C30219	1-5/8" x 2" Annular Cutter (HSS)
C30220	1-11/16" x 2" Annular Cutter (HSS)
C30221	1-3/4" x 2" Annular Cutter (HSS)
C30222	1-13/16" x 2" Annular Cutter (HSS)
C30223	1-7/8" x 2" Annular Cutter (HSS)
C30224	1-15/16" x 2" Annular Cutter (HSS)
C30225	2" x 2" Annular Cutter (HSS)
C30226	2-1/16" x 2" Annular Cutter (HSS)

M2 HSS ANNULAR CUTTER PILOT PINS (INCH)

Features M2 HSS

• Up to 2".

For all magnetic drills.

MADE IN ENGLAND

And Advancement	THE REPORT OF TH			DATA TA AND
ALC: Noneman Pro-				CORPUS RE

Part No.	Description
C31101	Pilot for 1" Cutter

WIRE BRUSH

Features

- Individually Blister Packaged.
- Industrial Quality.

Part No.	Description
C38100	2-3/4" Knotted Cup Carbon Steel Wire Brush (.02 Wire & 5/8-1)
C38101	4" Knotted Cup Carbon Steel Wire Brush (.02 Wire & 5/8-11" S)
C38102	6" Knotted Cup Carbon Steel Wire Brush (.02 Wire & 5/8-11" S)
C38110	3" Crimped Cup Carbon Steel Wire Brush (.14 Wire & 5/8-11" S)
C38111	4" Crimped Cup Carbon Steel Wire Brush (.14 Wire & 5/8-11" S)
C38120	4" Twist Knot Wheel Carbon Steel (.02 Wire & 5/8-11" Spindle)



Part No.	Description
C38130	4" Stringer Bead Wheel Carbon Steel Wire Brush (.02 Wire & 5)
C38131	7" Stringer Bead Wheel Carbon Steel Wire Brush (.02 Wire & 5)
C38140	12" Walk Behind Wire Brush Carbon Steel 1" Spindle (.02 Wire)
C38150	Hand Wire Brush Carbon Steel
C39100	2-3/4" Knotted Cup Stainless Steel (.02 Wire & 5/8-11" Spind)
C39130	4" Stringer Bead Wheel Stainless Steel Wire Brush (.02 Wire)

Part No.

C31102

Description

Pilot for 2" Cutter

Preferred by Professionals



SPADE BIT

Fe	Rust Protec Wing Tip De 1/4" Hex Po	Treated. hish Cutting Groove. tion esign. wer Groove Shank. Stamped With Size.
	Part No.	Description
	C51100	1/4" x 6" Spade E
	C51101	5/16" x 6" Spade



Part No.	Description
C51100	1/4" x 6" Spade Bit 1/4" Hex Shank
C51101	5/16" x 6" Spade Bit 1/4" Hex Shank
C51102	3/8" x 6" Spade Bit 1/4" Hex Shank
C51103	7/16" x 6" Spade Bit 1/4" Hex Shank
C51104	1/2" x 6" Spade Bit 1/4" Hex Shank
C51105	9/16" x 6" Spade Bit 1/4" Hex Shank
C51106	5/8" x 6" Spade Bit 1/4" Hex Shank
C51107	11/16" x 6" Spade Bit 1/4" Hex Shank
C51108	3/4" x 6" Spade Bit 1/4" Hex Shank

SPADE BIT SET

Features • Industrial Quality.

3/8", 1/2", 5/8", 3/4", 7/8", 1".

Part No.	Description
C50100	6 PC.Spade Bit Set

SELF FEED DRILL

Features

- Fast Continuous and Self Feeding.
- Deep Holes.
 7/16" Impact Hex Shank.
- Double End Screw.
- Extra Screw & Wrench.
- Industrial Quality.

Part No.	Description
C52100	1" Self Feed, 7/16" Impact Hex Shank
C52101	1-1/8" Self Feed, 7/16" Impact Hex Shank
C52102	1-1/4" Self Feed, 7/16" Impact Hex Shank
C52103	1-3/8" Self Feed, 7/16" Impact Hex Shank
C52104	1-1/2" Self Feed, 7/16" Impact Hex Shank
C52105	1-3/4" Self Feed, 7/16" Impact Hex Shank
C52106	2" Self Feed, 7/16" Impact Hex Shank

WOOD DRILL EXTENSION

Features

Hex Wrench Included.2 Set Screws.

Part No.	Description	Part No.	Description
C53100	1/4" x 12" Quick Spade Extension	C53300	7/16 x 12 Extension
C53101	1/4" x 18" Quick Spade Extension	C53301	7/16 x 18 Extension
C53200	5/16 x 18 Extension		

Part No.	Description
C51109	13/16" x 6" Spade Bit 1/4" Hex Shank
C51110	7/8" x 6" Spade Bit 1/4" Hex Shank
C51111	15/16" x 6" Spade Bit 1/4" Hex Shank
C51112	1" x 6" Spade Bit 1/4" Hex Shank
C51113	1-1/8" x 6" Spade Bit 1/4" Hex Shank
C51114	1-1/4" x 6" Spade Bit 1/4" Hex Shank
C51115	1-3/8" x 6" Spade Bit 1/4" Hex Shank
C51116	1-1/2" x 6" Spade Bit 1/4" Hex Shank





Part No.	Description
C52107	2-1/8" Self Feed, 7/16" Impact Hex Shank
C52108	2-1/4" Self Feed, 7/16" Impact Hex Shank
C52109	2-9/16" Self Feed, 7/16" Impact Hex Shank
C52110	3" Self Feed, 7/16" Impact Hex Shank
C52111	3-5/8" Self Feed, 7/16" Impact Hex Shank
C52112	4-5/8" Self Feed, 7/16" Impact Hex Shank



Preferred by Professionals



SHIP AUGER

 eatures 6" Twist lengt Heat Treated Machine Gro Deep Throat.	:h. und Hollows.	• • •	Single Twist. Single Cutter. Side Lip. Self-Feeding Screw Point.	
 Part No.	Description			
C55100	1/2" x 8" Ship Auger, 5/16 Hex Shar	٦k		
C55101	9/16" x 8" Ship Auger, 5/16 Hex Sha	ank		
C55102	5/8" x 8" Ship Auger, 5/16 Hex Shar	٦k		
C55103	11/16" x 8" Ship Auger, 5/16 Hex Sh	nank		
C55104	3/4" x 8" Ship Auger, 5/16 Hex Shar	nk		

13/16" x 8" Ship Auger, 5/16 Hex Shank

7/8" x 8" Ship Auger, 7/16 Impact Hex Shank



Part No.	Description
C55107	15/16" x 8" Ship Auger, 7/16 Impact Hex Shank
C55108	1" x 8" Ship Auger, 7/16 Impact Hex Shank
C55109	1-1/8" x 8" Ship Auger, 7/16 Impact Hex Shank
C55110	1-1/4" x 8" Ship Auger, 7/16 Impact Hex Shank
C55111	1-3/8" x 8" Ship Auger, 7/16 Impact Hex Shank
C55112	1-1/2" x 8" Ship Auger, 7/16 Impact Hex Shank

SHIP AUGER Features

C55105

C55106

 12" Twist length. Heat Treated. Machine Ground Hollows. Deep Throat. 		• • •	Single Twist. Single Cutter. Side Lip. Self-Feeding Screw Point.	
Part No.	Description			
C55150	3/8" x 18" Ship Auger 5/16	Hex Shank		
C55151	5/16" x 18" Ship Auger, 5/1	6 Hex Shank		
C55152	1/2" x 18" Ship Auger, 5/16	Hex Shank		
C55153	9/16" x 18" Ship Auger, 5/1	6 Hex Shank		
C55154	5/8" x 18" Ship Auger, 5/16	Hex Shank		
C55155	11/16" x 18" Ship Auger, 5/	16 Hex Shank	(
C55156	3/4" x 18" Ship Auger, 5/16	Hex Shank		
C55157	13/16" x 18" Ship Auger, 5/	16 Hex Shank	s.	

ROUND STRAIGHT SHANK CARBIDE BIT

- Features
- General purpose.
 Tungsten carbide.
- Tungsten carbide
 Slow spiral flute.
- Tempered body.

•	Black oxide finish.
•	Gold head.
•	Straight shank.

ANSI specification.

•	lempered t	body.			
	Part No.	Description			
	C11010	1/8" x 2 1/2", 1.5" Usable Length			
	C11020	5/32" x 6", 5" Usable Length			
	C11030	3/16" x 3 1/2", 2.5" Usable Length			
	C11040	3/16" x 6", 5" Usable Length			
	C11041	7/32" x 4", 2" Usable Length			
	C11050	1/4" x 4", 3" Usable Length			
	C11060	1/4" x 6", 5" Usable Length			
	C11061	1/4" x 12", 6" Usable Length			
	C11062	1/4" x 18", 12" Usable Length			
	C11063	5/16" x 4", 2" Usable Length			
_	C11070	5/16" x 6", 5" Usable Length			
_	C11071	5/16" x 12", 6" Usable Length			
_	C11072	5/16" x 18", 12" Usable Length			
	C11073	3/8" x 4", 2" Usable Length			
	C11080	3/8" x 6", 5" Usable Length			
	C11081	3/8" x 12", 6" Usable Length			
	C11082	3/8" x 18", 12" Usable Length			
	C11083	3/8" x 24", 12" Usable Length			



Part No.	Description
C55158	7/8" x 18" Ship Auger, 7/16 Impact Hex Shank
C55159	15/16" x 18" Ship Auger, 7/16 Impact Hex Shank
C55160	1" x 18" Ship Auger, 7/16 Impact Hex Shank
C55161	1-1/8" x 18" Ship Auger, 7/16 Impact Hex Shank
C55162	1-1/4" x 18" Ship Auger, 7/16 Impact Hex Shank
C55163	1-3/8" x 18" Ship Auger, 7/16 Impact Hex Shank
C55164	1-1/2" x 18" Ship Auger, 7/16 Impact Hex Shank



Part No.	Description			
C11084	7/16" x 6", 3" Usable Length			
C11085	1/2" x 4", 2" Usable Length			
C11090	1/2" x 6", 5" Usable Length			
C11091	1/2" x 12", 6" Usable Length			
C11092	1/2" x 18", 12" Usable Length			
C11093	9/16" x 6", 3" Usable Length			
C11094	5/8" x 6", 3" Usable Length			
C11095	5/8" x 12", 6" Usable Length			
C11096	5/8" x 18", 12" Usable Length			
C11097	3/4" x 6", 3" Usable Length			
C11098	3/4" x 12", 6" Usable Length			
C11099	3/4" x 18", 12" Usable Length			
C11100	7/8" x 6", 3" Usable Length			
C11101	7/8" x 12", 6" Usable Length			
C11102	7/8" x 18", 12" Usable Length			
C11103	1" x 6", 3" Usable Length			
C11104	1" x 12", 6" Usable Length			
C11105	1" x 18", 12" Usable Length			

roierrec Γ

Available in Contractor Packs

Preferred by Professionals



SDS-PLUS CARBIDE BIT

Features

- Rotary Hammer Drill. Serrated Head Geometry.
- Self Centering Chisel Point.
- ANSI Specification. Tungsten Carbide Tip.
- - Copper / Silver Brazing

- Fastest Dust Removal Fastest Drilling Speeds Clean Round Holes Less Vibration Polished Finish
 - Industrial Quality

Part No.	Description			
C10009 📎	5/32" x 4 1/4", 2" Usable Length			
C10010 📎	5/32" x 6 1/2", 4" Usable Length			
C10020	3/16" x 4 1/2", 2" Usable Length			
C10030 📎	3/16" x 6 1/2", 4" Usable Length			
C10031 📎	3/16" x 8 1/2", 6" Usable Length			
C10032	3/16" x 12 1/2", 10" Usable Length			
C10033	7/32" x 6 1/2", 4" Usable Length			
C10034	7/32" x 8 1/2", 6" Usable Length			
C10035	7/32" x 10 1/2", 8" Usable Length			
C10036	7/32" x 16", 14" Usable Length			
C10040 🛞	1/4" x 4 1/2", 2" Usable Length			
C10050 📎	1/4" x 6 1/2", 4" Usable Length			
C10051 📎	1/4" x 8 1/2", 6" Usable Length			
C10052	1/4" x 10 1/2", 8" Usable Length			
C10053	1/4" x 14", 12" Usable Length			
C10054	1/4" x 16", 14" Usable Length			
C10060 📎	5/16" x 6 1/2", 4" Usable Length			
C10070	5/16" x 12 1/2", 10" Usable Length			
C10080 📎	3/8" x 6 1/2", 4" Usable Length			
C10090	3/8" x 10 1/2", 8" Usable Length			
C10100 📎	3/8" x 12 1/2", 10" Usable Length			
C10101	3/8" x 18", 16" Usable Length			
C10102	3/8" x 24", 22" Usable Length			
C10110	7/16" x 6 1/2", 4" Usable Length			
C10111	7/16" x 12 1/2", 10" Usable Length			

MADE II

GERMANY

Part No.	Description
C10120 🧯	1/2" x 6 1/2", 4" Usable Length
C10130	1/2" x 10 1/2", 8" Usable Length
C10140 🧉	1/2" x 12 1/2", 10" Usable Length
C10141	1/2" x 18", 16" Usable Length
C10142	1/2" x 24", 22" Usable Length
C10150	9/16" x 6 1/2", 4" Usable Length
C10160	9/16" x 12 1/2", 10" Usable Length
C10170	5/8" x 6 1/2", 4" Usable Length
C10171 🧯	5/8" x 8 1/4", 6" Usable Length
C10180	5/8" x 9 1/2", 7" Usable Length
C10190	5/8" x 12 1/4", 10" Usable Length
C10191	5/8" x 18", 16" Usable Length
C10192	5/8" x 24", 22" Usable Length
C10193 🧯	3/4" x 8", 6" Usable Length
C10200	11/16" x 7", 7" Usable Length
C10210	3/4" x 9 1/2", 7" Usable Length
C10220	3/4" x 12", 10" Usable Length
C10221	3/4" x1 8", 16" Usable Length
C10222	3/4" x 24", 22" Usable Length
C10223	7/8" x 8", 6" Usable Length
C10230	7/8" x 9 1/2",7 " Usable Length
C10231	7/8" x 12", 10" Usable Length
C10240	1" x 10", 8" Usable Length
C10241	1" x 18", 16" Usable Length

SDS-MAX® CARBIDE BIT (INCH)

Features

- Rotary Hammer Drill.
- Industrial Quality. Tungsten Carbide Tip.
- Copper / Silver Brazing
- Fastest Dust Removal. Fastest Drilling Speeds.
- **GERMAN**

MADE IN


Heat Treated Body. Clean Round Holes. Less Vibration. Polished Finish. ANSI Specification.



Part No.	Description
C13136	1 1/8" x 21", 17" Usable Length
C13138	1 1/8" x 36", 32" Usable Length
C13140	1 1/4" x 15", 11" Usable Length
C13142	1 1/4" x 23", 17" Usable Length
C13144	1 3/8" x 23", 17" Usable Length
C13146	1 1/2" x 23", 17" Usable Length
C13148	1 3/4" x 23", 18" Usable Length
C13150	2" x 23", 18" Usable Length

Part No. Description C13100 3/8" x 13", 8" Usable Length C13102 1/2" x 13", 8" Usable Length C13104 1/2" x 21", 15 1/2" Usable Length

C13106	9/16" x 21", 15 1/2" Usable Length
C13108	5/8" x13", 8" Usable Length
C13110	5/8" x 21", 15 1/2" Usable Length
C13112	5/8" x 36", 31" Usable Length
C13114	11/16" x 21", 15 1/2" Usable Length
C13116	3/4" x 13", 8" Usable Length



Preferred by Professionals



SDS PLUS BIT WITH STOP

Features

- Rotary Hammer Drill.
 STOP Lip Prevents Over-Drilling.
- Drill Exact Depth For Drop-In Anchor.
- Less Likely to Hit Rebar.
 ANSI Specification.



MADE IN

GERMAN



Part No.	Description			
C12100	3/8 x 1-1/16 for 1/4 Drop in Anchor			
C12102	1/2 x 13/16 for 3/8 Short Drop In Anchor			
C12104	1/2 x 1-11/16 for 3/8 Drop In Anchor			

Part No.	Description			
C12106	5/8 x 1-3/16 for 1/2 Short Drop In Anchor			
C12108	5/8 x 2-1/16 for 1/2 Drop In Anchor			

CONCRETE SCREW BITS PLAIN

Description

3/16" x 5 1/2"

3/16" x 6 3/4"

3/16" x 4 1/2"

5/32" x 3 1/2"

Features

Part No.

R62001

R62002

R62003

R62004

- Industrial quality.
- Tungsten carbide tip.
 Used for 5/32" screws and 3/16" screws.

Part No.	Description
R62005	5/32" x 4 1/2"
R62006	5/32" x 5 1/2"
R62008	3/16" x 3 1/2"
R62009	3/16" x 7 5/8"

SDS-HEX CONCRETE SCREW BIT

Features

- Industrial Quality.Special Tungsten Carbide Tip.
- Special Turigstern Carbide Tip
 Copper / Silver Brazing.
- Polished Finish.
- Used for 5/32" Screws and 3/16" Screws.

Part No. Description			
C19100	3/16" x 5", 2 1/2" Usable Length		
C19101	3/16" x 7", 4 1/2" Usable Length		

MADE IN

US

BI-METAL RECIPROCATING BLADES

Features

- 1/2" Universal Shank.
- Milled Teeth.
 Matrix II Cutting Edge.
- Matrix II Cutting Edge.
 Tooth Hardness Rc 65-67.
- 8% Cobaltt.
- Vacuum Heat Treatment.
- Long Life.



MADE IN

GERMAN

- Shock Resistant Teeth
- High Edge Hardness. High Heat Resistance.
- High Wear Resistance.
- Greater Rigidity. Resists Tooth Strippage.
- Accepts Higher Feed Pressure.

Je	#	ITM BIMETAL	RBEDEW E*-STUSA WOOD/NAL	, 03652'44934	man
			3.000		

5/16" HEX SHOULDER

Part No.	Description
C60100 🌍	6" x 6T Wood & Nail
C60101 🌍	9" x 6T Wood & Nail
C60102 📎	12" x 6T Wood & Nail
C60103 🌍	6" x 14T Metal
C60104 🌍	6" x 18T Metal

Part No.	Description
C60105 🌍	6" x 24T Metal
C60106 🌍	8" x 10T Metal
C60107	8" x 14T Metal
C60108	8" x 18T Metal
C60109	12" x 18T Metal

Part No.

C19200

C19201

Description

5/32" x 5", 2 1/2" Usable Length

5/32" x 7", 4 1/2" Usable Length

Preferred by Professionals

SCREW EXTRACTOR SET

Features

- Industrial Quality. #1, #2, #3, #4, #5, #6.

Part No.	Description
C35100	Screw Extractor Set

SCREW EXTRACTOR

Features

- Industrial Quality Left Hand Spiral Flute.



Part No.	Description	Part No.	Description
C36100	#1 Screw Extractor	C36105	#6 Screw Extractor
C36101	#2 Screw Extractor	C36106	#7 Screw Extractor
C36102	#3 Screw Extractor	C36107	#8 Screw Extractor
C36103	#4 Screw Extractor	C36108	#9 Screw Extractor
C36104	#5 Screw Extractor		

ABRASIVE CUT-OFF WHEELS AND CHOP SAW WHEEL


Features

- Resin bonded. High strength, reinforced construction.
- Fast stock removal.
- Long life.






Part No.	Description	
A01010	4-1/2" x .045" x 7/8", Type 1 Cut-Off Wheel, TA60U	
A01011	5" x .045" x 7/8", Type 1 Cut-Off Wheel, TA60U	
A01012	6" x .045" x 7/8", Type 1 Cut-Off Wheel, TA60U	
A01013	7" x .045" x 7/8", Type 1 Cut-Off Wheel, TA60U	
A01030	14" x 3/32" x 1", Type 1 Chop Saw Wheel, A46T	
A01032	14" x 3/32" x 1", Type 1 Cop Saw Wheel, TA36T	
A01020	4-1/2" x .045" x 7/8", Type 27 Cut-Off Wheel, TA60U	
A01021	5" x .045" x 7/8", Type 27 Cut-Off Wheel, TA60U	





LIFETIME WARRANTY



roienred Г

GRINDING

R

TYPE 27

TYPE 29

BLENDING GRINDING

Preferred by Professionals

GRINDING DISC TYPE 27

Features

- Resin bonded. Reinforced with glass fibre.
- Good lifetime.
- Good removal rate.
- Good for steel & stainless steel. Contaminant-free.

PLATINUM

Part No. Description		Description
A	05101	5" x 1/4" x 7/8" Type 27 Grinding Wheel A30M-BF
A	05102	7" x 1/4" x 7/8" Type 27 Grinding Wheel A30M-BF
A	05103	9" x 1/4" x 7/8" Type 27 Grinding Wheel A30M-BF
A	05010	4 1/2" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF
A	05012	4 1/2" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF
A	05014	5" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF
Α	05016	5" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF

Part No.	Description	
A05018	6" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF	
A05020	6" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF	
A05022	7" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF	
A05024	7" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF	
A05026	9" x 1/4" x 7/8" Type 27 Grinding Wheel, A24/30PBF	
A05128	9" x 1/4" x 5/8-11" Type 27 Grinding Wheel, A24/30PBF	

FLAP DISC TYPE 27

Features

- Complete 2 processes with one disc (40/60), (60/80), (80/120) for all metals.
- Unique 2 grit for best choice for stock removal and smooth finishing.
- Backing plate can be trimmed.
- New ceramic hybrid fabric allows grinding of work pieces with just one coarse to medium Grit.



Part No.	Description
A12010	4 1/2" x 5/8-11" Type 27 40/60 Grit, Ceramic Flap Disc
A12011	4 1/2" x 5/8-11" Type 27 60/80 Grit, Ceramic Flap Disc
A12012	4 1/2" x 5/8-11" Type 27 80/120 Grit, Ceramic Flap Disc

Part No.	Description
A12015	5" x 5/8-11" Type 27, 40/60 Grit, Ceramic Flap Disc
A12016	5" x 5/8-11" Type 27, 60/80 Grit, Ceramic Flap Disc
A12017	5" x 5/8-11" TYPE 27, 80/120 Grit, Ceramic Flap Disc

HAND PAD

Features

- 6" x 9"
- High mineral content. Non-woven nylon-easy to fold.
- Flexible resin technology makes the pads durable yet uniquely comfortable.
- Non-metallic won't rust.
- Long lasting w/high resistance to tearing.
- Various specifications: general purpose, heavy duty coarse, medium, ultra-fine and non-abrasive.

Part No.	Description	Part No.	Description
A20010	Maroon - General Purpose	A20013	White Non-Abrasive
A20011	Grey M19 Ultra Fine	A20014	Tan - Heavy Duty Coarse
A20012	Green M11 Fine		



Projerred

U.S.A.

Atlanta, GA

250 Horizon Dr. Suwanee, GA 30024 Tel. 678-459-3700 Fax: 678-459-3720 WATS: 800-275-0056 atlanta@brightonbest.com

Boston, MA 448 Turnpike Street South Easton, MA 02375 Tel. 508-857-2808 Fax: 774-296-8685 WATS: 800-275-0037 boston@brightonbest.com

Charlotte, NC 8604 Cliff Cameron Dr., Ste. 154 Charlotte, NC 28269 Tel. 704-393-6711 Fax: 704-393-6715 WATS: 800-275-0050 charlotte@brightonbest.com

Chicago, IL 940 North Enterprise St. Aurora, IL 60504 Tel. 630-898-9600 Fax: 630-898-9601 WATS: 800-929-2378 chicago@brightonbest.com

Cleveland, OH 21855 Commerce Pkwy Strongsville, OH 44149 Tel. 440-238-1350 wy Fax: 440-870-6101 WATS: 800-275-0048 cleveland@brightonbest.com

Dallas, TX 3225 Roy Orr Blvd., Ste. 200 Grand Prairie, TX 75050 Tel. 972-790-1201 Fax: 972-790-6265 WATS: 800-275-0054 dallas@brightonbest.com

Denver, CO 9700 E. 56th Ave., Unit 120 Denver, CO 80238 Tel. 303-576-0530 Fax: 303-371-9775 WATS: 800-935-2202 denver@brightonbest.com

Detroit, MI

59067 Gratiot Ave. New Haven, MI 48048 Tel. 586-412-3350 Fax: 586-412-3305 WATS: 800-275-0046 detroit@brightonbest.com

Your Proferred® Authorized Distributor:

Houston, TX 6911 Fairbanks N. Houston Rd. Ste. 150 Houston, TX 77040 Tel: 713-466-0336 Fax: 713-466-0385 WATS: 800-275-0054 houston@brightonbest.com

Logan Township, NJ 1222 Forest Pkwy. West Deptford, NJ 08066 Tel. 856-241-9494 Fax: 856-241-9477 WATS: 800-935-2378 logan@brightonbest.com

Los Angeles, CA 12801 Leffingwell Ave. Santa Fe Springs, CA 90670 Tel. 562-483-2740 Fax: 562-404-3999 WATS: 800-275-0028 losangeles@brightonbest.com

Miami, FL 3426 West 84th St., Ste. 203 Hialeah, FL 33018 Tel. 305-512-3446 Fax: 305-512-3450 WATS: 800-275-0035 miami@brightonbest.com

Nashville, TN 446 Metroplex Dr. Ste. A120 Nashville, TN 37211 Tel. 615-834-1154 Fax: 615-834-1157 WATS: 800-275-0029 nashville@brightonbest.com

Portland, OR 4820 NE 138th Ave Portland, OR 97230 Tel: 503-261-0660 Fax: 503-252-4093 WATS: 800-275-0686 portland@brightonbest.com

Rogers, MN 21010 Commerce Blvd., Ste. B Rogers, MN 55374 Tel. 763-425-9464 Fax: 763-425-9266 WATS: 800-275-0031

minnesota@brightonbest.com Salt Lake City, UT Vest Valley City, UT 84120 Tel: 801-972-1313 Fax: 801-972-5114 WATS: 800-935-1402 saltlake@brightonbest.com

Sayreville, NJ 200 Kennedy Dr. Sayreville, NJ. 08872 Tel. 732-525-8400 Fax: 732-525-8408 sayreville@brightonbest.com

Seattle, WA 20308 59th Place South, Bldg. 1A Kent, WA, 98032 Tel. 253-872-3417 Fax: 253-872-3415 WATS: 800-935-1502 seattle@brightonbest.com

St. Louis, MO 1856 Craig Rd. St. Louis, MO 63146 Tel. 314-205-8001 Fax: 314-205-0857 WATS: 800-275-0047 stlouis@brightonbest.com

Tampa, FL 4915 Distribution Dr. Tampa, FL 33605 Tel. 305-512-3446 Fax: 305-512-3450 WATS: 800-275-0035 tampa@brightonbest.com

CANADA

Montreal, Québec 12000 Cavendish Saint-Laurent, Québec H4R 1Y2 Tel: 514-336-9888 Fax: 514-336-8865 WATS: 800-361-2076 montreal@brightonbest.com

Toronto, Ontario 7900 Goreway Dr., Unit 1 Brampton, Ontario L6T 5W6 Tel: 905-791-2000 Fax: 905-791-6841 WATS: 800-268-6918 toronto@brightonbest.com

Vancouver, British Columbia 9489 200 St, Unit 103&104 Langley, B.C. V1M 3A7 Tel: 604-513-0311 Fax: 604-513-0312 WATS: 800-663-9106 vancouver@brightonbest.com

MEXICO

Mexico Toll Free: 1(855)-816-9726 Fax: 562-404-3999 mexico@brightonbest.com

Global Headquarters

Tainan, Taiwan No.122, Yi-Lin Road, Rende Township. Tainan, 71752 Taiwan Tel. 886-6-270-1756 Fax: 886-6-270-6356 bbi-team@mail.tachen.com.tw

Preferred by Professionals

AUSTRALIA

Brisbane, Queensland 11 Stradbroke St. Heathwood, Queensland 4110 Tel. 617-3727-5700 Fax: 617-3714-9821 qldsales@brightonbest.com.au

Melbourne, Victoria 31-33 Canterbury Ro Braeside, VIC 3195

Tel. 613-8586-0244 Fax: 613-9587-7255 vicsales@brightonbest.com.au

Perth, Western Australia 15 Wicks Street Bayswater, Western Australia 6053 Tel. 618-6240-6800 Fax: 618-9248-4766 wasales@brightonbest.com.au

Sydney, New South Wales 1 Wonderland Dr. Eastern Creek, NSW 2766 Tel. 612-8818-0900 Fax: 612-9620-1050 nswsales@brightonb st.com.au

NEW ZEALAND

Auckland, New Zealand 28B Pavillion Dr. Airport Oaks Mangere, Auckland 2022 Tel. 649-257-5256 Fax: 649-257-5328 nzsales@brightonbest.co.nz

U.K.

Birmingham, West Midlands Fastener Complex D1 Cradley Business Park Overend Rd., Cradley Heath West Midlands B64 7DW Tel. +44 (0) 1384-568144 Fax: +44 (0) 1384-413719 sales@brightonbest.org

BRAZIL

São Paulo, Brazil Rua Dos Missionários, 410 São Paulo, Brazil 04729-001 Tel. 55 11-5641-4037 Fax: 55 11-5641-2444 luizab@brightonbest.com.br

USA Headquarters

Long Beach, California 5860 Paramount Blvd. Long Beach, CA 90805 Tel. 562-808-8000 Fax: 562-808-8137 losangeles@brightonbest.com

www.brighton 1-800-275-0050 .com