



**PREFERRED BY
PROFESSIONALS**

- DEPTH OF INVENTORY
- FULL LINE PRODUCT OFFERING



U.S. ANCHOR PRODUCTS are manufactured to the highest standards for construction and industrial applications. Our flagship ULTRAWEDGE™+ is manufactured from 1035 cold rolled steel.

Our Ultrawedge™+ wedge anchor has earned the coveted ICC-ES approval (ESR-3981) for cracked and uncracked concrete. This anchor is approved by Miami-Dade County and complies with the International Building and Residential codes, Florida Building Code, California Building and Residential codes, and Los Angeles Building and Residential codes.

The U.S. ANCHOR LINE includes a full line of light/medium and heavy duty selections. This broad offering is backed up by a strong inventory commitment via 20+ national warehouses and a trained inside and outside salesforce. Additional testing of our products is ongoing with our in-house QC department as well as bi-annual ICC-ES supervised audits at our Ultrawedge™+ factory.

The newly improved Ultrawedge™+ anchor has been designed for heavy duty applications with impressive performance characteristics. The advanced design of the collar allows for anchoring in the most demanding requirements.





TABLE OF CONTENTS

5-7 GENERAL INFORMATION

- 5 ANCHOR PRODUCT TYPES
- 6 DRILL BIT & WRENCH SIZE INFORMATION GUIDE
- 7 INSTALLATION GUIDE & PROCEDURES

8-12 WEDGE ANCHORS

- 8 ULTRAWEDGE+ (ICC-ES CRACKED AND UNCRACKED CONCRETE)
- 9 ULTRAWEDGE 304 STAINLESS STEEL
- 10 ULTRAWEDGE 316 STAINLESS STEEL
- 11 ULTRAWEDGE HOT-DIP GALVANIZED
- 12 COMMERCIAL WEDGE ANCHORS

13-16 CONCRETE SCREW ANCHORS

- 13 TAPKING HD (ICC-ES CRACKED AND UNCRACKED CONCRETE)
- 14 TAPKING HD SS (ICC-ES CRACKED AND UNCRACKED CONCRETE)
- 14 TAPKING SD FLAT HEAD PHILLIPS
- 15 TAPKING SD HEX WASHER HEAD
- 15 TAPKING SD FLAT TRIM HEAD PHILLIPS
- 16 FLAT HEAD PHILLIPS
- 16 HEX WASHER HEAD

17-19 SLEEVE ANCHORS

- 17 HEX HEAD SLEEVE ANCHORS
- 17 FLAT HEAD SLEEVE ANCHORS
- 18 ROUND HEAD SLEEVE ANCHORS
- 18 ACORN HEAD SLEEVE ANCHORS
- 18 ROD HANGER SLEEVE ANCHORS
- 19 HEX HEAD SLEEVE ANCHORS 304 STAINLESS STEEL

19-20 DROP-IN ANCHORS

- 19 DROP IN ANCHORS, ZINC PLATED
- 19 DROP-IN ANCHORS 304 STAINLESS STEEL
- 20 DROP-IN ANCHORS SETTING TOOLS

20-22 HAMMER DRIVE ANCHORS

- 20 MUSHROOM HEAD, ZINC PLATED STEEL NAIL
- 20 MUSHROOM HEAD, ZINC STAINLESS STEEL NAIL
- 21 NYLON MUSHROOM HEAD
- 21 NYLON ROUND HEAD
- 21 NYLON FLAT HEAD
- 21 PIN DRIVE EXPANSION ANCHORS
- 22 SPLIT-FAST ANCHORS

22-23 HOLLOW WALL ANCHORS

- 22 PAN HEAD DRIVE TYPE HOLLOW WALL ANCHORS
- 23 PAN HEAD HOLLOW WALL ANCHORS
- 23 HEX SLOTTED DRIVE-TYPE HOLLOW WALL ANCHORS

23-25 EXPANSION ANCHORS

- 23 EXPANSION SHIELD ANCHORS, ZINC ALLOY
- 24 LAG SCREW EXPANSION SHIELD ANCHORS, ZINC ALLOY
- 24 MACHINE SCREW ANCHORS, ZINC ALLOY
- 25 WOOD SCREW ANCHORS, ZINC ALLOY

25-26 EZ ANCHORS/CONICAL PLASTIC ANCHORS

- 25 PLASTIC CONICAL ANCHOR KITS W/SCREWS
- 26 PLASTIC CONICAL ANCHORS
- 26 EZ ANCHORS, ZINC ALLOY AND NYLON

27-28 MUNGO HIGH QUALITY NYLON PLUGS/ANCHORS

- 27 MUNGO MN NYLON PLUG ANCHORS
- 27 MUNGO MU NYLON PLUG ANCHORS
- 27 MUNGO MQ NYLON PLUG ANCHORS
- 27 MUNGO ML NYLON PLUG ANCHORS
- 27 MUNGO MUS NYLON PLUG ANCHORS W/SCREW
- 27 MUNGO MQL FRAMING ANCHORS
- 27 MUNGO MB-S FRAMING ANCHORS
- 28 MUNGO HAMMER SCREW ANCHORS (REMOVABLE)

29-30 TOGGLE BOLTS/TOGGLE WINGS

- 29 COMBO PHILLIPS ROUND HEAD TOGGLE BOLTS
- 30 ACCOUSTICAL TOGGLE BOLTS
- 30 TOGGLE WINGS

31-35 CONCRETE/MASONRY DRILL BITS

- 31 SDS-PLUS CARBIDE BITS
- 33 ROUND STRAIGHT SHANK CARBIDE BITS
- 34 SDS-MAX CARBIDE BITS
- 35 SDS-PLUS CARBIDE BITS WITH STOP FOR DROP-IN ANCHORS
- 35 SDS-HEX CONCRETE SCREW BITS

36 HAND AND KNEE PROTECTION

- 36 GENERAL UTILITY WORK GLOVES
- 36 FRAMER WORK GLOVES
- 36 WRENCHWORX WORK GLOVES
- 36 COMMAND CUT LEVEL A2 POLYURETHANE IMPACT GLOVES
- 36 COMMAND CUT LEVEL A3 FOAM NITRILE GLOVES
- 36 FOAM STANDING/KNEE PAD

37 HEAD PROTECTION

- 37 YUKON CS400
- 37 YUKON ES400
- 37 YUKON ES600
- 37 YUKON EF400
- 37 RAINIER BC40
- 37 RAINIER BCX

ANCHOR PRODUCT TYPES

PAGE 8



**ULTRAWEDGE™+
WEDGE
ANCHORS**

PAGE 9-11



**ULTRAWEDGE™
WEDGE
ANCHORS**

PAGE 12



**COMMERCIAL
WEDGE
ANCHORS**

PAGE 13



**TAPKING™ HD
CONCRETE
SCREWS**

PAGE 14



**TAPKING™ HD
SS CONCRETE
SCREWS**

PAGE 14



**TAPKING™ SD
CONCRETE
SCREWS
FLAT HEAD
PHILLIPS**

PAGE 15



**TAPKING™ SD
CONCRETE
SCREWS
HEX WASHER
HEAD**

PAGE 15



**TAPKING™ SD
CONCRETE
SCREWS
TRIM HEAD
PHILLIPS**

PAGE 16



**COMMERCIAL
CONCRETE
SCREWS**

PAGE 17



**SLEEVE
ANCHORS
HEX HEAD**

PAGE 17



**SLEEVE
ANCHORS
FLAT HEAD
PHILLIPS**

PAGE 18



**SLEEVE
ANCHORS
ROUND HEAD
PHILLIPS**

PAGE 18



**SLEEVE
ANCHORS
ACORN HEAD
PHILLIPS**

PAGE 18



**SLEEVE TYPE
ROD HANGER
ANCHORS**

PAGE 19



**SLEEVE ANCHORS
HEX HEAD
304-STAINLESS**

PAGE 19



**DROP-IN ANCHORS
AND SHORTY
ANCHOR**

PAGE 19



**DROP-IN ANCHORS
304-STAINLESS**

PAGE 20



**DROP-IN ANCHOR
SETTING TOOL**

PAGE 20



**HAMMER DRIVE
ANCHORS
MUSHROOM HEAD**

PAGE 20



**HAMMER DRIVE
ANCHORS
MUSHROOM HEAD
304-S/S NAIL**

PAGE 21



**NYLON NAIL-IN
ANCHORS W/ZINC
PLATED NAIL**

PAGE 21



**PIN DRIVE
EXPANSION
ANCHORS, Z/Y CR-6**

PAGE 22



**SPLIT-FAST
ANCHORS**

PAGE 22



**HOLLOW WALL
ANCHORS DRIVE
TYPE**

PAGE 23



**HOLLOW WALL
ANCHORS**

PAGE 23



**EXPANSION SHIELD
ANCHORS SINGLE &
DOUBLE**

PAGE 24



**LAG SCREW
EXPANSION SHIELD
ANCHORS**

PAGE 24



**MACHINE SCREW
ANCHORS WITH
TOOL**

PAGE 25



**WOOD SCREW
ANCHORS**

PAGE 25



**PLASTIC & METAL
ANCHOR KITS**

PAGE 26



**CONICAL PLASTIC
ANCHORS**

PAGE 26



**EZ ANCHORS
METAL & PLASTIC**

PAGE 27



**MUNGO® NYLON
PLUG ANCHORS**

PAGE 27



**MUNGO®
FRAMING
ANCHORS**

PAGE 28



**MUNGO®
HAMMER
SCREW
ANCHORS**

PAGE 29



**TOGGLE BOLTS
W/WING**

PAGE 30



**TOGGLE BOLTS
ACOUSTICAL W/
WING**

PAGE 30



TOGGLE WINGS

PAGE 31-35



**SDS PLUS
CARBIDE DRILL
BITS**

DRILL BIT & WRENCH SIZE INFORMATION GUIDE

WEDGE ANCHOR

Diameter	Drill Bit Size	Wrench Size
1/4"	1/4"	7/16"
3/8"	3/8"	9/16"
1/2"	1/2"	3/4"
5/8"	5/8"	15/16"
3/4"	3/4"	1-1/8"
7/8"	7/8"	1-5/16"
1"	1"	1-1/2"

TAPKING™ HD

Diameter	Drill Bit Size	Wrench Size
1/4"	1/4"	7/16"
3/8"	3/8"	9/16"
1/2"	1/2"	3/4"
5/8"	5/8"	15/16"
3/4"	3/4"	1-1/8"

TAPKING™ SD / COMMERCIAL CONCRETE SCREWS

Diameter	Drill Bit Size	Wrench Size
3/16" HWH	5/32"	1/4"
1/4" HWH	3/16"	5/16"
3/16" FL HD	5/32"	#2
1/4" FL HD	3/16"	#3

SLEEVE ANCHOR

Diameter	Drill Bit Size	Wrench Size
1/4"	1/4"	7/16"
5/16"	5/16"	1/2"
3/8"	3/8"	9/16"
1/2"	1/2"	3/4"
5/8"	5/8"	15/16"

EZ ANCHOR

No pre-drilling required, for
drywall applications only

MUNGO® ANCHOR

Diameter	Drill Bit Size
4 mm	4 mm
5 mm	5 mm
6 mm	6 mm
7 mm	7 mm
8 mm	8 mm
10 mm	10 mm
12 mm	12 mm
14 mm	14 mm
16 mm	16 mm
20 mm	20 mm

DROP-IN ANCHOR

Diameter	Drill Bit Size
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	7/8"
3/4"	1"

HAMMER DRIVE ANCHOR

Diameter	Drill Bit Size
3/16"	3/16"
1/4"	1/4"

PIN DRIVE EXPANSION ANCHOR

Diameter	Drill Bit Size
5/16"	5/16"
3/8"	3/8"
1/2"	1/2"

SPLIT-FAST ANCHOR

Diameter	Drill Bit Size
1/4"	1/4"

HOLLOW WALL ANCHOR

Diameter	Drill Bit Size
1/8"	5/16"
3/16"	3/8"
1/4"	1/2"
No pre-drilling for drive type when used in drywall applications.	

WOOD SCREW ANCHOR

Diameter	Drill Bit Size
#6-8	1/4"
#10-14	5/16"
#16-18	3/8"

SINGLE EXPANSION SHIELD ANCHOR

Diameter	Drill Bit Size
1/4"	1/2"
5/16"	5/8"
3/8"	5/8"
1/2"	7/8"
5/8"	1"

DOUBLE EXPANSION SHIELD ANCHOR

Diameter	Drill Bit Size
1/4"	1/2"
5/16"	5/8"
3/8"	3/4"
1/2"	7/8"
5/8"	1"
3/4"	1-1/4"

LAG SCREW EXPANSION SHIELD ANCHOR

Diameter	Drill Bit Size
1/4"	1/2"
5/16"	1/2"
3/8"	5/8"
1/2"	3/4"
5/8"	7/8"
3/4"	1"

MACHINE SCREW ANCHOR

Diameter	Drill Bit Size
6-32 & 8-32	5/16"
10-24 & 10-32	3/8"
1/4"	1/2"
5/16"	5/8"
3/8"	3/4"
1/2"	7/8"
5/8"	1"
3/4"	1-1/4"


CONICAL PLASTIC ANCHOR

Diameter	Drill Bit Size
6-8 & 8-10	3/16"
10-12	1/4"
14-16	5/16"

TOGGLE BOLT W/ WING

Diameter	Drill Bit Size
1/8"	3/8"
3/16"	1/2"
1/4"	5/8"
5/16"	7/8"
3/8"	1"

INSTALLATION GUIDE & PROCEDURES




WEDGE ANCHOR

1. Drill using ANSI B212.15 bit.
2. Remove debris.
3. Install anchor.
4. Tighten nut.

Ultrawedge+	
Diameter	Torque
3/8"	29 Ft-Lbs
1/2"	40 Ft-Lbs
5/8"	80 Ft-Lbs
3/4"	110 Ft-Lbs


Commercial & Ultrawedge	
Diameter	Torque
3/8"	25 Ft-Lbs
1/2"	40 Ft-Lbs
5/8"	80 Ft-Lbs
3/4"	110 Ft-Lbs



SLEEVE ANCHOR


1. Drill using ANSI B212.15 bit.
2. Remove debris.
3. Min embed.
4. Drive.
5. Torque.

Diameter	Torque
1/4"	5 Ft-Lbs
5/16"	10 Ft-Lbs
3/8"	15 Ft-Lbs
1/2"	30 Ft-Lbs
5/8"	60 Ft-Lbs
3/4"	90 Ft-Lbs




DROP-IN ANCHOR

1. Use of ANSI B212.15 bit is suggested
2. Insert anchor.
3. Set anchor with setting tool.
4. Drop-in anchor is set and ready to accept any length bolt or threaded rod.




EXPANSION, LAG SHIELD, MACHINE & WOOD SCREW ANCHOR

1. Drill using ANSI B212.15 bit.
2. Insert anchor.
3. Insert screw and tighten.



HAMMER DRIVE ANCHOR

1. Drill using ANSI B212.15 bit.
2. Insert and drive the nail into the body.
3. Expanded.



CONCRETE SCREW

1. Drill using ANSI B212.15 bit.
2. Remove debris.
3. Min embed.
4. Drive.
5. Tighten.



**The Ultimate Performance
Wedge Anchor for Cracked
& Uncracked Concrete**

CONCRETE - Ultrawedge+ ICC Approved Wedge Anchors for Cracked and Uncracked Concrete

ULTRAWEDGE+



TRADEMARKED

Indicates proprietary product
insuring consistent quality

360° DEGREE COLLAR

1035 COLD ROLLED STEEL

LONGER THREAD LENGTH

Provides greater versatility in
anchor embedment depth with
one anchor

SUPERIOR PERFORMANCE

Cracked & Uncracked approved

HEAD STAMPED

Helps determine length of anchor
after installation

BULL NOSE HEAD DESIGN

Helps to protect against thread
damage during installation

- ICC-ES 3981 Approved for cracked & uncracked concrete
- Approved for use in static, wind and seismic
- Code Compliance: IBC 2018, 2015, 2013, 2009. IRC 2018, 2015, 2013, 2009. LABC 2020. LARC 2020. CBC 2019. CRC 2019. FBC 2020
- Miami-Dade County approved NOA for compliance to FBC 2023

Part No.	Item Description	Size	Box Qty.
157060	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/8"-16x2 1/4"	100
157070	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/8"-16x2 3/4"	100
157080	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/8"-16x3"	100
157090	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/8"-16x3 3/4"	100
157100	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/8"-16x5"	50
157110	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/8"-16x6 1/2"	50
157180	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x2 3/4"	50
157190	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x3 3/4"	50
157200	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x4 1/4"	25
157210	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x4 1/2"	25
157220	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x5 1/2"	25
157230	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x7"	25
157240	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x8 1/2"	25
157250	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x10"	25
157260	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	1/2"-13x12"	20
157300	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	5/8"-11x3 1/2"	25
157310	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	5/8"-11x4 1/2"	25
157320	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	5/8"-11x5"	25
157330	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	5/8"-11x6"	25
157340	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	5/8"-11x7"	25
157350	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	5/8"-11x8 1/2"	20
157360	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	5/8"-11x10"	10
157370	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	5/8"-11x12"	10
157380	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/4"-10x4 1/4"	20
157390	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/4"-10x4 3/4"	20
157400	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/4"-10x5 1/2"	20
157410	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/4"-10x6 1/4"	10
157420	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/4"-10x7"	10
157430	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/4"-10x8 1/2"	10
157440	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/4"-10x10"	10
157450	ULTRAWEDGE+ Concrete Wedge Anchors, Zinc Plated CR+3	3/4"-10x12"	10



**Where Quality and
Performance Come First!**

CONCRETE - Ultrawedge 304 -Stainless Steel Wedge Anchors for Non-ICC Applications

ULTRAWEDGE 304 STAINLESS



360° DEGREE COLLAR

LONGER THREAD LENGTH

Provides greater versatility in anchor embedment depth with one anchor

GOOD PERFORMANCE

For non-cracked concrete applications

HEAD STAMPED

Helps determine length of anchor after installation

BULL NOSE HEAD DESIGN

Helps to protect against thread damage during installation

Part No.	Item Description	Size	Box Qty.
616010	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/4"-20 x 1 3/4"	100
616020	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/4"-20 x 2 1/4"	100
616030	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/4"-20 x 3 1/4"	100
616040	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/8"-16 x 2 1/4"	100
616050	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/8"-16 x 2 3/4"	100
616060	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/8"-16 x 3"	100
616070	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/8"-16 x 3 3/4"	100
616080	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/8"-16 x 5"	50
616090	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/8"-16 x 6 1/2"	50
616100	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/2"-13 x 2 3/4"	50
616110	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/2"-13 x 3 3/4"	50
616120	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/2"-13 x 4 1/4"	25
616130	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/2"-13 x 5 1/2"	25
616140	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/2"-13 x 7"	25
616150	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/2"-13 x 8 1/2"	25
616160	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/2"-13 x 10"	25
616170	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1/2"-13 x 12"	25
616180	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	5/8"-11 x 3 1/2"	25
616190	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	5/8"-11 x 4 1/2"	25
616200	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	5/8"-11 x 5"	25
616210	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	5/8"-11 x 6"	25
616220	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	5/8"-11 x 7"	25
616230	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	5/8"-11 x 8 1/2"	25
616240	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	5/8"-11 x 10"	10
616250	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	5/8"-11 x 12"	10
616260	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/4"-10 x 4 1/4"	20
616270	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/4"-10 x 4 3/4"	20
616280	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/4"-10 x 5 1/2"	20
616290	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/4"-10 x 7"	10
616300	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/4"-10 x 8 1/2"	10
616310	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/4"-10 x 10"	10
616320	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/4"-10 x 12"	10
616330	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	3/4"-10 x 6 1/4"	10
616340	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	7/8"-9 x 6"	5
616350	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	7/8"-9 x 8"	5
616360	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1"-8 x 6"	5
616370	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1"-8 x 9"	5
616380	ULTRAWEDGE Concrete Wedge Anchors, 304 Stainless	1"-8 x 12"	5



**Where Quality and
Performance Come First!
ASTM E488 Tested**

CONCRETE - For Anchoring Products Requiring Superior Corrosion Resistance - Stainless 316

ULTRAWEDGE 316 STAINLESS



360° DEGREE COLLAR

LONGER THREAD LENGTH

Provides greater versatility in anchor embedment depth with one anchor

GOOD PERFORMANCE

For non-cracked concrete applications

HEAD STAMPED

Helps determine length of anchor after installation

BULL NOSE HEAD DESIGN

Helps to protect against thread damage during installation

Part No.	Item Description	Size	Box Qty.
617010	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	1/4"-20 x 1 3/4"	100
617020	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	1/4"-20 x 2 1/4"	100
617030	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	1/4"-20 x 3 1/4"	100
617040	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/8"-16 x 2 3/4"	100
617050	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/8"-16 x 3"	100
617060	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/8"-16 x 3 3/4"	100
617070	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/8"-16 x 5"	50
617080	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	1/2"-13 x 2 3/4"	50
617090	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	1/2"-13 x 3 3/4"	50
617100	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	1/2"-13 x 4 1/4"	25
617110	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	1/2"-13 x 5 1/2"	25
617120	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	1/2"-13 x 7"	25
617130	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	5/8"-11 x 3 1/2"	25
617140	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	5/8"-11 x 4 1/2"	25
617150	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	5/8"-11 x 5"	25
617160	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	5/8"-11 x 6"	25
617170	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	5/8"-11 x 7"	25
617180	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	5/8"-11 x 8 1/2"	25
617190	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/4"-10 x 4 1/4"	20
617200	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/4"-10 x 4 3/4"	20
617210	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/4"-10 x 5 1/2"	20
617220	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/4"-10 x 6 1/4"	10
617230	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/4"-10 x 7"	10
617240	ULTRAWEDGE Concrete Wedge Anchors, 316 Stainless	3/4"-10 x 8 1/2"	10



**Where Quality and
Performance Come First!
ASTM E488 Tested**

CONCRETE - For Anchoring Products Requiring High Quality Corrosion Resistance - Hot Dip Galvanized

ULTRAWEDGE HDG ANCHORS



360° DEGREE COLLAR

LONGER THREAD LENGTH

Provides greater versatility in anchor embedment depth with one anchor

GOOD PERFORMANCE

For non-cracked concrete applications

HEAD STAMPED

Helps determine length of anchor after installation

BULL NOSE HEAD DESIGN

Helps to protect against thread damage during installation

Part No.	Item Description	Size	Box Qty.
158010	ULTRAWEDGE Concrete Wedge Anchors, HDG	3/8"-16 x 3 1/2"	100
158100	ULTRAWEDGE Concrete Wedge Anchors, HDG	1/2"-13 x 2 3/4"	50
158110	ULTRAWEDGE Concrete Wedge Anchors, HDG	1/2"-13 x 3 3/4"	50
158120	ULTRAWEDGE Concrete Wedge Anchors, HDG	1/2"-13 x 4 1/4"	25
158130	ULTRAWEDGE Concrete Wedge Anchors, HDG	1/2"-13 x 5 1/2"	25
158140	ULTRAWEDGE Concrete Wedge Anchors, HDG	1/2"-13 x 7"	25
158150	ULTRAWEDGE Concrete Wedge Anchors, HDG	1/2"-13 x 8 1/2"	25
158160	ULTRAWEDGE Concrete Wedge Anchors, HDG	1/2"-13 x 10"	25
158200	ULTRAWEDGE Concrete Wedge Anchors, HDG	5/8"-11 x 3 1/2"	25
158210	ULTRAWEDGE Concrete Wedge Anchors, HDG	5/8"-11 x 5"	25
158220	ULTRAWEDGE Concrete Wedge Anchors, HDG	5/8"-11 x 6"	25
158230	ULTRAWEDGE Concrete Wedge Anchors, HDG	5/8"-11 x 7"	25
158240	ULTRAWEDGE Concrete Wedge Anchors, HDG	5/8"-11 x 8 1/2"	25
158250	ULTRAWEDGE Concrete Wedge Anchors, HDG	5/8"-11 x 10"	10
158300	ULTRAWEDGE Concrete Wedge Anchors, HDG	3/4"-10 x 4 3/4"	20
158310	ULTRAWEDGE Concrete Wedge Anchors, HDG	3/4"-10 x 5 1/2"	20
158320	ULTRAWEDGE Concrete Wedge Anchors, HDG	3/4"-10 x 6 1/4"	10
158330	ULTRAWEDGE Concrete Wedge Anchors, HDG	3/4"-10 x 8 1/2"	10
158340	ULTRAWEDGE Concrete Wedge Anchors, HDG	3/4"-10 x 10"	10
158400	ULTRAWEDGE Concrete Wedge Anchors, HDG	7/8"-9 x 6"	5
158410	ULTRAWEDGE Concrete Wedge Anchors, HDG	7/8"-9 x 8"	5
158500	ULTRAWEDGE Concrete Wedge Anchors, HDG	1"-8 x 6"	5
158510	ULTRAWEDGE Concrete Wedge Anchors, HDG	1"-8 x 9"	5



**Where Quality and
Performance Come First!
ASTM E488 Tested**

CONCRETE - For Anchoring Products Requiring Good Corrosion Resistance - Zinc Plated

COMMERCIAL WEDGE ANCHORS



360° DEGREE COLLED

1035 COLD ROLLED STEEL

LONGER THREAD LENGTH
Provides greater versatility in
anchor embedment depth with
one anchor

GOOD PERFORMANCE
For non-cracked concrete
applications


HEAD STAMPED
Helps determine length of anchor
after installation

BULL NOSE HEAD DESIGN
Helps to protect against thread
damage during installation

Part No.	Item Description	Size	Box Qty.
279010	Commercial Wedge Anchors Zinc CR+3	1/4"-20x1 3/4"	100
279020	Commercial Wedge Anchors Zinc CR+3	1/4"-20x2 1/4"	100
279022	Commercial Wedge Anchors Zinc CR+3 (Acoustical)	1/4"-20x2 1/4"	100
279030	Commercial Wedge Anchors Zinc CR+3	1/4"-20x3 1/4"	100
279040	Commercial Wedge Anchors Zinc CR+3	3/8"-16x2 1/4"	100
279050	Commercial Wedge Anchors Zinc CR+3	3/8"-16x2 3/4"	100
279060	Commercial Wedge Anchors Zinc CR+3	3/8"-16x3"	100
279070	Commercial Wedge Anchors Zinc CR+3	3/8"-16x3 1/2"	100
279080	Commercial Wedge Anchors Zinc CR+3	3/8"-16x3 3/4"	100
279090	Commercial Wedge Anchors Zinc CR+3	3/8"-16x5"	50
279440	Commercial Wedge Anchors Zinc CR+3	3/8"-16x6 1/2"	50
279100	Commercial Wedge Anchors Zinc CR+3	1/2"-13x2 3/4"	50
279110	Commercial Wedge Anchors Zinc CR+3	1/2"-13x3 3/4"	50
279120	Commercial Wedge Anchors Zinc CR+3	1/2"-13x4 1/4"	25
279130	Commercial Wedge Anchors Zinc CR+3	1/2"-13x4 1/2"	25
279140	Commercial Wedge Anchors Zinc CR+3	1/2"-13x5 1/2"	25
279150	Commercial Wedge Anchors Zinc CR+3	1/2"-13x7"	25
279160	Commercial Wedge Anchors Zinc CR+3	1/2"-13x8 1/2"	25
279170	Commercial Wedge Anchors Zinc CR+3	1/2"-13x10"	25
279180	Commercial Wedge Anchors Zinc CR+3	1/2"-13x12"	25
279190	Commercial Wedge Anchors Zinc CR+3	5/8"-11x3 1/2"	25
279200	Commercial Wedge Anchors Zinc CR+3	5/8"-11x4 1/2"	25
279210	Commercial Wedge Anchors Zinc CR+3	5/8"-11x5"	25
279220	Commercial Wedge Anchors Zinc CR+3	5/8"-11x6"	25
279230	Commercial Wedge Anchors Zinc CR+3	5/8"-11x7"	25
279240	Commercial Wedge Anchors Zinc CR+3	5/8"-11x8 1/2"	25
279250	Commercial Wedge Anchors Zinc CR+3	5/8"-11x10"	10
279260	Commercial Wedge Anchors Zinc CR+3	5/8"-11x12"	10
279270	Commercial Wedge Anchors Zinc CR+3	3/4"-10x4 1/4"	20
279280	Commercial Wedge Anchors Zinc CR+3	3/4"-10x4 3/4"	20
279290	Commercial Wedge Anchors Zinc CR+3	3/4"-10x5 1/2"	20
279300	Commercial Wedge Anchors Zinc CR+3	3/4"-10x6 1/4"	10
279310	Commercial Wedge Anchors Zinc CR+3	3/4"-10x7"	10
279320	Commercial Wedge Anchors Zinc CR+3	3/4"-10x8 1/2"	10
279330	Commercial Wedge Anchors Zinc CR+3	3/4"-10x10"	10
279340	Commercial Wedge Anchors Zinc CR+3	3/4"-10x12"	10
279350	Commercial Wedge Anchors Zinc CR+3	7/8"-9x6"	5
279360	Commercial Wedge Anchors Zinc CR+3	7/8"-9x8"	5
279370	Commercial Wedge Anchors Zinc CR+3	7/8"-9x10"	5
279380	Commercial Wedge Anchors Zinc CR+3	1"-8x6"	5
279390	Commercial Wedge Anchors Zinc CR+3	1"-8x9"	5
279400	Commercial Wedge Anchors Zinc CR+3	1"-8x12"	5
279410	Commercial Wedge Anchors Zinc CR+3	1"-8x15"	5

**TAPKING™ HD**ICC-ES 4557 APPROVED
FOR CRACKED & UNCRACKED CONCRETE**The Ultimate
Concrete Screw****CONCRETE - For Installing Racking, Shelving, Railings, Handrails, Ledgers, Signals, Stadium Seating And More - Zinc Plating****HD CONCRETE SCREWS**

Part No.	Item Description	Size	Box Qty.
044103	Tapking HD Concrete Screw Anchor Zinc CR+3	3/8"x3"	50
044104	Tapking HD Concrete Screw Anchor Zinc CR+3	3/8"x4"	50
044105	Tapking HD Concrete Screw Anchor Zinc CR+3	3/8"x5"	50
044106	Tapking HD Concrete Screw Anchor Zinc CR+3	3/8"x6"	50
044123	Tapking HD Concrete Screw Anchor Zinc CR+3	1/2"x4"	30
044124	Tapking HD Concrete Screw Anchor Zinc CR+3	1/2"x5"	25
044125	Tapking HD Concrete Screw Anchor Zinc CR+3	1/2"x6"	25
044126	Tapking HD Concrete Screw Anchor Zinc CR+3	1/2"x6-1/2"	25
044127	Tapking HD Concrete Screw Anchor Zinc CR+3	1/2"x8"	15
044162	Tapking HD Concrete Screw Anchor Zinc CR+3	5/8"x4"	25
044163	Tapking HD Concrete Screw Anchor Zinc CR+3	5/8"x5"	20
044164	Tapking HD Concrete Screw Anchor Zinc CR+3	5/8"x6"	15
044165	Tapking HD Concrete Screw Anchor Zinc CR+3	5/8"x6-1/2"	15
044166	Tapking HD Concrete Screw Anchor Zinc CR+3	5/8"x8"	15
044202	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x4-1/2"	15
044203	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x5"	10
044204	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x5-1/2"	10
044205	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x6"	10
044206	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x6-1/4"	10
044207	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x7"	8
044208	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x8"	8
044209	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x8-1/2"	8
044210	Tapking HD Concrete Screw Anchor Zinc CR+3	3/4"x10"	6



- ICC-ES 4557 Approved for cracked & uncracked concrete (1/4" uncracked only).
- Approved for use in static, wind and seismic
- Code Listed: IBC/IRC in accordance with ICC-ES AC 193 & ACI 355.2
- Code Compliance:
IBC 2021, 2018, 2015, 2013, 2009.
IRC 2021, 2018, 2015, 2013, 2009.
CBC 2022. CRC 2022. LABC 2023.
LARC 2023. FBC 2023.
- Patented Triple Thread® stabilizes installation for superior performance



**TAPKING™ HD SS**ICC-ES 4557 APPROVED
FOR CRACKED & UNCRACKED CONCRETE**The Ultimate
Concrete Screw****CONCRETE - For Installing Racking, Shelving, Railings, Handrails, Ledgers, Signals, Stadium Seating And More - 316 Stainless Steel****HD SS CONCRETE SCREWS**

Part No.	Item Description	Size	Box Qty.
F60064*	316 Stainless Steel TapKing HD Concrete Screw Anchor	1/4"x3"	50
F60065*	316 Stainless Steel TapKing HD Concrete Screw Anchor	1/4"x4"	50
F60103	316 Stainless Steel TapKing HD Concrete Screw Anchor	3/8"x3"	50
F60104	316 Stainless Steel TapKing HD Concrete Screw Anchor	3/8"x4"	50
F60105	316 Stainless Steel TapKing HD Concrete Screw Anchor	3/8"x5"	50
F60106	316 Stainless Steel TapKing HD Concrete Screw Anchor	3/8"x6"	25
F60123	316 Stainless Steel TapKing HD Concrete Screw Anchor	1/2"x4"	30
F60124	316 Stainless Steel TapKing HD Concrete Screw Anchor	1/2"x5"	25
F60125	316 Stainless Steel TapKing HD Concrete Screw Anchor	1/2"x6"	25
F60127	316 Stainless Steel TapKing HD Concrete Screw Anchor	1/2"x8"	15

* Uncracked concrete only



- ICC-ES 4557 Approved for cracked & uncracked concrete (1/4" uncracked only).
- Approved for use in static, wind and seismic
- Code Listed: IBC/IRC in accordance with ICC-ES AC 193 & ACI 355.2
- Code Compliance:
IBC 2021, 2018, 2015, 2013, 2009.
IRC 2021, 2018, 2015, 2013, 2009.
CBC 2022. CRC 2022. LABC 2023.
LARC 2023. FBC 2023.
- Patented Triple Thread® stabilizes installation for superior performance

**TAPKING™ SD****The Ultimate
Concrete Screw****CONCRETE - For Medium Duty Anchoring To Concrete And Masonry Products - Blue Durable Coat****CONCRETE SCREWS**

Part No.	Item Description	Size	Box Qty.
660200	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	3/16" x 1 1/4"	100
660210	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	3/16" x 1 3/4"	100
660220	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	3/16" x 2 1/4"	100
660230	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	3/16" x 2 3/4"	100
660240	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	3/16" x 3 1/4"	100
660250	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	3/16" x 4"	100
660260	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	1/4" x 1 1/4"	100
660270	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	1/4" x 1 3/4"	100
660280	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	1/4" x 2 1/4"	100
660290	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	1/4" x 2 3/4"	100
660300	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	1/4" x 3 1/4"	100
660310	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	1/4" x 4"	100
660320	Tapking SD, Flat Head Phil, Concrete Screws, Blue Durablecoat	1/4" x 5"	100

- Miami-Dade County Approval • Durable Coat = 1,000 hour salt spray, providing superior corrosion resistance • Available in bulk



Drive Bit:
PH-2 for
3/16" diameter
PH-3 for
1/4" diameter




TAPKINGTM SD



The Ultimate
Concrete Screw

CONCRETE - For Medium Duty Anchoring To Concrete And Masonry Products - Blue Durable Coat

CONCRETE SCREWS



Hex Drive Bit Size:
1/4" for 3/16" Screws
5/16" for 1/4" Screws

Part No.	Item Description	Size	Box Qty.
660010	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	3/16" x 1 1/4"	100
660015	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	3/16" x 1 3/4"	100
660020	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	3/16" x 2 1/4"	100
660025	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	3/16" x 2 3/4"	100
660030	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	3/16" x 3 1/4"	100
660035	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	3/16" x 4"	100
660050	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	1/4" x 1 1/4"	100
660055	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	1/4" x 1 3/4"	100
660060	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	1/4" x 2 1/4"	100
660070	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	1/4" x 2 3/4"	100
660080	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	1/4" x 3 1/4"	100
660090	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	1/4" x 4"	100
660100	Tapking SD, Indent HWH Head, Concrete Screws, Blue Durablecoat	1/4" x 5"	100

- Miami-Dade County Approval • Durable Coat = 1,000 hour salt spray, providing superior corrosion resistance • Available in bulk




TAPKINGTM SD



The Ultimate
Concrete Screw

CONCRETE - For Medium Duty Anchoring To Concrete And Masonry Products - White, Bronze, Silver

CONCRETE SCREWS



Drive Bit: PH-2

Part No.	Item Description	Size	Box Qty.
660410	Tapking SD, Trim Head Phil, Concrete Screws, White Durablecoat	1/4" x 1 3/4"	100
660420	Tapking SD, Trim Head Phil, Concrete Screws, White Durablecoat	1/4" x 2 1/4"	100
660430	Tapking SD, Trim Head Phil, Concrete Screws, White Durablecoat	1/4" x 2 3/4"	100
660440	Tapking SD, Trim Head Phil, Concrete Screws, White Durablecoat	1/4" x 3 1/4"	100
660450	Tapking SD, Trim Head Phil, Concrete Screws, White Durablecoat	1/4" x 3 3/4"	100
660460	Tapking SD, Trim Head Phil, Concrete Screws, White Durablecoat	1/4" x 4"	100
660620	Tapking SD, Trim Head Phil, Concrete Screws, Bronze Durablecoat	1/4" x 2 1/4"	100
660630	Tapking SD, Trim Head Phil, Concrete Screws, Bronze Durablecoat	1/4" x 2 3/4"	100
660640	Tapking SD, Trim Head Phil, Concrete Screws, Bronze Durablecoat	1/4" x 3 1/4"	100
660820	Tapking SD, Trim Head Phil, Concrete Screws, Silver Durablecoat	1/4" x 2 1/4"	100
660830	Tapking SD, Trim Head Phil, Concrete Screws, Silver Durablecoat	1/4" x 2 3/4"	100
660840	Tapking SD, Trim Head Phil, Concrete Screws, Silver Durablecoat	1/4" x 3 1/4"	100

- Miami-Dade County Approval • Durable Coat = 1,000 hour salt spray, providing superior corrosion resistance • Available in bulk

CONCRETE - For Medium Duty Anchoring To Concrete And Masonry Products - Blue Finish

CONCRETE SCREWS	Part No.	Item Description	Size	Box Qty.
	685020	Commercial Concrete Screws Blue Finish, Flat Head Phil	3/16"x1 1/4"	100
	685024	Commercial Concrete Screws Blue Finish, Flat Head Phil	3/16"x1 3/4"	100
	685028	Commercial Concrete Screws Blue Finish, Flat Head Phil	3/16"x2 1/4"	100
	685032	Commercial Concrete Screws Blue Finish, Flat Head Phil	3/16"x2 3/4"	100
	685036	Commercial Concrete Screws Blue Finish, Flat Head Phil	3/16"x3 1/4"	100
	685039	Commercial Concrete Screws Blue Finish, Flat Head Phil	3/16"x4"	100
	685040	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x1 1/4"	100
	685042	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x1 3/4"	100
	685044	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x2 1/4"	100
	685048	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x2 3/4"	100
	685052	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x3 1/4"	100
	685054	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x3 3/4"	100
	685055	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x4"	100
	685059	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x5"	100
	685063	Commercial Concrete Screws Blue Finish, Flat Head Phil	1/4"x6"	100
	685220	Commercial Concrete Screws Blue Finish, Indent HWH Slot	3/16"x1 1/4"	100
	685224	Commercial Concrete Screws Blue Finish, Indent HWH Slot	3/16"x1 3/4"	100
	685225	Commercial Concrete Screws Blue Finish, Indent HWH Slot	3/16"x2 1/4"	100
	685227	Commercial Concrete Screws Blue Finish, Indent HWH Slot	3/16"x2 3/4"	100
	685228	Commercial Concrete Screws Blue Finish, Indent HWH Slot	3/16"x3 1/4"	100
	685230	Commercial Concrete Screws Blue Finish, Indent HWH Slot	3/16"x3 3/4"	100
	685231	Commercial Concrete Screws Blue Finish, Indent HWH Slot	3/16"x4"	100
	685235	Commercial Concrete Screws Blue Finish, Indent HWH Slot	1/4"x1 1/4"	100
	685239	Commercial Concrete Screws Blue Finish, Indent HWH Slot	1/4"x1 3/4"	100
	685243	Commercial Concrete Screws Blue Finish, Indent HWH Slot	1/4"x2 1/4"	100
	685247	Commercial Concrete Screws Blue Finish, Indent HWH Slot	1/4"x2 3/4"	100
	685251	Commercial Concrete Screws Blue Finish, Indent HWH Slot	1/4"x3 1/4"	100
	685253	Commercial Concrete Screws Blue Finish, Indent HWH Slot	1/4"x3 3/4"	100
	685254	Commercial Concrete Screws Blue Finish, Indent HWH Slot	1/4"x4"	100
	685258	Commercial Concrete Screws Blue Finish, Indent HWH Slot	1/4"x5"	100

Drive Bit:
PH-2 for
3/16" diameter
PH-3 for
1/4" diameter

Hex Drive Bit Size:
1/4" for 3/16" Screws
5/16" for 1/4" Screws



**The Ultimate
Sleeve Anchor**

Medium Duty Removable Anchor For Installing Window & Door Frames, Electrical Boxes, Conduit, Fixtures - Zinc Plated

SLEEVE ANCHORS - HEX HEAD



SUITABLE BASE MATERIALS

- Uncracked concrete
- Solid brick
- Hollow block
- Masonry

Part No.	Item Description	Size	Box Qty.
278030	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	5/16" x 1 1/2"	100
278040	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	5/16" x 2 1/2"	100
278050	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	3/8" x 1 7/8"	50
278060	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	3/8" x 3"	50
278070	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	3/8" x 4"	50
278080	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	1/2" x 2 1/4"	25
278090	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	1/2" x 3"	25
278100	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	1/2" x 4"	25
278110	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	1/2" x 6"	25
278120	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	5/8" x 2 1/4"	25
278130	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	5/8" x 3"	25
278140	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	5/8" x 4 1/4"	10
278150	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	5/8" x 6"	10
278160	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	3/4" x 2 1/2"	10
278180	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	3/4" x 4 1/4"	5
278190	Sleeve Anchor w/Hex Nut, Zinc Plated CR+3	3/4" x 6 1/4"	5



**The Ultimate
Sleeve Anchor**

Medium Duty Removable Anchor For Installing Window & Door Frames, Electrical Boxes, Thresholds, Fixtures - Zinc Plated

SLEEVE ANCHORS - FLAT HEAD



SUITABLE BASE MATERIALS

- Uncracked concrete
- Solid brick
- Hollow block
- Masonry

Part No.	Item Description	Size	Box Qty.
277003	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	1/4" x 1 1/8"	100
277005	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	1/4" x 1 3/8"	100
277020	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	1/4" x 2"	100
277040	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	1/4" x 3"	100
277060	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	1/4" x 4"	100
277070	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	3/8" x 2 3/4"	50
277080	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	3/8" x 4"	50
277090	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	3/8" x 5"	50
277100	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	3/8" x 6"	50
277110	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	3/8" x 3"	50
277120	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	5/16" x 2 1/2"	100
277130	Sleeve Anchor, Flat Head Phillips/Slotted Combo, Zinc Plated CR+3	5/16" x 3 1/2"	100



**The Ultimate
Sleeve Anchor**

Medium Duty Removable Anchor For Installing Window & Door Frames, Electrical Boxes, Conduit, Fixtures - Zinc Plated

SLEEVE ANCHORS - ROUND HEAD

Part No.	Item Description	Size	Box Qty.
426005	Sleeve Anchor, Round Head Phillips/Slotted Combo, Zinc Plated CR+3	1/4" x 1 1/4"	100
426010	Sleeve Anchor, Round Head Phillips/Slotted Combo, Zinc Plated CR+3	1/4" x 2"	100
426022	Sleeve Anchor, Round Head Phillips/Slotted Combo, Zinc Plated CR+3	1/4" x 2 3/4"	100
426020	Sleeve Anchor, Round Head Phillips/Slotted Combo, Zinc Plated CR+3	3/8" x 2 1/2"	50
426030	Sleeve Anchor, Round Head Phillips/Slotted Combo, Zinc Plated CR+3	3/8" x 3 3/4"	50
426040	Sleeve Anchor, Round Head Phillips/Slotted Combo, Zinc Plated CR+3	3/8" x 4 3/4"	50



SUITABLE BASE MATERIALS

- Uncracked concrete
- Solid brick
- Hollow block
- Masonry



**The Ultimate
Sleeve Anchor**

Medium Duty Removable Anchor For Installing Window & Door Frames, Electrical Boxes, Conduit, Fixtures - Zinc Plated

SLEEVE ANCHORS - ACORN HEAD

Part No.	Item Description	Size	Box Qty.
276020	Sleeve Anchor, Acorn Nut, Zinc Plated CR+3	1/4" x 1 3/8"	100
276030	Sleeve Anchor, Acorn Nut, Zinc Plated CR+3	1/4" x 2 1/4"	100



SUITABLE BASE MATERIALS

- Uncracked concrete
- Solid brick
- Hollow block
- Masonry



**The Ultimate
Sleeve Anchor**

Medium Duty Removable Anchor For Installing Window & Door Frames, Rod, Conduit, Fixtures - Zinc Plated

SLEEVE ANCHORS - ROD HANGER

Part No.	Item Description	Size	Box Qty.
R17001	Sleeve Type Rod Hangers, Zinc Plated CR+3	1/2" x 2 1/4"	25
R17002	Sleeve Type Rod Hangers, Zinc Plated CR+3	3/8" x 1 7/8"	50
R17003	Sleeve Type Rod Hangers, Zinc Plated CR+3	5/16" x 1 1/2"	50
R17004	Sleeve Type Rod Hangers, Zinc Plated CR+3	5/8" x 2 1/4"	20



SUITABLE BASE MATERIALS

- Uncracked concrete
- Hollow block
- Masonry



**The Ultimate
Sleeve Anchor**

Medium Duty Removable Anchor For Installing Window & Door Frames, Electrical Boxes, Conduit, Fixtures - Stainless 304

SLEEVE ANCHORS - HEX HEAD

Part No.	Item Description	Size	Box Qty.
618010	Stainless 304 Sleeve Anchor, Hex Head	1/4" x 1 3/8"	100
618020	Stainless 304 Sleeve Anchor, Hex Head	3/8" x 1 7/8"	50
618030	Stainless 304 Sleeve Anchor, Hex Head	3/8" x 3"	50
618040	Stainless 304 Sleeve Anchor, Hex Head	1/2" x 2 1/4"	25
618050	Stainless 304 Sleeve Anchor, Hex Head	1/2" x 4"	25
618060	Stainless 304 Sleeve Anchor, Hex Head	5/8" x 4 1/4"	10



SUITABLE BASE MATERIALS

- Uncracked concrete
- Solid brick
- Hollow block
- Masonry



**The Ultimate
Drop-In Anchor
ASTM E488 TESTED**

CONCRETE - For Suspending Conduit, Fire Sprinklers And Lighting To Concrete - Zinc Plated

DROP-IN ANCHORS

Part No.	Item Description	Size	Box Qty.
268010	Drop-In Anchor w/Tool, Zinc Plated CR+3	1/4" W/Tool	100
268011	Drop-In Anchor, Zinc Plated CR+3	1/4"	50
268020	Drop-In Anchor w/Tool, Zinc Plated CR+3	3/8" W/Tool	100
268022	Drop-In Anchor, Zinc Plated CR+3	3/8"	20
268030	Drop-In Anchor w/Tool, Zinc Plated CR+3	1/2" W/Tool	50
268040	Drop-In Anchor w/Tool, Zinc Plated CR+3	5/8" W/Tool	25
268050	Drop-In Anchor w/Tool, Zinc Plated CR+3	3/4" W/Tool	25
268220	Drop-In Anchor, (3/8" Shorty w/Lip) and Tool, Zinc Plated CR+3	3/8" W/Tool	100



SUITABLE BASE MATERIALS

- Uncracked concrete



**The Ultimate
Drop-In Anchor**

CONCRETE - For Suspending Conduit, Fire Sprinklers And Lighting To Concrete - Stainless 304

DROP-IN ANCHORS

Part No.	Item Description	Size	Box Qty.
619010	Stainless 304 Drop-In Anchors w/Tool	1/4"	100
619020	Stainless 304 Drop-In Anchors w/Tool	3/8"	100
619030	Stainless 304 Drop-In Anchors w/Tool	1/2"	50
619040	Stainless 304 Drop-In Anchors w/Tool	5/8"	25
619050	Stainless 304 Drop-In Anchors w/Tool	3/4"	25



SUITABLE BASE MATERIALS

- Uncracked concrete



**Where Quality and
Performance Come First!**

CONCRETE - For Drop-In Anchors

SETTING TOOLS



- For Setting Drop-In Anchors into concrete

Part No.	Item Description	Size	Box Qty.
269010	Drop-In Anchor Setting Tool, Zinc CR+3	1/4"	1
269020	Drop-In Anchor Setting Tool, Zinc CR+3	3/8"	1
269030	Drop-In Anchor Setting Tool, Zinc CR+3	1/2"	1
269040	Drop-In Anchor Setting Tool, Zinc CR+3	5/8"	1
269050	Drop-In Anchor Setting Tool, Zinc CR+3	3/4"	1
269220	Drop-In Shorty Anchor Setting Tool, Zinc CR+3	3/8"	1



**Where Quality and
Performance Come First!**

CONCRETE/MASONRY - Mushroom Head with Zinc Plated Nail

HAMMER DRIVE ANCHORS MUSHROOM HEAD



- Basic hammer drive metal nail anchors
- Expands by hammering nail into anchor
- Light duty anchor for mounting in concrete, block, brick, and stone

Part No.	Item Description	Size	Box Qty.
266010	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ Zinc Plated Nail	3/16"x7/8"	100
266020	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ Zinc Plated Nail	1/4"x3/4"	100
266030	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ Zinc Plated Nail	1/4"x1"	100
266040	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ Zinc Plated Nail	1/4"x1 1/4"	100
266050	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ Zinc Plated Nail	1/4"x1 1/2"	100
266060	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ Zinc Plated Nail	1/4"x2"	100
266070	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ Zinc Plated Nail	1/4"x2 1/2"	100
266080	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ Zinc Plated Nail	1/4"x3"	50



**Where Quality and
Performance Come First!**

CONCRETE/MASONRY - Mushroom Head with 304 Stainless Nail

HAMMER DRIVE ANCHORS MUSHROOM HEAD



- Basic hammer drive metal nail anchors
- Expands by hammering nail into anchor
- Light duty anchor for mounting in concrete, block, brick, and stone

Part No.	Item Description	Size	Box Qty.
265008	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ 304 Stainless Nail	1/4"x3/4"	100
265010	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ 304 Stainless Nail	1/4"x1"	100
265020	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ 304 Stainless Nail	1/4"x1 1/4"	100
265030	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ 304 Stainless Nail	1/4"x1 1/2"	100
265040	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ 304 Stainless Nail	1/4"x2"	100
265050	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ 304 Stainless Nail	1/4"x2 1/2"	50
265060	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ 304 Stainless Nail	1/4"x3"	100
265100	Hammer Drive Anchor Mushroom Head Zinc Alloy W/ 304 Stainless Nail	3/16"x7/8"	100



**Where Quality and
Performance Come First!**

CONCRETE/MASONRY - Nylon Nail Anchors with Zinc Plated Nail

HAMMER DRIVE ANCHORS



- Basic hammer drive nylon nail anchors
- Expands by hammering nail into anchor
- Light duty anchor for mounting in concrete, block, brick, and stone

Part No.	Item Description	Size	Box Qty.
R14060	Nylon Nail Anchor - Mushroom Head W/ Zinc Plated Nail	3/16"x1"	50
R14001	Nylon Nail Anchor - Mushroom Head W/ Zinc Plated Nail	1/4"x1"	100
R14003	Nylon Nail Anchor - Mushroom Head W/ Zinc Plated Nail	1/4"x1 1/2"	100
R14005	Nylon Nail Anchor - Mushroom Head W/ Zinc Plated Nail	1/4"x2"	100
R14008	Nylon Nail Anchor - Mushroom Head W/ Zinc Plated Nail	1/4"x3"	100
R14010	Nylon Nail Anchor - Mushroom Head W/ Zinc Plated Nail	1/4"x3/4"	100
R14011	Nylon Nail Anchor - Mushroom Head W/ Zinc Plated Nail	1/4"x4"	50
R14012	Nylon Nail Anchor - Round Head W/ Zinc Plated Nail	3/16"x1"	100
R14014	Nylon Nail Anchor - Round Head W/ Zinc Plated Nail	3/16"x1 1/2"	100
R14022	Nylon Nail Anchor - Round Head W/ Zinc Plated Nail	1/4"x1"	100
R14024	Nylon Nail Anchor - Round Head W/ Zinc Plated Nail	1/4"x1 1/2"	100
R14026	Nylon Nail Anchor - Round Head W/ Zinc Plated Nail	1/4"x2"	100
R14032	Nylon Nail Anchor - Flat Head W/ Zinc Plated Nail	3/16"x1"	100
R14034	Nylon Nail Anchor - Flat Head W/ Zinc Plated Nail	3/16"x1 1/2"	100
R14042	Nylon Nail Anchor - Flat Head W/ Zinc Plated Nail	1/4"x1"	100
R14044	Nylon Nail Anchor - Flat Head W/ Zinc Plated Nail	1/4"x1 1/2"	100
R14046	Nylon Nail Anchor - Flat Head W/ Zinc Plated Nail	1/4"x2"	100
R14050	Nylon Nail Anchor - Flat Head W/ Zinc Plated Nail	1/4"x4"	50



**Where Quality and
Performance Come First!**

CONCRETE/MASONRY - Pin Drive Expansion Anchor, Zinc Yellow CR+6

PIN DRIVE EXPANSION ANCHORS



- Used for medium duty fastening applications in concrete, CMU, and brick.
- Expands by hammering nail into anchor

Part No.	Item Description	Size	Box Qty.
R15001	Pin Drive Expansion Anchor Zinc Yellow CR+6	1/2"-13x3 1/2"	50
R15002	Pin Drive Expansion Anchor Zinc Yellow CR+6	1/2"-13x4 3/4"	50
R15003	Pin Drive Expansion Anchor Zinc Yellow CR+6	3/8"-16x2 3/8"	50
R15004	Pin Drive Expansion Anchor Zinc Yellow CR+6	3/8"-16x3 1/2"	100
R15005	Pin Drive Expansion Anchor Zinc Yellow CR+6	5/16"-18x2 3/4"	50



**Where Quality and
Performance Come First!**

CONCRETE/MASONRY - Split-Fast Anchors, Zinc Plated

SPLIT-FAST ANCHORS



- Basic hammer drive type anchor
- Permanent fixture, non-removable

Part No.	Item Description	Size	Box Qty.
159010	Split-Fast Anchor Zinc - Flat Head	1/4"x1 1/2"	100
159012	Split-Fast Anchor Zinc - Flat Head	1/4"x2"	100
159014	Split-Fast Anchor Zinc - Flat Head	1/4"x2 1/2"	100
159016	Split-Fast Anchor Zinc - Flat Head	1/4"x3"	100
159018	Split-Fast Anchor Zinc - Flat Head	1/4"x3 1/2"	100
159020	Split-Fast Anchor Zinc - Flat Head	1/4"x4"	100
159044	Split-Fast Anchor Zinc - Round Head	1/4"x1 1/4"	100
159046	Split-Fast Anchor Zinc - Round Head	1/4"x1 1/2"	100
159048	Split-Fast Anchor Zinc - Round Head	1/4"x2"	100
159050	Split-Fast Anchor Zinc - Round Head	1/4"x2 1/2"	100
159052	Split-Fast Anchor Zinc - Round Head	1/4"x3"	100



**Where Quality and
Performance Come First!**

PLASTER/DRYWALL - Hollow Wall Anchors, Drive Type

HOLLOW WALL ANCHORS



- Used in materials such as stucco and drywall where a traditional anchor will not work

Part No.	Item Description	Size	Box Qty.
272025	Hollow Wall Anchor Drive-Type (L) Pan Head Phil/Slot Combo, Zinc CR+3	1/8"x1 1/2"	100
272030	Hollow Wall Anchor Drive-Type (XS) Pan Head Phil/Slot Combo, Zinc CR+3	1/8"x1"	100
272040	Hollow Wall Anchor Drive-Type (S) Pan Head Phil/Slot Combo, Zinc CR+3	1/8"x1 1/4"	100
272050	Hollow Wall Anchor Drive-Type (SL) Pan Head Phil/Slot Combo, Zinc CR+3	1/8"x2"	100
272272	Hollow Wall Anchor Drive-Type, Hex Slotted, Zinc CR+3	1/8"x1 1/4"	100
R05001	Hollow Wall Anchor Setting Tool	Setting Tool	1



**Where Quality and
Performance Come First!**

PLASTER/DRYWALL - Hollow Wall Anchors

HOLLOW WALL ANCHORS



- Used in materials such as stucco and drywall where a traditional anchor will not work

Part No.	Item Description	Size	Box Qty.
267010	Hollow Wall Anchor (XS) Pan Head Phil/Slot Combo	1/8"x3/4"	100
267020	Hollow Wall Anchor (S) Pan Head Phil/Slot Combo	1/8"x1 1/4"	100
267030	Hollow Wall Anchor (S) Pan Head Phil/Slot Combo	3/16"x2"	50
267040	Hollow Wall Anchor (S) Pan Head Phil/Slot Combo	1/4"x2"	50
267042	Hollow Wall Anchor (L) Pan Head Phil/Slot Combo	1/4"x2 1/2"	50
267050	Hollow Wall Anchor (L) Pan Head Phil/Slot Combo	1/8"x1 3/4"	100
267052	Hollow Wall Anchor (SL) Pan Head Phil/Slot Combo	1/8"x2"	100
267060	Hollow Wall Anchor (L) Pan Head Phil/Slot Combo	3/16"x2 1/2"	50
267062	Hollow Wall Anchor (XL) Pan Head Phil/Slot Combo	3/16"x3"	50
267070	Hollow Wall Anchor (XL) Pan Head Phil/Slot Combo	1/8"x2 1/2"	100
267080	Hollow Wall Anchor (XL) Pan Head Phil/Slot Combo	1/4"x3"	50
267267	Hollow Wall AnchorR (S) Hex Slot	1/8"x1 1/4"	100
267268	Hollow Wall AnchorR (L) Hex Slot	1/8"x1 3/4"	100
R05001	Hollow Wall Anchor Setting Tool	Setting Tool	1



**Where Quality and
Performance Come First!**

CONCRETE/MASONRY - Expansion Shield Anchors - Single and Double

EXPANSION SHIELD ANCHORS



- Used for anchoring into concrete, block, brick or base materials of questionable strength

Part No.	Item Description	Size	Box Qty.
264010	Expansion Shield Anchor Single Zinc Alloy	1/4"	100
264020	Expansion Shield Anchor Single Zinc Alloy	5/16"	50
264030	Expansion Shield Anchor Single Zinc Alloy	3/8"	50
264040	Expansion Shield Anchor Single Zinc Alloy	1/2"	50
264050	Expansion Shield Anchor Single Zinc Alloy	5/8"	25
264060	Expansion Shield Anchor Single Zinc Alloy	3/4"	25
263010	Expansion Shield Anchor Double Zinc Alloy	1/4"	100
263020	Expansion Shield Anchor Double Zinc Alloy	5/16"	50
263030	Expansion Shield Anchor Double Zinc Alloy	3/8"	50
263040	Expansion Shield Anchor Double Zinc Alloy	1/2"	25
263050	Expansion Shield Anchor Double Zinc Alloy	5/8"	25
263060	Expansion Shield Anchor Double Zinc Alloy	3/4"	10



**Where Quality and
Performance Come First!**

CONCRETE/MASONRY - Lag Screw Expansion Shield Anchors Short and Long

LAG SCREW EXPANSION ANCHORS



- Used to fill the area of a pre-drilled hole when a lag screw is required and used to tighten and expand the shield

Part No.	Item Description	Size	Box Qty.
273010	Lag Screw Expansion Shields Anchor (Short) Zinc Alloy	1/4" x 1"	100
273020	Lag Screw Expansion Shields Anchor (Short) Zinc Alloy	5/16" x 1 1/4"	100
273030	Lag Screw Expansion Shields Anchor (Short) Zinc Alloy	3/8" x 1 3/4"	50
273040	Lag Screw Expansion Shields Anchor (Short) Zinc Alloy	1/2" x 2"	25
273050	Lag Screw Expansion Shields Anchor (Short) Zinc Alloy	5/8" x 2"	25
273060	Lag Screw Expansion Shields Anchor (Short) Zinc Alloy	3/4" x 2"	25
274010	Lag Screw Expansion Shields Anchor (Long) Zinc Alloy	1/4" x 1 1/2"	100
274020	Lag Screw Expansion Shields Anchor (Long) Zinc Alloy	5/16" x 1 3/4"	100
274030	Lag Screw Expansion Shields Anchor (Long) Zinc Alloy	3/8" x 2 1/2"	50
274040	Lag Screw Expansion Shields Anchor (Long) Zinc Alloy	1/2" x 3"	25
274050	Lag Screw Expansion Shields Anchor (Long) Zinc Alloy	5/8" x 3 1/2"	25
274060	Lag Screw Expansion Shields Anchor (Long) Zinc Alloy	3/4" x 3 1/2"	25



**Where Quality and
Performance Come First!**

CONCRETE/BLOCK/BRICK/MASONRY - Machine Screw Anchors with Tool

MACHINE SCREW ANCHORS



- Used to fill the area of a pre-drilled hole and a machine screw to secure light duty objects to the anchor
- Light duty anchor made from rust-resistant materials and suitable for use in concrete, brick, and block

Part No.	Item Description	Size	Box Qty.
275102	Machine Screw Anchor, Zinc Alloy and Lead Alloy	#6-32 W/ TOOL	100
275104	Machine Screw Anchor, Zinc Alloy and Lead Alloy	#8-32 W/ TOOL	100
275111	Machine Screw Anchor, Zinc Alloy and Lead Alloy	#10-24x3/4" W/ TOOL	100
275112	Machine Screw Anchor, Zinc Alloy and Lead Alloy	#10-24x1 1/4" W/ TOOL	100
275115	Machine Screw Anchor, Zinc Alloy and Lead Alloy	#10-32 W/ TOOL	100
275180	Machine Screw Anchor, Zinc Alloy and Lead Alloy	3/4"-10 W/ TOOL	25
275500	Machine Screw Anchor, Zinc Alloy and Lead Alloy	5/8"-11 W/ TOOL	25
275501	Machine Screw Anchor, Zinc Alloy and Lead Alloy	1/2"-13 W/ TOOL	50
275502	Machine Screw Anchor, Zinc Alloy and Lead Alloy	1/4"-20 W/ TOOL	100
275503	Machine Screw Anchor, Zinc Alloy and Lead Alloy	#10-24 W/ TOOL	100
275504	Machine Screw Anchor, Zinc Alloy and Lead Alloy	3/8"-16 W/ TOOL	50
275505	Machine Screw Anchor, Zinc Alloy and Lead Alloy	5/16"-18 W/ TOOL	100



**Where Quality and
Performance Come First!**

CONCRETE/BLOCK/BRICK/MASONRY - Wood Screw Anchors

WOOD SCREW ANCHORS



- Used to fill the area of a pre-drilled hole and a wood screw to secure light duty objects to the anchor
- Used with wood, tapping, or lag screws, a light duty anchor suitable for use in brick, block, concrete and other masonry substrates

Part No.	Item Description	Size	Box Qty.
280010	Wood Screw Anchor Lead Alloy, Plain	#6-8x3/4"	100
280020	Wood Screw Anchor Lead Alloy, Plain	#6-8x1"	100
280030	Wood Screw Anchor Lead Alloy, Plain	#6-8x1 1/2"	100
280040	Wood Screw Anchor Lead Alloy, Plain	#10-14x3/4"	100
280050	Wood Screw Anchor Lead Alloy, Plain	#10-14x1"	100
280060	Wood Screw Anchor Lead Alloy, Plain	#10-14x1 1/2"	50
280070	Wood Screw Anchor Lead Alloy, Plain	#16-18x1"	50
280080	Wood Screw Anchor Lead Alloy, Plain	#16-18x1 1/2"	50
280088	Wood Screw Anchor Lead Alloy, Plain	1/8"x3/4"	100
280090	Wood Screw Anchor Lead Alloy, Plain	3/16"x1"	100
280101	Wood Screw Anchor Lead Alloy, Plain	1/4"-20x1"	50



**Where Quality and
Performance Come First!**

EZ Anchors-Conical Anchors, Plastic and Metal Anchor Kits

PLASTIC/METAL ANCHOR KITS



- For installing light to medium duty objects to drywall

Part No.	Item Description	Size	Box Qty.
K05001	E-Z Anchor Zinc Kit w/Pan Combo Tapping Screws (50 Pcs.)	#8	50
K05041	Conical Plastic Anchor Kit w/ Indent HWH Slotted Screws, Blue (100 Pcs.)	#10-12	100
K05042	Conical Plastic Anchor Kit w/ Pan Combo Screws, Blue (100 Pcs.)	#10-12	100
K05043	Conical Plastic Anchor Kit w/ Pan Combo Screws, Blue (100 Pcs.)	#10-12	100
K05044	Conical Plastic Anchor Kit w/ Pan Combo Screws, Blue (100 Pcs.)	#10-12	100
K05045	Conical Plastic Anchor Kit w/ Pan Combo Screws, Red (100 Pcs.)	#4-6-8	100
K05046	Conical Plastic Anchor Kit w/ Pan Combo Screws, Blue (100 Pcs.)	#4-6-8	100
K05047	Conical Plastic Anchor Kit w/ Pan Combo Screws, Blue (100 Pcs.)	#6-8-10	100
K05048	Conical Plastic Anchor Kit w/ Pan Combo Screws, Red (100 Pcs.)	#6-8-10	100
K05049	Conical Plastic Anchor Kit w/ Pan Combo Screws, Blue (50 Pcs.)	#14-16	50
K05060	Plastic Lite Drywall Anchor Kit w/ Pan Phil Tapping Screws (50 Pcs.)	#6	50
K05070	Mini Drywall Anchor Z Kit w/ Pan Phil Tapping Screws (50 Pcs.) & 1 Bit	#6	50
K05080	Plastic Drywall Anchor Kit w/ Pan Phil Tapping Screws (50 Pcs.)	#8	50
K05090	Steel Drywall Anchor Kit w/ Pan Phil Tapping Screws (50 Pcs.)	#8	50



**Where Quality and
Performance Come First!**

STUCCO/DRYWALL/HOLLOW MATERIALS - Conical Plastic Anchors

CONICAL PLASTIC ANCHORS



- For installing light to medium duty objects to drywall and hollow materials

Part No.	Item Description	Size	Box Qty.
078011	Conical Plastic Anchor Plain - Red	#4-6-8x3/4"	100
078012	Conical Plastic Anchor Plain - Blue	#4-6-8x3/4"	1,000
078015	Conical Plastic Anchor Plain - Blue	#4-6-8x7/8"	1,000
078017	Conical Plastic Anchor Plain - Blue	#4-6-8x7/8"	1,000
078021	Conical Plastic Anchor Plain - Red	#6-8-10x7/8"	1,000
078022	Conical Plastic Anchor Plain - Blue	#6-8-10x7/8"	1,000
078031	Conical Plastic Anchor Plain - Red	#10-12x1"	1,000
078032	Conical Plastic Anchor Plain - Blue	#10-12x1"	100
078041	Conical Plastic Anchor Plain - Blue	#14-16x1 3/8"	500
078042	Conical Plastic Anchor Plain - Blue	#14-16x1 3/8"	500
078045	Conical Plastic Anchor Plain - Blue	#14-16x1 1/2"	500



**The Ultimate
Drywall Anchor**

USED IN DRYWALL - Light Duty Anchors For Installing Pictures, Mirrors, And Book Shelves Into Drywall - Zinc & Plastic

EZ-ANCHORS



Part No.	Item Description	Size	Case Qty.
R02001	E-Z Anchor Lite Duty White Nylon for use w/#6 Screws	3/8 x 1	100
R02005	E-Z Anchor Mini White Nylon for use w/#6, 7, & 8 Screws	1/2 x 1-5/8	100
R02007	E-Z Anchor Mini Zinc Die Cast for use w/#6, 7, & 8 Screws	7/16 x 1-1/4	100
R02008	E-Z Anchor Zinc Die Cast for use w/#6, 7, & 8 Screws	1/2 x 1-5/8	100
R02012	E-Z Anchor Toggle Zinc Die Cast for use w/#8 Screws	9/16 x 2-1/2	50
R02013	E-Z Anchor Toggle W/LG Wash Face Zinc Die Cast for use w/#8 Screws	9/16 x 2-1/2	50



Where Quality and
Performance Come First!

STUCCO/DRYWALL/HOLLOW MATERIALS - Mungo® Nylon Plugs

MUNGO® NYLON PLUGS



- For installing light to medium duty objects to drywall and hollow materials
- For installing light to medium duty objects into drywall, concrete, brick, and other substrates

Part No.	Item Description	Size	Box Qty.
156010	Mungo Nylon Plug #1000100	MN M10x50 MM	50
156012	Mungo Nylon Plug #1011060	MU M10x60 MM	25
156014	Mungo Nylon Plug #1000120	MN M12x60 MM	25
156016	Mungo Nylon Plug #1000140	MN M14x70 MM	20
156018	Mungo Nylon Plug #1000160	MN M16x80 MM	10
156020	Mungo Nylon Plug #1000200	MN M20x90 MM	5
156022	Mungo Nylon Plug #1000040	MN M4x20 MM	100
156024	Mungo Nylon Plug #1000050	MN M5x25 MM	100
156026	Mungo Nylon Plug #1000060	MN M6x30 MM	100
156028	Mungo Nylon Plug #1050060	MQ M6x30 MM	100
156030	Mungo Nylon Plug #1010630	MU M6x35 MM	100
156032	Mungo Nylon Plug #1100606	ML M6x60 MM	100
156034	Mungo Nylon Plug #1000070	MN M7x35 MM	100
156036	Mungo Nylon Plug #1000080	MN M8x40 MM	100
156038	Mungo Nylon Plug #1010850	MU M8x50 MM	50
156040	Mungo Nylon Plug w/Screw	MUS M8x50 MM	50



Where Quality and
Performance Come First!

CONCRETE/MASONRY MATERIALS - Mungo® Framing Anchors

MUNGO® FRAMING ANCHORS



- For installation into concrete and masonry in non-structural applications
- European Technical Assessment ETA-11/0008

Part No.	Item Description	Size	Box Qty.
R08001	Mungo MQL Framing Anchor (Mungo# 1060108)	M10x80 MM	50
R08003	Mungo MQL Framing Anchor (Mungo# 1060114)	M10x140 MM	50
R08004	Mungo MQL Framing Anchor (Mungo# 1060112)	M10x120 MM	50
R08005	Mungo MQL Framing Anchor (Mungo# 1060110)	M10x100 MM	25
R08006	Mungo MQL Framing Anchor (Mungo# 1060110)	M10x100 MM	50
156042	Mungo MB-S Framing Plug #1122314 w/Screw - Pozi 3	M10x140 MM	50



**Where Quality and
Performance Come First!**

CONCRETE/HOLLOW BLOCK/BRICK MATERIALS - Mungo® Hammer Screw Anchors

MUNGO® HAMMER SCREWS

Part No.	Item Description	Size	Box Qty.
R10002	Mungo MNA-S Hammer Screw	#10x1 3/16"	100
R10003	Mungo MNA-S Hammer Screw	M6x35 MM	100
R10004	Mungo MNA-S Hammer Screw	M8x80 MM	100
R10005	Mungo MNA-S Hammer Screw	M8x120 MM	100



- For installing light to medium duty objects to concrete, block, brick and other materials
- Unlike other hammer drive anchors, these hammer screws are removable.

STUCCO/DRYWALL/HOLLOW MATERIALS - Toggle Bolt with Wing

TOGGLE BOLT WITH WING



- For installing light to medium duty objects to drywall and hollow materials

Part No.	Item Description	Size	Box Qty.
893010	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/8"-32x2"	100
893014	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/8"-32x3"	100
893016	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/8"-32x4"	50
893018	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x2"	100
893020	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x3"	50
893022	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x4"	100
893024	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x5"	50
893026	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x6"	50
893028	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x2"	50
893030	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x3"	50
893032	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x4"	25
893034	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x5"	50
893035	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x6"	50
893038	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	5/16"-18x3"	25
893040	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	5/16"-18x4"	25
893042	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	5/16"-18x5"	25
893044	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	5/16"-18x6"	25
893046	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/8"-16x3"	25
893048	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/8"-16x4"	25
893050	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/8"-16x5"	25
893052	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/8"-16x6"	10
893053	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/2"-13x4"	10
893054	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/2"-13x5"	10
893056	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/2"-13x6"	10
893106	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/8"-32x2"	100
893110	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/8"-32x3"	100
893112	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/8"-32x4"	100
893114	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x2"	50
893116	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x3"	50
893118	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x4"	50
893120	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x5"	25
893122	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/16"-24x6"	50
893126	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x3"	50
893128	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x4"	50
893130	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x5"	50
893132	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	1/4"-20x6"	25
893238	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	5/16"-18x3"	50
893136	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	5/16"-18x4"	25
893140	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	5/16"-18x6"	25
893142	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/8"-16x3"	25
893144	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/8"-16x4"	25
893148	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/8"-16x5"	25
893150	Toggle Bolt With Wing Nut, Zinc CR+3 - Round PH/SL Combo	3/8"-16x6"	25




**Where Quality and
Performance Come First!**

STUCCO/DRYWALL/HOLLOW MATERIALS - Toggle Bolt - Acoustical

TOGGLE BOLT - ACOUSTICAL

Part No.	Item Description	Size	Box Qty.
143000	Toggle Bolts - Acoustical, Zinc CR+3	1/8"x4"	25
143005	Toggle Bolts - Acoustical, Zinc CR+3	3/16"x2"	25
143010	Toggle Bolts - Acoustical, Zinc CR+3	3/16"x4"	25
143015	Toggle Bolts - Acoustical, Zinc CR+3	1/4"-20x3"	25
143020	Toggle Bolts - Acoustical, Zinc CR+3	1/4"-20x4"	25
143025	Toggle Bolts - Acoustical, Zinc CR+3	1/4"-20x5"	25



- For installing light to medium duty objects to drywall and hollow materials



**Where Quality and
Performance Come First!**

STUCCO/DRYWALL/HOLLOW MATERIALS - Toggle Wings

TOGGLE WINGS

Part No.	Item Description	Size	Box Qty.
262010	Toggle Wing, Zinc CR+3	#6-32	100
262014	Toggle Wing, Zinc CR+3	#8-32	100
262018	Toggle Wing, Zinc CR+3	#10-24	100
262022	Toggle Wing, Zinc CR+3	1/4"-20	100
262026	Toggle Wing, Zinc CR+3	5/16"-18	50
262030	Toggle Wing, Zinc CR+3	3/8"-16	50
262034	Toggle Wing, Zinc CR+3	1/2"-13	25



- Used with machine screws for light duty applications in hollow materials

CONCRETE / MASONRY - For Pre-Drilling Concrete, Block, Brick, Masonry, And Stone

SDS-PLUS CARBIDE BITS	Part No.	Item Description	Size	Pkg. Qty.
	C10009	SDS-Plus Carbide Bit, 5/32" x 4-1/4" (2" Usable Length)	5/32" x 4 1/4"	1
	■ C10010	SDS-Plus Carbide Bit, 5/32" x 6-1/4" (4" Usable Length)	5/32" x 6 1/4"	1
	■ C10020	SDS-Plus Carbide Bit, 3/16" x 4-1/2" (2" Usable Length)	3/16" x 4 1/2"	1
	■ C10030	SDS-Plus Carbide Bit, 3/16" x 6-1/2" (4" Usable Length)	3/16" x 6 1/2"	1
	■ C10031	SDS-Plus Carbide Bit, 3/16" x 8-1/2" (6" Usable Length)	3/16" x 8 1/2"	1
	C10032	SDS-Plus Carbide Bit, 3/16" x 12-1/2" (10" Usable Length)	3/16" x 12 1/2"	1
	C10033	SDS-Plus Carbide Bit, 7/32" x 6-1/2" (4" Usable Length)	7/32" x 6 1/2"	1
	C10034	SDS-Plus Carbide Bit, 7/32" x 8-1/2" (6" Usable Length)	7/32" x 8 1/2"	1
	C10035	SDS-Plus Carbide Bit, 7/32" x 10-1/2" (8" Usable Length)	7/32" x 10 1/2"	1
	C10036	SDS-Plus Carbide Bit, 7/32" x 16" (14" Usable Length)	7/32" x 16"	1
	■ C10040	SDS-Plus Carbide Bit, 1/4" x 4-1/2" (2" Usable Length)	1/4" x 4 1/2"	1
	■ C10050	SDS-Plus Carbide Bit, 1/4" x 6-1/2" (4" Usable Length)	1/4" x 6 1/2"	1
	■ C10051	SDS-Plus Carbide Bit, 1/4" x 8-1/2" (6" Usable Length)	1/4" x 8 1/2"	1
	C10052	SDS-Plus Carbide Bit, 1/4" x 10-1/2" (8" Usable Length)	1/4" x 10 1/2"	1
	C10053	SDS-Plus Carbide Bit, 1/4" x 14" (12" Usable Length)	1/4" x 14"	1
	C10054	SDS-Plus Carbide Bit, 1/4" x 16" (14" Usable Length)	1/4" x 16"	1
	■ C10060	SDS-Plus Carbide Bit, 5/16" x 6-1/2" (4" Usable Length)	5/16" x 6 1/2"	1
	C10070	SDS-Plus Carbide Bit, 5/16" x 12-1/2" (10" Usable Length)	5/16" x 12 1/2"	1
	■ C10080	SDS-Plus Carbide Bit, 3/8" x 6-1/2" (4" Usable Length)	3/8" x 6 1/2"	1
	C10090	SDS-Plus Carbide Bit, 3/8" x 10-1/2" (8" Usable Length)	3/8" x 10 1/2"	1
	● C10100	SDS-Plus Carbide Bit, 3/8" x 12-1/2" (10" Usable Length)	3/8" x 12 1/2"	1
	C10101	SDS-Plus Carbide Bit, 3/8" x 18" (16" Usable Length)	3/8" x 18"	1
	C10102	SDS-Plus Carbide Bit, 3/8" x 24" (22" Usable Length)	3/8" x 24"	1
	C10110	SDS-Plus Carbide Bit, 7/16" x 6-1/2" (4" Usable Length)	7/16" x 6 1/2"	1
	C10111	SDS-Plus Carbide Bit, 7/16" x 12-1/2" (10" Usable Length)	7/16" x 12 1/2"	1
	■ C10120	SDS-Plus Carbide Bit, 1/2" x 6-1/2" (4" Usable Length)	1/2" x 6 1/2"	1

■ Available in bulk pack (25 pcs)

● Available in bulk pack (10 pcs)

Safety First – Always follow manufacturer's instructions and wear impact resistant safety goggles/shield & gloves.

CONCRETE / MASONRY - For Pre-Drilling Concrete, Block, Brick, Masonry, And Stone

SDS-PLUS CARBIDE BITS	Part No.	Item Description	Size	Pkg. Qty.
	C10130	SDS-Plus Carbide Bit, 1/2" x 10-1/2" (8" Usable Length)	1/2" x 10 1/2"	1
	• C10140	SDS-Plus Carbide Bit, 1/2" x 12-1/2" (10" Usable Length)	1/2" x 12 1/2"	1
	C10141	SDS-Plus Carbide Bit, 1/2" x 18" (16" Usable Length)	1/2" x 18"	1
	C10142	SDS-Plus Carbide Bit, 1/2" x 24" (22" Usable Length)	1/2" x 24"	1
	C10150	SDS-Plus Carbide Bit, 9/16" x 6-1/2" (4" Usable Length)	9/16" x 6 1/2"	1
	C10160	SDS-Plus Carbide Bit, 9/16" x 12-1/4" (10" Usable Length)	9/16" x 12 1/4"	1
	C10170	SDS-Plus Carbide Bit, 5/8" x 6-1/4" (4" Usable Length)	5/8" x 6 1/4"	1
	• C10171	SDS-Plus Carbide Bit, 5/8" x 8-1/4" (6" Usable Length)	5/8" x 8 1/4"	1
	C10180	SDS-Plus Carbide Bit, 5/8" x 9-1/2" (7" Usable Length)	5/8" x 9 1/2"	1
	C10190	SDS-Plus Carbide Bit, 5/8" x 12-1/4" (10" Usable Length)	5/8" x 12 1/4"	1
	C10191	SDS-Plus Carbide Bit, 5/8" x 18" (16" Usable Length)	5/8" x 18"	1
	C10192	SDS-Plus Carbide Bit, 5/8" x 24" (22" Usable Length)	5/8" x 24"	1
	• C10193	SDS-Plus Carbide Bit, 3/4" x 8" (6" Usable Length)	3/4" x 8"	1
	C10200	SDS-Plus Carbide Bit, 11/16" x 7" (5" Usable Length)	11/16" x 7"	1
	C10210	SDS-Plus Carbide Bit, 3/4" x 10" (8" Usable Length)	3/4" x 10"	1
	C10220	SDS-Plus Carbide Bit, 3/4" x 12" (10" Usable Length)	3/4" x 12"	1
	C10221	SDS-Plus Carbide Bit, 3/4" x 18" (16" Usable Length)	3/4" x 18"	1
	C10222	SDS-Plus Carbide Bit, 3/4" x 24" (22" Usable Length)	3/4" x 24"	1
	C10223	SDS-Plus Carbide Bit, 7/8" x 8" (6" Usable Length)	7/8" x 8"	1
	C10230	SDS-Plus Carbide Bit, 7/8" x 10" (8" Usable Length)	7/8" x 10"	1
	C10231	SDS-Plus Carbide Bit, 7/8" x 12" (10" Usable Length)	7/8" x 12"	1
	C10240	SDS-Plus Carbide Bit, 1" x 10" (8" Usable Length)	1" x 10"	1
	C10241	SDS-Plus Carbide Bit, 1" x 18" (16" Usable Length)	1" x 18"	1

- Rotary Hammer Drill
- Serrated Head Geometry
- Self Centering Chisel Point
- ANSI B212.15 Specification
- Tungsten Carbide Tip
- Copper/Silver Brazing
- Fastest Dust Removal
- Less Vibration
- Industrial Quality

■ Available in bulk pack (25 pcs)

• Available in bulk pack (10 pcs)

Safety First – Always follow manufacturer's instructions and wear impact resistant safety goggles/shield & gloves.

CONCRETE / MASONRY - For Pre-Drilling Concrete, Block, Brick, Masonry, And Stone

RND. STR. SHANK CARBIDE BITS



- General purpose
- Tungsten carbide
- Slow spiral flute
- Tempered body
- Black oxide finish
- Gold head
- Straight shank
- ANSI specification

Part No.	Item Description	Size	Pkg. Qty.
C11010	Round Straight Shank Carbide Bit, 1/8" x 2 1/2" (1.5" Usable Length)	1/8" x 2 1/2"	1
C11020	Round Straight Shank Carbide Bit, 5/32" x 6" (5" Usable Length)	5/32" x 6"	1
C11030	Round Straight Shank Carbide Bit, 3/16" x 3 1/2" (2.5" Usable Length)	3/16" x 3 1/2"	1
C11040	Round Straight Shank Carbide Bit, 3/16" x 6" (5" Usable Length)	3/16" x 6"	1
C11041	Round Straight Shank Carbide Bit, 7/32" x 4" (2" Usable Length)	7/32" x 4"	1
C11050	Round Straight Shank Carbide Bit, 1/4" x 4" (3" Usable Length)	1/4" x 4"	1
C11060	Round Straight Shank Carbide Bit, 1/4" x 6" (5" Usable Length)	1/4" x 6"	1
C11061	Round Straight Shank Carbide Bit, 1/4" x 12" (6" Usable Length)	1/4" x 12"	1
C11062	Round Straight Shank Carbide Bit, 1/4" x 18" (12" Usable Length)	1/4" x 18"	1
C11063	Round Straight Shank Carbide Bit, 5/16" x 4" (2" Usable Length)	5/16" x 4"	1
C11070	Round Straight Shank Carbide Bit, 5/16" x 6" (5" Usable Length)	5/16" x 6"	1
C11071	Round Straight Shank Carbide Bit, 5/16" x 12" (6" Usable Length)	5/16" x 12"	1
C11072	Round Straight Shank Carbide Bit, 5/16" x 18" (12" Usable Length)	5/16" x 18"	1
C11073	Round Straight Shank Carbide Bit, 3/8" x 4" (2" Usable Length)	3/8" x 4"	1
C11080	Round Straight Shank Carbide Bit, 3/8" x 6" (5" Usable Length)	3/8" x 6"	1
C11081	Round Straight Shank Carbide Bit, 3/8" x 12" (6" Usable Length)	3/8" x 12"	1
C11082	Round Straight Shank Carbide Bit, 3/8" x 18" (12" Usable Length)	3/8" x 18"	1
C11083	Round Straight Shank Carbide Bit, 3/8" x 24" (12" Usable Length)	3/8" x 24"	1
C11084	Round Straight Shank Carbide Bit, 7/16" x 6" (3" Usable Length)	7/16" x 6"	1
C11085	Round Straight Shank Carbide Bit, 1/2" x 4" (2" Usable Length)	1/2" x 4"	1
C11090	Round Straight Shank Carbide Bit, 1/2" x 6" (5" Usable Length)	1/2" x 6"	1
C11091	Round Straight Shank Carbide Bit, 1/2" x 12" (6" Usable Length)	1/2" x 12"	1
C11092	Round Straight Shank Carbide Bit, 1/2" x 18" (12" Usable Length)	1/2" x 18"	1
C11093	Round Straight Shank Carbide Bit, 9/16" x 6" (3" Usable Length)	9/16" x 6"	1
C11094	Round Straight Shank Carbide Bit, 5/8" x 6" (3" Usable Length)	5/8" x 6"	1
C11095	Round Straight Shank Carbide Bit, 5/8" x 12" (6" Usable Length)	5/8" x 12"	1
C11096	Round Straight Shank Carbide Bit, 5/8" x 18" (12" Usable Length)	5/8" x 18"	1
C11097	Round Straight Shank Carbide Bit, 3/4" x 6" (3" Usable Length)	3/4" x 6"	1
C11098	Round Straight Shank Carbide Bit, 3/4" x 12" (6" Usable Length)	3/4" x 12"	1
C11099	Round Straight Shank Carbide Bit, 3/4" x 18" (12" Usable Length)	3/4" x 18"	1
C11100	Round Straight Shank Carbide Bit, 7/8" x 6" (3" Usable Length)	7/8" x 6"	1
C11101	Round Straight Shank Carbide Bit, 7/8" x 12" (6" Usable Length)	7/8" x 12"	1
C11102	Round Straight Shank Carbide Bit, 7/8" x 18" (12" Usable Length)	7/8" x 18"	1
C11103	Round Straight Shank Carbide Bit, 1" x 6" (3" Usable Length)	1" x 6"	1
C11104	Round Straight Shank Carbide Bit, 1" x 12" (6" Usable Length)	1" x 12"	1
C11105	Round Straight Shank Carbide Bit, 1" x 18" (12" Usable Length)	1" x 18"	1

Safety First – Always follow manufacturer's instructions and wear impact resistant safety goggles/shield & gloves.

CONCRETE / MASONRY - For Pre-Drilling Concrete, Block, Brick, Masonry, And Stone

SDS-MAX CARBIDE BITS



- Rotary Hammer Drill
- Serrated Head Geometry
- Self Centering Chisel Point
- ANSI B212.15 Specification
- Tungsten Carbide Tip
- Copper/Silver Brazing
- Fastest Dust Removal
- Less Vibration

Part No.	Item Description	Size	Pkg. Qty.
C13100	SDS-Max Carbide Bit, 3/8" x 13" (8" Usable Length)	3/8" x 13"	1
C13102	SDS-Max Carbide Bit, 1/2" x 13" (8" Usable Length)	1/2" x 13"	1
C13104	SDS-Max Carbide Bit, 1/2" x 21" (15-1/2" Usable Length)	1/2" x 21"	1
C13106	SDS-Max Carbide Bit, 9/16" x 21" (15-1/2" Usable Length)	9/16" x 21"	1
C13108	SDS-Max Carbide Bit, 5/8" x 13" (8" Usable Length)	5/8" x 13"	1
C13110	SDS-Max Carbide Bit, 5/8" x 21" (15-1/2" Usable Length)	5/8" x 21"	1
C13112	SDS-Max Carbide Bit, 5/8" x 36" (31" Usable Length)	5/8" x 36"	1
C13114	SDS-Max Carbide Bit, 11/16" x 21" (15-1/2" Usable Length)	11/16" x 21"	1
C13116	SDS-Max Carbide Bit, 3/4" x 13" (8" Usable Length)	3/4" x 13"	1
C13118	SDS-Max Carbide Bit, 3/4" x 21" (15-1/2" Usable Length)	3/4" x 21"	1
C13120	SDS-Max Carbide Bit, 3/4" x 36" (32" Usable Length)	3/4" x 36"	1
C13122	SDS-Max Carbide Bit, 7/8" x 13" (8" Usable Length)	7/8" x 13"	1
C13124	SDS-Max Carbide Bit, 7/8" x 21" (17" Usable Length)	7/8" x 21"	1
C13126	SDS-Max Carbide Bit, (7/8" x 36" (32" Usable Length)	7/8" x 36"	1
C13128	SDS-Max Carbide Bit, 1" x 13" (8" Usable Length)	1" x 13"	1
C13130	SDS-Max Carbide Bit, 1" x 21" (17" Usable Length)	1" x 21"	1
C13132	SDS-Max Carbide Bit, 1" x 36" (32" Usable Length)	1" x 36"	1
C13134	SDS-Max Carbide Bit, 1-1/8" x 17" (13" Usable Length)	1 1/8" x 17"	1
C13136	SDS-Max Carbide Bit, 1-1/8" x 21" (17" Usable Length)	1 1/8" x 21"	1
C13138	SDS-Max Carbide Bit, 1-1/8" x 36" (32" Usable Length)	1 1/8" x 36"	1
C13140	SDS-Max Carbide Bit, 1-1/4" x 13" (11" Usable Length)	1 1/4" x 15"	1
C13142	SDS-Max Carbide Bit, 1-1/4" x 23" (17" Usable Length)	1 1/4" x 23"	1
C13143	SDS-Max Carbide Bit, 1-1/4" x 36" (31" Usable Length)	1 1/4" x 36"	1
C13144	SDS-Max Carbide Bit, 1-3/8" x 23" (17" Usable Length)	1 3/8" x 23"	1
C13146	SDS-Max Carbide Bit, 1-1/2" x 23" (17" Usable Length)	1 1/2" x 23"	1
C13148	SDS-Max Carbide Bit, 1-3/4" x 23" (18" Usable Length)	1 3/4" x 23"	1
C13150	SDS-Max Carbide Bit, 2" x 23" (18" Usable Length)	2" x 23"	1

Safety First – Always follow manufacturer's instructions and wear impact resistant safety goggles/shield & gloves.

CONCRETE / MASONRY - For Pre-Drilling Prior To Installing Drop-In Anchors

SDS-PLUS CARBIDE BITS



- Rotary Hammer Drill
- Stop-Lip Prevents Over-Drilling
- Drill Exact Depth for Drop-In Anchors
- Less Likely to Hit Rebar
- ANSI B212.15 Specification

Part No.	Item Description	Size	Pkg. Qty.
C12100	SDS-PLUS Bit & Stop, 3/8" x 1 1/16" for 1/4" Drop-In Anchor	3/8" x 1 1/16"	1
C12102	SDS-PLUS Bit & Stop, 1/2" x 13/16" for 3/8" S Drop-In Anchor	1/2" x 13/16"	1
C12104	SDS-PLUS Bit & Stop, 1/2" x 1 11/16" for 3/8" Drop-In Anchor	1/2" x 1 11/16"	1
C12106	SDS-PLUS Bit & Stop, 5/8" x 1 3/16" for 1/2" S Drop-In Anchor	5/8" x 1 3/16"	1
C12108	SDS-PLUS Bit & Stop, 5/8" x 2 1/16" for 1/2" Drop-In Anchor	5/8" x 2 1/16"	1

Safety First – Always follow manufacturer's instructions and wear impact resistant safety goggles/shield & gloves.

CONCRETE / MASONRY - For Pre-Drilling Prior To Installing Concrete Screws

SDS-HEX CARBIDE BITS



- Special Tungsten Carbide Tip
- Copper/Silver Brazing
- ANSI B212.15 Specification

Part No.	Item Description	Size	Pkg. Qty.
C19200	SDS-HEX Concrete Screw Bit 5/32" x 5" (2-1/2" Usable Length)	5/32"x 5"	1
C19201	SDS-HEX Concrete Screw Bit 5/32 x 7" (4-1/2" Usable Length)	5/32"x 7"	1
C19100	SDS-HEX Concrete Screw Bit 3/16" x 5" (2-1/2" Usable Length)	3/16"x 5"	1
C19101	SDS-HEX Concrete Screw Bit 3/16" x 7" (4-1/2") Usable Length)	3/16"x 7"	1

Safety First – Always follow manufacturer's instructions and wear impact resistant safety goggles/shield & gloves.



**Gloves Without
Limits for Superior Hand
Protection**

HAND AND KNEE PROTECTION

	Part No.	Item Description	Size	Pkg. Qty.
 G02092  G02012	G02092	General Utility Work Gloves	S	12
	G02093	General Utility Work Gloves	M	12
	G02094	General Utility Work Gloves	L	12
	G02095	General Utility Work Gloves	XL	12
	G02096	General Utility Work Gloves	XXL	12
	G02012	Framer Work Gloves	S	12
 G02223  G03364	G02013	Framer Work Gloves	M	12
	G02014	Framer Work Gloves	L	12
	G02015	Framer Work Gloves	XL	12
	G02016	Framer Work Gloves	XXL	12
	G02223	Wrenchworx Work Gloves	S	12
	G02224	Wrenchworx Work Gloves	M	12
 G03254	G02225	Wrenchworx Work Gloves	L	12
	G02226	Wrenchworx Work Gloves	XL	12
	G02227	Wrenchworx Work Gloves	XXL	12
	G03362	Command Cut Level A2 Polyurethane Impact - Touch Screen	S	12
	G03363	Command Cut Level A2 Polyurethane Impact - Touch Screen	M	12
	G03364	Command Cut Level A2 Polyurethane Impact - Touch Screen	L	12
 M09030	G03365	Command Cut Level A2 Polyurethane Impact - Touch Screen	XL	12
	G03366	Command Cut Level A2 Polyurethane Impact - Touch Screen	XXL	12
	G03252	Command Cut Level A3 Foam Nitrile - Touch Screen	S	12
	G03253	Command Cut Level A3 Foam Nitrile - Touch Screen	M	12
	G03254	Command Cut Level A3 Foam Nitrile - Touch Screen	L	12
	G03255	Command Cut Level A3 Foam Nitrile - Touch Screen	XL	12
	G03256	Command Cut Level A3 Foam Nitrile - Touch Screen	XXL	12
	M09030	Foam Standing/Kneeling Pad	21" x 14" x 1"	1

HEAD PROTECTION



G60002



G60106



G60102



G60201



G62002



G62004

Part No.	Item Description	Color	Case Qty.
----------	------------------	-------	-----------

YUKON™ CS400: 4 - Point suspension system offers superior protection for top impact with good side protection. Ratchet adjusts between hat sizes 6-1/2" to 8". Universal accessory slot. Compatible with 2 or 3 chin straps. Vertical height adjustment capability (2 front, 2 rear) allows for a more personal fit to increase wear time and worker compliance. Meets ANSI/ISEA Z89.1 standards.

G60000	Yukon CS400 - Standard Brim, Vented, 4 Point, Type 1, Class C	White	20
G60001	Yukon CS400 - Standard Brim, Vented, 4 Point, Type 1, Class C	Blue	20
G60002	Yukon CS400 - Standard Brim, Vented, 4 Point, Type 1, Class C	Yellow	20
G60003	Yukon CS400 - Standard Brim, Vented, 4 Point, Type 1, Class C	Orange	20

YUKON™ ES400: 4 - Point suspension system offers superior protection for top impact with good side protection. Ratchet adjusts between hat sizes 6-1/2" to 8". Universal accessory slot. Compatible with 2 or 3 chin straps. Vertical height adjustment capability (2 front, 2 rear) allows for a more personal fit to increase wear time and worker compliance. Meets ANSI/ISEA Z89.1 and CSA Z94.1 standards.

G60104	Yukon ES400 - Standard Brim, Non Vented, 4 Point, Type 1, Class E	White	20
G60105	Yukon ES400 - Standard Brim, Non Vented, 4 Point, Type 1, Class E	Blue	20
G60106	Yukon ES400 - Standard Brim, Non Vented, 4 Point, Type 1, Class E	Yellow	20
G60107	Yukon ES400 - Standard Brim, Non Vented, 4 Point, Type 1, Class E	Orange	20

YUKON™ ES600: 6 - Point suspension system offers superior protection for front, top, lateral and off axis impacts. Ratchet adjusts between hat sizes 6-1/2" to 8". Universal accessory slot. Compatible with 2 or 3 chin straps. Vertical height adjustment capability (2 front, 2 rear) allows for a more personal fit to increase wear time and worker compliance. Meets ANSI/ISEA Z89.1 and CSA Z94.1 standards.

G60100	Yukon ES600 - Standard Brim, Non Vented, 6 Point, Type 1, Class E	White	20
G60101	Yukon ES600 - Standard Brim, Non Vented, 6 Point, Type 1, Class E	Blue	20
G60102	Yukon ES600 - Standard Brim, Non Vented, 6 Point, Type 1, Class E	Yellow	20
G60103	Yukon ES600 - Standard Brim, Non Vented, 6 Point, Type 1, Class E	Orange	20

YUKON™ EF400: 4 - Point suspension system offers superior protection for top impact with good side protection. Ratchet adjusts between hat sizes 6-1/2" to 8". Universal accessory slot. Compatible with 2 or 3 chin straps. Vertical height adjustment capability (2 front, 2 rear) allows for a more personal fit to increase wear time and worker compliance. Meets ANSI/ISEA Z89.1 and CSA Z94.1 standards.

G60200	Yukon EF400 - Full Brim, Non Vented, 4 Point, Type 1, Class E	White	10
G60201	Yukon EF400 - Full Brim, Non Vented, 4 Point, Type 1, Class E	Yellow	10

RAINIER™ BC40: Short bill offers protection from bump hazards in tight spaces. Slide lock 4 - point suspension system for lightweight comfort. Vented design allows for added air circulation. Polyester brow pad. Compatible with 2 point chin straps.

G62001	Rainier BC40 - Short Brim Hard Bump Cap	White	25
G62002	Rainier BC40 - Short Brim Hard Bump Cap	Yellow	25
G62003	Rainier BC40 - Short Brim Hard Bump Cap	Blue	25

RAINIER™ BCX: Ball cap style brim. Low-profile head protection. Snap back adjustable closure fits a wide range of head sizes. Ventilated removable bump insert with crown pad. Breathable construction.

G62004	Rainier BCX - Snap Back Bump Cap	Black	36
--------	----------------------------------	-------	----



Global Headquarters

Tainan, Taiwan

No.122, Yi-Lin Road,
Rende Township,
Tainan, 71752 Taiwan
Tel. 886-6-270-1756

USA Headquarters

Long Beach, California

5860 Paramount Blvd.
Long Beach, CA 90805
Tel. 562-808-8000
Fax: 562-808-8137

U.S.A.

Atlanta, GA

250 Horizon Dr.
Suwanee, GA 30024
Tel. 678-459-3700
Fax: 678-459-3720
WATS: 800-275-0056
atlanta@brightonbest.com

Boston, MA

448 Turnpike St.
South Easton, MA 02375
Tel. 508-857-2808
Fax: 774-296-8685
WATS: 800-275-0037
boston@brightonbest.com

Charlotte, NC

8604 Cliff Cameron Dr., Ste. 154
Charlotte, NC 28269
Tel. 704-393-6711
Fax: 704-393-6715
WATS: 800-275-0050
charlotte@brightonbest.com

Chicago, IL

940 North Enterprise St.
Aurora, IL 60504
Tel. 630-898-9600
Fax: 630-898-9601
WATS: 800-929-2378
chicago@brightonbest.com

Cleveland, OH

21855 Commerce Pkwy.
Strongsville, OH 44149
Tel. 440-238-1350
Fax: 440-238-2336
WATS: 800-275-0048
cleveland@brightonbest.com

Dallas, TX

3225 Roy Orr Blvd., Ste. 200
Grand Prairie, TX 75050
Tel. 972-790-1201
Fax: 972-790-6265
WATS: 800-275-0054
dallas@brightonbest.com

Denver, CO

9700 E. 56th Ave., Unit 120
Denver, CO 80238
Tel. 303-576-0530
Fax: 303-371-9775
WATS: 800-935-2202
denver@brightonbest.com

Detroit, MI

59067 Gratiot Ave.
New Haven, MI 48048
Tel. 586-412-3350
Fax: 586-412-3305
WATS: 800-275-0046
detroit@brightonbest.com

Houston, TX

6911 Fairbanks N. Houston Rd. Ste. 150
Houston, TX 77040
Tel: 713-466-0336
Fax: 713-466-0385
WATS: 800-275-0054
houston@brightonbest.com

Los Angeles, CA

12801 Leffingwell Ave.
Santa Fe Springs, CA 90670
Tel. 562-483-2740
Fax: 562-404-3999
WATS: 800-275-0028
losangeles@brightonbest.com

Miami, FL

3426 West 84th St., Ste. 203
Hialeah, FL 33018
Tel. 305-512-3446
Fax: 305-512-3450
WATS: 800-275-0035
miami@brightonbest.com

Nashville, TN

446 Metroplex Dr., Ste. A120
Nashville, TN 37211
Tel. 615-834-1154
Fax: 615-834-1157
WATS: 800-275-0029
nashville@brightonbest.com

Portland, OR

4820 NE 138th Ave.
Portland, OR 97230
Tel: 503-261-0660
Fax: 503-252-4093
WATS: 800-275-0686
portland@brightonbest.com

Minneapolis, MN

21010 Commerce Blvd.
Ste. B
Rogers, MN 55374
Tel. 763-425-9464
Fax: 763-425-9266
WATS: 800-275-0031
minnesota@brightonbest.com

Salt Lake City, UT

2179 S. Commerce Center Dr. Ste. 400
West Valley City, UT 84120
Tel: 801-972-1313
Fax: 801-972-5114
WATS: 800-935-1402
saltlake@brightonbest.com

Sayreville, NJ

200 Kennedy Dr.
Sayreville, NJ 08872
Tel. 732-525-8400
Fax: 732-525-8408
sayreville@brightonbest.com

Tampa, FL

4915 Distribution Dr.
Tampa, FL 33605
Tel. 305-512-3446
Fax: 305-512-3450
WATS: 800-275-0035
tampa@brightonbest.com

West Deptford, NJ

1222 Forest Parkway
West Deptford, NJ 08066
Tel. 856-241-9494
Fax: 856-241-9477
WATS: 800-935-2378
sayreville@brightonbest.com

IRONCLAD HQ

Dallas, TX
3325 Roy Orr Blvd., Ste. 200
Grand Prairie, TX 75050
Tel. 972-996-5664
Fax: 469-341-7213
Toll Free: 844-200-5664
customerservice@ironclad.com

CANADA

Edmonton, Alberta

12828 170th St. NW
Edmonton, AB T5V 0A6
Tel: 604-513-0311
Fax: 604-513-0312
WATS: 800-663-9106
edmonton@brightonbest.com

Montreal, Québec

12000 Cavendish
Saint-Laurent, Québec H4R 1Y2
Tel: 514-336-9888
Fax: 514-336-8865
WATS: 800-361-2076
montreal@brightonbest.com

Toronto, Ontario

7900 Goreway Dr., Unit 1
Brampton, Ontario L6T 5W6
Tel: 905-791-2000
Fax: 905-791-6841
WATS: 800-268-6918
toronto@brightonbest.com

Vancouver, British Columbia

Unit 103 9850 201st St.
Langley, B.C. V1M 4A3
Tel: 604-513-0311
Fax: 604-513-0312
WATS: 800-663-9106
vancouver@brightonbest.com

MEXICO

Mexico

Toll Free: 1(855)-816-9726
Fax: 562-404-3999
mexico@brightonbest.com

AUSTRALIA

Brisbane, Queensland

11 Stradbroke St.
Heathwood, Queensland 4110
Tel. 617-3727-5700
Fax: 617-3714-9821
qldsales@brightonbest.com.au

Melbourne, Victoria

31-33 Canterbury Rd.
Braeside, VIC 3195
Tel. 613-8586-0244
Fax: 613-9587-7255
vicsales@brightonbest.com.au

Perth, Western Australia

15 Wicks St.
Bayswater, Western Australia 6053
Tel. 618-6240-6800
Fax: 618-9248-4766
wasales@brightonbest.com.au

Sydney, New South Wales

1 Wonderland Dr.,
Eastern Creek, NSW 2766
Tel. 612-8818-0900
Fax: 612-9620-1050
nswsales@brightonbest.com.au

NEW ZEALAND

Auckland, New Zealand

28 Pavillion Dr. Airport Oaks
Mangere, Auckland 2022
Tel. 649-257-5256
Fax: 649-257-5328
nzsales@brightonbest.co.nz

U.K.

Birmingham, West Midlands

Fastener Complex D1
Cradley Business Park,
Overend Rd., Cradley Heath
West Midlands B64 7DW
Tel. +44 (0) 1384-568144
Fax: +44 (0) 1384-413719
sales@brightonbest.org

BRAZIL

São Paulo, Brazil

Rua Dos Missionários, 410
São Paulo, Brazil 04729-001
Tel. 55 11-5641-4037
Fax: 55 11-5641-2444
luizab@brightonbest.com.br

Questions? Please E-mail Us at USAnchor@brightonbest.com